

MediFlow

Synthetic comparison of CareFlow North and MediTrack East

Data quality, KPI logic, and repeatable reporting

Analysis run: 15 Apr 2026, 15:33

Data basis

	CareFlow North	MediTrack East
Raw rows	26,179	17,262
Rows in the 2022 window	26,179	17,165
Date style	One stable YYYYMMDD format	Mixed slash and dash timestamps
Month coverage	11/12 months	12/12 months
Main read	Cleaner KPI source	Richer category source

Synthetic data, real workflow pattern: one easier source and one messier source.

Field mapping: what can compare?

Shared idea	CareFlow	MediTrack
Case reference	CARE_REF	RefNo
Registration date	DT_REG	RegisteredAt
Assignment date	DT_ALLOC	AssignedOn
Cancelled date	DT_ABORT	CancelledOn
Pathway start	DT_OPEN	StartPathway
Finished date idea	max(DT_END, DT_CLOSE)	FinishedAt
Category field	TRACK	CareGroup

The report compares shared concepts at case level. It does not join rows across systems.

Date fields: one common idea, two different systems

Check	CareFlow North	MediTrack East
Registration basis	DT_REG	RegisteredAt
Order check	DT_REG <= DT_ALLOC	RegisteredAt <= AssignedOn
Finished-date use	Safe headline KPI basis	Exploratory only
Finish-before-registration	0.156%	46.0%

This is the core reason the two systems can share one deck while still needing different warnings.

Date cleaning: CareFlow Excel formula

The original exploration included helping users turn raw exports into usable Excel dates before any KPI work could start.

Raw pattern: YYYYMMDD with 0 used as missing.

Excel formula

```
=IF(A2=0,"",DATE(LEFT(TEXT(A2,"00000000"),4),  
MID(TEXT(A2,"00000000"),5,2), RIGHT(TEXT(A2,"00000000"),2)))
```

The final report does not depend on Excel. The formula stays here because it explains the original exploration and the rule later encoded in Python.

Date cleaning: MediTrack Excel formula

The messy system needed a branch in the parsing logic because the same field mixes slash and dash timestamps.

Current mix in RegisteredAt: 50.1% slash / 49.9% dash

Excel formula

```
=IF(A2="", "", IF(ISNUMBER(SEARCH("/", A2)),  
    DATE(MID(A2, FIND("/", A2, FIND("/", A2)+1)+1, 4),  
        LEFT(A2, FIND("/", A2)-1),  
        MID(A2, FIND("/", A2)+1, FIND("/", A2, FIND("/", A2)+1)-FIND("/", A2)-1)),  
    DATE(RIGHT(LEFT(A2, 10), 4), MID(A2, 4, 2), LEFT(A2, 2))))
```

This logic is now mirrored in the Python parser, so the pipeline stays the source of truth.

Date fields: side-by-side data quality

Check	CareFlow North	MediTrack East
Date format	OK: single YYYYMMDD format	Caution: mixed slash / dash timestamps
Parse rate	OK: 100.0%	OK: 100.0%
Reg $\leq$ assign	OK: 99.8%	Caution: 82.3%
Finish before reg	OK: 0.156%	Fail: 46.0%
Temporal coverage	Caution: 11/12 months	OK: 12/12 months
Duplicates	OK: none at case level	Fail: 81 exact rows + 16 extra case rows

The full scorecard figure still exists in the appendix and report, but the deck now keeps this view readable.

KPI overview (2022)

26,179

registered cases — CareFlow

11/12 months

17,165


registered cases — MediTrack

12/12 months


KPI	CareFlow	MediTrack
Finished case rate	78.1%	35.7%
Open rate	14.1%	56.8%
Cancelled rate	7.7%	7.6%
Median treatment time	48 days	57 days

MediTrack treatment time stays exploratory because 46.0% of finished cases still fall before registration.


CareFlow: status by month



MediTrack: status by month




Treatment time: finished cases



MediTrack duration is retained as exploratory because finished cases still show frequent date inversion.

Automation pattern: MediTrack — volume and variation



Recommendations: fix now



Standardise date exports

Use one clear date style in the messy system.



Define complete reporting windows

Make month coverage explicit so the year view is not ambiguous.



Keep case grain explicit

Make deduplication rules part of the handover, not hidden cleanup.

Recommendations: build next



Publish field definitions

A short data dictionary would remove a lot of uncertainty.



Separate robust and exploratory KPIs

Keep the strong numbers visible without overstating the weaker ones.




Automate the intake checks


Parsing, deduplication, coverage checks, and report refresh belong in one workflow.

Appendix: date-field completeness

CareFlow North




MediTrack East





Appendix: date-field spans and outliers

Date field spans in and around 2022




Appendix: KPI comparison

KPI comparison in 2022




MediTrack bar is exploratory because 46.0% of finished cases invert the date order


Appendix: monthly registration volume




Appendix: synthetic postcode geography



Appendix: CareFlow category pattern



Appendix: combined category pattern



Bubble size shows cancellation rate. Y-axis share is calculated within each dataset's plotted finished-case pool.