



QUIZ APP

Core Java Project



SUBMITTED BY
K.Trisha

Contents

Modules	Name of the module	Page no
Module 1	Overview & Purpose	1
Module 2	System Requirements	1
Module 3	Application Area	1
Module 4	Technology Description	2
Module 5	Flow Diagram	3
Module 6	Source Code	4-35
Module 7	Output Screenshots	35-39
Module 8	Conclusion and References	39

MODULE 1

Overview & Purpose

This Java program describes a Quiz App. This Quiz contains 10 general knowledge questions with two lifelines : 1.Audience poll and 2.50:50 .I have provided with an another option quit ,If the player don't know the answer ,he/she may quit the game with current score amount. It's a knowledge gainable Quiz App.

Purpose of this Quiz App:

- ⇒ To develop the real world console based Java application like this Quiz App by using the Core Java concepts.
- ⇒ To increase the implementation of core java concepts like, functions, linked list, conditional statements, Arrays etc.
- ⇒ To Check the General knowledge capability of every participant.

MODULE 2

System Requirements

- **Processor:** Dual core 2.0 GHz or higher
- **RAM:** 2 GB minimum requirement
- **Operating System:** Windows/Mac /Linux/Unix
- **JDK:** Java development kit version 8 or higher
- **Development Environment:** Eclipse IDE for Java developers
- **Disk Space:** Minimum (50 MB), primarily for the eclipse installation and project files.

MODULE 3

Application Area

This console based quiz application, while simple, can be applied in various basic scenarios:

- **Educational Tool:** As a rudimentary tool for self assessment or quick knowledge checks on specific topics .
- **Personal learning:** for individuals wanting to test their understanding of a subject.
- **Gaming:** It can also be an entertainment purpose.

MODULE 4

Technology Description

Programming Language: Core Java

Core Java Concepts used :

- Object oriented programming(OOP) concepts

- Functions and Linked List
- Conditional statements used for Lifelines

MODULE 5

UML & FLOW DIAGRAM




Fig 1.classdiagram.mdj




Fig.2 flow diagram. mdj

Source code

```
import java.util.*;

public class Main {

    public static void main(String[] args) {

        try {

            Scanner sc=new Scanner(System.in);

            QuizQuestions q=new QuizQuestions();

            System.out.print("Enter your name :");

            q.setName(sc.next().toUpperCase());

            System.out.print("Enter your age :");

            q.setAge(sc.nextInt());

            System.out.print("Enter your phonenumber:");

            q.setPhone(sc.nextLong());

            System.out.println("////@@@@@@@@@@@@@@@//@@@|Welcome to kaun bhanega  
das hajarpati||@@@@@@@@@@@@@@@//@@@|");

            System.out.println();

            System.out.println("Participant Name   "+q.getName());

            System.out.println("Participant Age   "+q.getAge());

            System.out.println("Participant PhoneNo :"+q.getPhone());

            System.out.println();

            System.out.println("^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^%%%%%%%%%  
%%%%%%%%%^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^");

            System.out.println("%%%%%%%%% Please enter your choice 1.Quit and 2.To Initiate the game  
%%%%%%%%%");

            int choice;

            choice=sc.nextInt();

            switch(choice) {

                case 1:

                    System.out.println("$$$$$$$$$$$$$$$$$$$$$=====>Thanks for participating the game  
terminated<=====$$$$$$$$$$$$$$$$$$$");

                    System.exit(0);

                    break;

                case 2:
```

```

    System.out.println("          &&&&&&&&&&&&&&&-----LETS PLAY THE GAME-----&&&&&&&&&&&&&&&
");
    System.out.println();
    q.rules();
    q.Question1();
    break;
default:
    System.out.println("Please enter correct choice");    }}
        catch(InputMismatchException ie) {
            System.out.println("Please enter correct input ");    }}}

```

Title: QuizQuestions.java

```

import java.util.*;
import java.lang.*;

public class QuizQuestions extends Exception {
    Scanner sc=new Scanner(System.in);
    Participants p=new Participants();
    int amount=0,count=0,count1=0,value=0,choice=0;

    public void rules() {
        System.out.println("<=====%%%%%%%%%%%%%%GAME
RULES=====%%%%%%%%%%%%%%>");

        System.out.println("    1.The player will be provided with 10 questions and its completely based on your General
knowledge");
        System.out.println("    1.Remember the lifelines should be used only once and cannot be repeated");
        System.out.println("    2.You will be given two lifelines 1.Audience poll and 2.50:50");
        System.out.println("    3.If your answer is wrong the game will be terminated");
        System.out.println("    4.If you want to quit the game you choose the quit option and terminate the game at any time");
        System.out.println("    5.your score  will be increased  with 1000 points at each correct option");

        System.out.println("<=====%%%%%%%%%%%%%%
%%%%%%%%%%%%%%>");

        System.out.println();
    }

    private String name;
    private int age;
    private long no;

    public QuizQuestions() {

```

```

        super();
        this.name = name;
        this.age = age;
        this.no=no;}

public String getName() {
    return name;}

public void setName(String name) {
    this.name = name;}

public int getAge() {
    return age;}

public void setAge(int age) {
    this.age = age;}

public long getPhone() {
    return no;}

public void setPhone(long no) {
    this.no=no;}

//=====

public void Question1() {
    try {
        LinkedList l1=new LinkedList();
        //l1.add(null);

        System.out.println("<===== Here is your First question
+++++=>");

        l1.add("A.What is our national animal ?");
        l1.add("1.Lion");

        l1.add("2.Tiger");
        l1.add("3.Cheetha");
        l1.add("4.Fox");
        l1.add("5.Lifelines");
        l1.add("6.Quit");

        ListIterator itr=l1.listIterator();

        while(itr.hasNext()) {
            System.out.println(itr.next());}

        System.out.println("Choose any option?");

        value=sc.nextInt();

```

```

if(l1.get(5)!=l1.get(value)){
    System.out.println("Enter your choice as 1.Audience poll 2.50:50");
    int choice=sc.nextInt();
    switch(choice) {
    case 1:
        System.out.println("Audience poll answers are 1.lion-20% 2.tiger-55% 3.cheetha-20% 4.fox-
5%");

        System.out.println("Choose any option");
        value=0;
        value=sc.nextInt();
        if(l1.get(2)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count+=1;
            Question2();
        }else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated Thanks for participating");
            System.out.println("Your score amount is "+amount);
            System.exit(0);}
    else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }
        break;
    case 2:
        System.out.println("50:50 answers are 1.lion & 2.tiger");
        System.out.println("Choose any option");
        value=sc.nextInt();
        if(l1.get(2)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question2();
        }else if(l1.get(6)==l1.get(value)) {

```



```

        System.out.println("The game terminated Thanks for participating");

        System.out.println("Your score amount is "+amount);

        System.exit(0);}

    else {

        System.out.println("You entered wrong answer");

        System.out.println("Your score amount is "+amount);

        System.out.println("***Thanks for Participating***");

        System.exit(0); }

        break;}}

    else if(l1.get(6)==l1.get(value)) {

        System.out.println("The game terminated Thanks for participating");

        System.out.println("your score amount is "+amount);

        System.exit(0);}

    else {

        if(l1.get(2)==l1.get(value)) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            Question2();

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0); }}

        System.out.println();}

    catch(InputMismatchException | IndexOutOfBoundsException e) {

        e.printStackTrace();

        System.out.println(e.getMessage()); } }

//=====
=====

public void Question2() {

    try {

        System.out.println("<===== Second question=====>");

        LinkedList l1=new LinkedList();

        l1.add("B.What is our National Fruit ?");

```

```

l1.add("1.Apple");
l1.add("2.Avacado");
l1.add("3.Mango");
l1.add("4.PineApple");
l1.add("5.Lifelines");
l1.add("6.Quit");

ListIterator itr=l1.listIterator();

while(itr.hasNext()) {
    System.out.println(itr.next());    }

System.out.println("choose any option");
value=sc.nextInt();

if(l1.get(5)==l1.get(value) && count==0 && count1==0){
    System.out.println("Enter your choice as 1.Audience poll 2.50:50");
    int choice=sc.nextInt();
    switch(choice) {
        case 1:
            System.out.println("Audience poll answer is 1.Apple-20% 2.Avacado-15% 3.Mango-60%
4.Pineapple-5%");

            System.out.println("Choose any option?");
            value=0;
            value=sc.nextInt();
            if(l1.get(3)==l1.get(value)) {
                amount+=1000;
                System.out.println("Your score amount is "+amount);
                count+=1;
                Question3();            }
            else if(l1.get(6)==l1.get(value)) {
                System.out.println("The game terminated thanks for participating");
                System.out.println("Your score amount is "+amount);
                System.exit(0);
            }else {
                System.out.println("You entered wrong answer");
                System.out.println("Your score amount is "+amount);
                System.out.println("***Thanks for Participating***");
                System.exit(0);            }
    }
}

```

```

        break;
    case 2:
        System.out.println("50:50 answers are 2.Avacado & 3.Mango");
        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(3)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question3();
        }
        else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated thanks for participating");
            System.out.println("your score amount is "+amount);
            System.exit(0);
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
        }
        break;
    }}
    else if(l1.get(5)==l1.get(value) && count==0){
        System.out.println("you left with an only one option i.e.,Audience poll");
        System.out.println("Audience poll answer is 1.Apple-10% 2.Avacado-15% 3.Mango-
60% 4.Pineapple-5%");
        System.out.println("choose any option");
        value=sc.nextInt();
        if(l1.get(3)==l1.get(value) ) {
            amount+=1000;
            System.out.println("your score amount is "+amount);
            count+=1;
            Question3();
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("your score amount is "+amount);
            System.out.println("***Thanks for Participating***");

```

```

        System.exit(0);    }}
else if(l1.get(5)==l1.get(value) && count1==0) {
    System.out.println("you left with an only one option i.e., 50:50");
    System.out.println("50:50 answers are 3.Mango or 4.Pineapple");
    System.out.println("choose any option");
    value=sc.nextInt();
    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("your score amount is "+amount);
        count1+=1;
        Question3();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("your score amount is "+amount);
        System.out.println("****Thanks for Participating****");
        System.exit(0); }
else if(l1.get(6)==l1.get(value)) {
    System.out.println("The game terminated thanks for participating");
    System.out.println("your score amount is "+amount);
    System.exit(0); }
else {
    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("your score amount is "+amount);
        Question3();    }
    else {
        System.out.println("You entered wrong answer");
        System.out.println("your score amount is "+amount);
        System.out.println("****Thanks for Participating****");
        System.exit(0);
    }
}
catch(InputMismatchException | IndexOutOfBoundsException e) {
    e.printStackTrace();
    System.out.println(e.getMessage());    }
}
```

```
//=====
=====
```

```
public void Question3() {
    try {System.out.println("<===== Third question =====>");
        LinkedList l1=new LinkedList();
        l1.add("C.What is the name of our National bird?");
        l1.add("1.Peacock");
        l1.add("2.Pigeon");
        l1.add("3.Parrot");
        l1.add("4.Sparrow");
        l1.add("5.lifelines");
        l1.add("6.Quit");

        ListIterator itr=l1.listIterator();
        while(itr.hasNext()) {
            System.out.println(itr.next());    }
        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(5)==l1.get(value) && count==0 && count1==0){
            System.out.println("Enter your choice as 1.Audience poll 2.50:50");
            int choice=sc.nextInt();
            switch(choice) {
                case 1:
                    System.out.println("Audience poll answers are 1.Peacock-30% 2.Pigeon-30% 3.Parrot-25%
4.Sparrow-15%");

                    System.out.println("Choose any option?");
                    value=0;
                    value=sc.nextInt();
                    if(l1.get(1)==l1.get(value)) {
                        amount+=1000;
                        System.out.println("Your score amount is "+amount);
                        count+=1;
                        Question4();    }
                    else if(l1.get(6)==l1.get(value)) {
                        System.out.println("The game terminated Thanks for participating");
                        System.out.println("Your score amount is "+amount);
```

```

        System.exit(0);

    }else {

        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }

        break;
case 2:

        System.out.println("50:50 answers are 1.Peacock & 3.Parrot");
        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(1)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question4();
        }else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated Thanks for participating");
            System.out.println("Your score amount is "+amount);
            System.exit(0);
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);    }

            break;    }}

else if(l1.get(5)==l1.get(value) && count==0){
    System.out.println("You left with an only one option i.e.,Audience poll");

        System.out.println("Audience poll answer is 1.peacock-30% ,2.pigeon-30% 3.parrot-
25% 4.Sparrow-15%");

        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(1)==l1.get(value) ) {
            amount+=1000;

            System.out.println("Your score amount is "+amount);

```

```

        count+=1;
        Question4();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }}
else if(l1.get(5)==l1.get(value) && count1==0) {
    System.out.println("You left with an only one option i.e., 50:50");
        System.out.println("50:50 answers are 1.Peacock or 3.Parrot");
        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(1)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question4();    }
        else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated thanks for participating");
            System.out.println("Your score amount is "+amount);
            System.exit(0);
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);    }
}
else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {
    System.out.println("You don't have any lifelines");
    System.out.println("Choose any option");
    value=sc.nextInt();
    if(l1.get(1)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        Question4();    }
}

```

```

        else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated thanks for participating");
            System.out.println("Your score amount is "+amount);
            System.exit(0);
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("****Thanks for Participating****");
            System.exit(0);
        }
    }
    else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated thanks for participating");
        System.out.println("Your score amount is "+amount);
        System.exit(0);
    }
    else {
        if(l1.get(1)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            Question4();
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("****Thanks for Participating****");
            System.exit(0);
        }
    }
}
catch(InputMismatchException | IndexOutOfBoundsException e) {
    e.printStackTrace();
    System.out.println("please enter correct input");
}

```

```

//=====
=====

```

```

public void Question4() {
    try {
        LinkedList l1=new LinkedList();
        l1.add("D.Who is the father of the computer?");
        l1.add("1.Tim Bernerlee");
        l1.add("2.Dinnes Ritchie");
        l1.add("3.KenThompson");
    }
}

```



```

l1.add("4.Charless Babbage");

l1.add("5.Lifelines");

l1.add("6.Quit");

System.out.println("<+++++Fourth question+++++=>");

ListIterator itr=l1.listIterator();

while(itr.hasNext()) {

    System.out.println(itr.next());    }

System.out.println("Choose any option?");

value=sc.nextInt();

if(l1.get(5)==l1.get(value) && count==0 && count1==0){

    System.out.println("Enter your choice as 1.Audience poll 2.50:50");

    int choice=sc.nextInt();

    switch(choice) {

        case 1:

            System.out.println("Audience poll answer is 1.Timbernerlee-10% 2.Dinnes Ritchie-35%
3.Kenthompson-5% 4.Charless Babbage-50%");

            System.out.println("Choose any option?");

            value=0;

            value=sc.nextInt();

            if(l1.get(4)==l1.get(value)) {

                amount+=1000;

                System.out.println("Your score amount is "+amount);

                count+=1;

                Question5();

            }else if(l1.get(6)==l1.get(value)) {

                System.out.println("The game terminated thanks for participating");

                System.out.println("Your score amount is "+amount);

                System.exit(0);

            }else {

                System.out.println("You entered wrong answer");

                System.out.println("Your score amount is "+amount);

                System.out.println("***Thanks for Participating***");

                System.exit(0);    }

            break;

        case 2:

```

```

        System.out.println("50:50 ans are 2.Dennis Ritchie & 4.Charless babbage");

        System.out.println("Choose any option?");

        value=sc.nextInt();

        if(l1.get(4)==l1.get(value)) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count1+=1;

            Question5();

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("***Thanks for Participating***");

            System.exit(0);        }

            break;        }}

    else if(l1.get(5)==l1.get(value) && count==0){

        System.out.println("you left with an only one option i.e.,Audience poll");

        System.out.println("Audience poll answer is 1.Timbernerlee-10% 2.Dinnes Ritchie-35%
3.Kenthompson-5% 4.Charless Babbage-50%");

        System.out.println("Choose any option?");

        value=sc.nextInt();

        if(l1.get(4)==l1.get(value) ) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count+=1;

            Question5();

        }else if(l1.get(6)==l1.get(value)) {

            System.out.println("The game terminated Thanks for participating");

            System.out.println("Your score amount is "+amount);

            System.exit(0);

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0);        }}

    else if(l1.get(5)==l1.get(value) && count1==0) {

        System.out.println("you left with an only one option i.e., 50:50");

```

```

        System.out.println("50:50 answers are 3.Tim bernerlee or 4.Charless Babbage");

        System.out.println("choose any option");

        value=sc.nextInt();

        if(l1.get(4)==l1.get(value)) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count1+=1;

            Question5();

        }else if(l1.get(6)==l1.get(value)) {

            System.out.println("The game terminated Thanks for participating");

            System.out.println("Your score amount is "+amount);

            System.exit(0);

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0); }

else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {

    System.out.println("You don't have any lifelines");

    System.out.println("Choose any option?");

    value=sc.nextInt();

    if(l1.get(4)==l1.get(value)) {

        amount+=1000;

        System.out.println("Your score amount is "+amount);

        Question5();

        }else if(l1.get(6)==l1.get(value)) {

            System.out.println("The game terminated Thanks for participating");

            System.out.println("Your score amount is "+amount);

            System.exit(0);

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0); }}

```

```

else if(l1.get(6)==l1.get(value)) {
    System.out.println("The game terminated thanks for participating");
    System.out.println("Your score amount is "+amount);
    System.exit(0);    }
else {
    if(l1.get(4)==l1.get(value)) {
        amount+=1000;
        System.out.println("your score amount is "+amount);
        Question5();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("****Thanks for Participating****");
        System.exit(0);    }}}
    catch(InputMismatchException | IndexOutOfBoundsException e) {
        e.printStackTrace();
        System.out.println("Please enter correct input");}
}

```

```

//=====
=====

```

```

public void Question5() {
    try {
        LinkedList l1=new LinkedList();
        l1.add("E.Who invented the Java language?");
        l1.add("1.Tim Bernerlee");
        l1.add("2.Dinnes Ritchie");
        l1.add("3.James Goosling");
        l1.add("4.Charless Babbage");
        l1.add("5.Lifelines");
        l1.add("6.Quit");

        System.out.println("<=====Fifth question=====>");
        ListIterator itr=l1.listIterator();
        while(itr.hasNext()) {
            System.out.println(itr.next());    }

        System.out.println("Choose any option");
        value=sc.nextInt();
    }
}

```

```

if(l1.get(5)!=l1.get(value) && count==0 && count1==0){

    System.out.println("Enter your choice as 1.Audience poll 2.50:50");

    int choice=sc.nextInt();

    switch(choice) {

    case 1:

        System.out.println("Audience poll answers are 1.Timbernerlee-5% 2.Dinnes Ritchie-12%
3.JAmes goosling-55% 4.Charless Babbage-28%");

        System.out.println("Choose any option");

        value=0;

        value=sc.nextInt();

        if(l1.get(3)!=l1.get(value)) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count+=1;

            Question6();

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0);        }

            break;

    case 2:

        System.out.println("50:50 answers are 2.Dennis Ritchie & 3.James Goosling");

        System.out.println("Choose any option?");

        value=sc.nextInt();

        if(l1.get(3)!=l1.get(value)) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count1+=1;

            Question6();

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0);        }

```

```

        break;        }}
else if(l1.get(5)!=l1.get(value) && count==0){
    System.out.println("You left with an only one option i.e.,Audience poll");

    System.out.println("Audience poll answers are 1.Timbernerlee-10% 2.Dinnes Ritchie-35%
3.Kenthompson-5% 4.Charless Babbage-50%");

    System.out.println("Choose any option?");

    value=sc.nextInt();

    if(l1.get(3)!=l1.get(value) ) {

        amount+=1000;

        System.out.println("your score amount is "+amount);

        count+=1;

        Question6();

    }else {

        System.out.println("You entered wrong answer");

        System.out.println("Your score amount is "+amount);

        System.out.println("***Thanks for Participating***");

        System.exit(0);        }}
else if(l1.get(5)!=l1.get(value) && count1==0) {

    System.out.println("You left with an only one option i.e., 50:50");

    System.out.println("50:50 answers are 3.Tim bernerlee or 4.Charless Babbage");

    System.out.println("Choose any option?");

    value=sc.nextInt();

    if(l1.get(3)!=l1.get(value)) {

        amount+=1000;

        System.out.println("Your score amount is "+amount);

        count1+=1;

        Question6();

    }else {

        System.out.println("You entered wrong answer");

        System.out.println("Your score amount is "+amount);

        System.out.println("***Thanks for Participating***");

        System.exit(0);    }

else if(l1.get(5)!=l1.get(value) && count!=0 && count1!=0) {

    System.out.println("you don't have any lifelines");

    System.out.println("choose any option");

```

```

value=sc.nextInt();

    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("your score amount is "+amount);
        Question6();
    } else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated thanks for participating");
        System.out.println("Your score amount is "+amount);
        System.exit(0);}else {

        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);                }}

else if(l1.get(6)==l1.get(value)) {
    System.out.println("The game terminated thanks for participating");
    System.out.println("Your score amount is "+amount);
    System.exit(0);  }

else {
    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        Question6();

    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);                }}}

    catch(InputMismatchException | IndexOutOfBoundsException e) {
        e.printStackTrace();
        System.out.println("Please enter correct input");}}

//=====
=====

public void Question6() {
    try {
        LinkedList l1=new LinkedList();

```

```

l1.add("F.Who invented the C language?");

l1.add("1.Tim Bernerlee");

l1.add("2.Dinnes Ritchie");

l1.add("3.James Goosling");

l1.add("4.Charless Babbage");

l1.add("5.Lifelines");

l1.add("6.Quit");

        System.out.println("<+++++Sixth question+++++>");

ListIterator itr=l1.listIterator();

while(itr.hasNext()) {

        System.out.println(itr.next());

}

System.out.println("choose any option");

value=sc.nextInt();

if(l1.get(5)==l1.get(value) && count==0 && count1==0){

        System.out.println("Enter your choice as 1.Audience poll 2.50:50");

        int choice=sc.nextInt();

        switch(choice) {

                case 1:

                        System.out.println("Audience poll answers are 1.Timbernerlee-5% 2.Dinnes Ritchie-72% 3.James goosling-8% 4.Charless Babbage-5%");

                        System.out.println("Choose any option");

                        value=0;

                        value=sc.nextInt();

                        if(l1.get(2)==l1.get(value)) {

                                amount+=1000;

                                System.out.println("Your score amount is "+amount);

                                count+=1;

                                Question7();

                        }else {

                                System.out.println("You entered wrong answer");

                                System.out.println("Your score amount is "+amount);

                                System.out.println("***Thanks for Participating***");

                                System.exit(0);

                                break;

                        }

                case 2:

```



```

        System.out.println("50:50 ans are 2.Dennis Ritchie & 3.James Goosling");
        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(2)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question7();
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
        }
        break;
    }}
else if(l1.get(5)==l1.get(value) && count==0){
    System.out.println("You left with an only one option i.e.,Audience poll");
    System.out.println("Audience poll answer is 1.Timbernerlee-5% 2.Dinnes Ritchie-72%
3.James Goosling-8% 4.Charless Babbage-5%");
    System.out.println("Choose any option?");
    value=sc.nextInt();
    if(l1.get(2)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        count+=1;
        Question7();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);
    }}
else if(l1.get(5)==l1.get(value) && count1==0) {
    System.out.println("You left with an only one option i.e., 50:50");
    System.out.println("50:50 answers are 2.Dinnes Ritchie or 4.Charless Babbage");
    System.out.println("Choose any option?");
    value=sc.nextInt();

```

```

        if(l1.get(2)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question7();
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
        }
    }else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {
        System.out.println("You don't have any lifelines");
        System.out.println("Choose any option?");
        value=sc.nextInt();
        if(l1.get(2)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            Question7();
        }else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated Thanks for
participating");
            System.out.println("Your score amount is "+amount);
            System.exit(0);
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
        }
    }else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated thanks for participating");
        System.out.println("Your score amount is "+amount);
        System.exit(0);
    }
    }else {
        if(l1.get(2)==l1.get(value)) {
            amount+=1000;

```

```

        System.out.println("your score amount is "+amount);
        Question7();
    } else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);
    }
}

catch(InputMismatchException | IndexOutOfBoundsException e) {
    e.printStackTrace();
    System.out.println("Please enter correct input");}}

//=====
=====

public void Question7() {
    try {
        LinkedList l1=new LinkedList();
        l1.add("G.Who invented the HTML language?");
        l1.add("1.Tim Bernerlee");
        l1.add("2.Dinnes Ritchie");
        l1.add("3.James Goosling");
        l1.add("4.Charless Babbage");
        l1.add("5.Lifelines");
        l1.add("6.Quit");

        System.out.println("<+++++Seventh
question+++++>");

        ListIterator itr=l1.listIterator();

        while(itr.hasNext()) {
            System.out.println(itr.next());
        }

        System.out.println("Choose any option?");
        value=sc.nextInt();

        if(l1.get(5)==l1.get(value) && count==0 && count1==0){
            System.out.println("Enter your choice as 1.Audience poll 2.50:50");
            int choice=sc.nextInt();

            switch(choice) {
                case 1:

```

```

        System.out.println("Audience poll answer is 1.Timbernerlee-75% 2.Dinnes Ritchie-
13% 3.James goosling-2% 4.Charless Babbage-10%");

        System.out.println("Choose any option?");

        value=0;

        value=sc.nextInt();

        if(l1.get(1)==l1.get(value)) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count+=1;

            Question8();

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0);        }

            break;

        case 2:

            System.out.println("50:50 answers are 2.Dennis Ritchie & 1.Tim Bernerlee");

            System.out.println("Choose any option");

            value=sc.nextInt();

            if(l1.get(2)==l1.get(value)) {

                amount+=1000;

                System.out.println("Your score amount is "+amount);

                count1+=1;

                Question8();

            }else {

                System.out.println("You entered wrong answer");

                System.out.println("Your score amount is "+amount);

                System.out.println("***Thanks for Participating***");

                System.exit(0);        }

                break;        }}

        else if(l1.get(5)==l1.get(value) && count==0){

            System.out.println("You left with an only one option i.e.,Audience poll");

            System.out.println("Audience poll answers are 1.Timbernerlee-75% 2.Dinnes Ritchie-
13% 3.James Goosling-2% 4.Charless Babbage-10%");

```

```

        System.out.println("Choose any option?");

        value=sc.nextInt();

        if(l1.get(1)==l1.get(value) ) {

            amount+=1000;

            System.out.println("Your score amount is "+amount);

            count+=1;

            Question8();

        }else {

            System.out.println("You entered wrong answer");

            System.out.println("Your score amount is "+amount);

            System.out.println("***Thanks for Participating***");

            System.exit(0);                }}

else if(l1.get(5)==l1.get(value) && count1==0) {

    System.out.println("you left with an only one option i.e., 50:50");

    System.out.println("50:50 answers are 2.Dinnes Ritchie or 1.Tim Bernerlee");

    System.out.println("Choose any option?");

    value=sc.nextInt();

    if(l1.get(2)==l1.get(value)) {

        amount+=1000;

        System.out.println("Your score amount is "+amount);

        count1+=1;

        Question8();

    }else {

        System.out.println("You entered wrong answer");

        System.out.println("Your score amount is "+amount);

        System.out.println("***Thanks for Participating***");

        System.exit(0);                }

else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {

    System.out.println("You don't have any lifelines");

    System.out.println("Choose any option");

    value=sc.nextInt();

    if(l1.get(1)==l1.get(value)) {

        amount+=1000;

        System.out.println("Your score amount is "+amount);

```

```

        Question8();
        } else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated thanks for
participating");

            System.out.println("Your score amount is "+amount);
            System.exit(0);}else {
                System.out.println("You entered wrong answer");
                System.out.println("Your score amount is "+amount);
                System.out.println("***Thanks for Participating***");
                System.exit(0);                }}
    else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated thanks for participating");
        System.out.println("Your score amount is "+amount);
        System.exit(0);                }
    else {
        if(l1.get(1)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            Question8();                }
        else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);                }}    }
    catch(InputMismatchException | IndexOutOfBoundsException e) {
        e.printStackTrace();
        System.out.println("Please enter correct input");}}

//=====
=====

public void Question8() {
    try {
        LinkedList l1=new LinkedList();
        l1.add("H.what is the total of this equation 20*0+3-3+12*2%2+6 ?");
        l1.add("1.20");
        l1.add("2.50");
    }
}

```

```

l1.add("3.18");

l1.add("4.36");

l1.add("5.Lifelines");

l1.add("6.Quit");

        System.out.println("<=====Eighth
question+++++>");

ListIterator itr=l1.listIterator();

while(itr.hasNext()) {

        System.out.println(itr.next());        }

System.out.println("choose any option");

value=sc.nextInt();

if(l1.get(5)==l1.get(value) && count==0 && count1==0){

        System.out.println("Enter your choice as 1.Audience poll 2.50:50");

        int choice=sc.nextInt();

        switch(choice) {

                case 1:

                        System.out.println("Audience poll answer is 1.20-5% 2.50-8% 3.18-32% 4.36-45%");

                        System.out.println("Choose any option?");

                        value=0;

                        value=sc.nextInt();

                        if(l1.get(3)==l1.get(value)) {

                                amount+=1000;

                                System.out.println("Your score amount is "+amount);

                                count+=1;

                                Question9();

                        }else {

                                System.out.println("You entered wrong answer");

                                System.out.println("Your score amount is "+amount);

                                System.out.println("***Thanks for Participating***");

                                System.exit(0);        }

                                break;

                case 2:

                        System.out.println("50:50 answers are 1.20 & 3.18");

                        System.out.println("Choose any option?");

                        value=sc.nextInt();

```

```

        if(l1.get(3)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count1+=1;
            Question9();
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
        }
        break;
    }}

else if(l1.get(5)==l1.get(value) && count==0){
    System.out.println("you left with an only one option i.e.,Audience poll");
    System.out.println("Audience poll answers are 1.20-5% 2.50-8% 3.18-32% 4.36-45%");
    System.out.println("Choose any option?");
    value=sc.nextInt();
    if(l1.get(2)==l1.get(value) ) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        count+=1;
        Question9();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);
    }}

else if(l1.get(5)==l1.get(value) && count1==0) {
    System.out.println("You left with an only one option i.e., 50:50");
    System.out.println("50:50 answers are 1.20 or 3.18");
    System.out.println("Choose any option?");
    value=sc.nextInt();
    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
    }
}

```



```

        count1+=1;
        Question9();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }
else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {
    System.out.println("You don't have any lifelines");
    System.out.println("Choose any option");
    value=sc.nextInt();
    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        Question9();    }
    else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated thanks for participating");
        System.out.println("Your score amount is "+amount);
        System.exit(0);
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }}
else if(l1.get(6)==l1.get(value)) {
    System.out.println("The game terminated thanks for participating");
    System.out.println("Your score amount is "+amount);
    System.exit(0);    }
else {
    if(l1.get(3)==l1.get(value)) {
        amount+=1000;
        System.out.println("your score amount is "+amount);
        Question9();
    }else {

```

```

        System.out.println("You entered wrong answer");

        System.out.println("Your score amount is "+amount);

        System.out.println("***Thanks for Participating***");

        System.exit(0);                }}    }

        catch(InputMismatchException | IndexOutOfBoundsException e) {

            e.printStackTrace();

            System.out.println("Please enter correct input");}}

//=====
=====

public void Question9() {

    try {

        LinkedList l1=new LinkedList();

        l1.add("1.what is the period of Second WorldWar ?");

        l1.add("1.1914-1918");

        l1.add("2.1939-1945");

        l1.add("3.1920-1926");

        l1.add("4.1950-1956");

        l1.add("5.lifelines");

        l1.add("6.Quit");

        System.out.println("<=====Nineth
question=====>");

        ListIterator itr=l1.listIterator();

        while(itr.hasNext()) {

            System.out.println(itr.next());        }

        System.out.println("choose any option");

        value=sc.nextInt();

        if(l1.get(5)==l1.get(value) && count==0 && count1==0){

            System.out.println("Enter your choice as 1.Audience poll 2.50:50");

            int choice=sc.nextInt();

            switch(choice) {

                case 1:

                    System.out.println("Audience poll answer is 1.1914-1918=25% 2.1939-1945=42%
3.1920-1926=8% 4.1950-1956=25%");

                    System.out.println("Choose any option?");

                    value=0;

```

```

        value=sc.nextInt();
        if(l1.get(2)==l1.get(value)) {
            amount+=1000;
            System.out.println("Your score amount is "+amount);
            count+=1;
            Question10();
        }else {
            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
            break;
        }
        case 2:
            System.out.println("50:50 ans are 1.1914-1918 & 3.1939-1945");
            System.out.println("Choose any option?");
            value=sc.nextInt();
            if(l1.get(2)==l1.get(value)) {
                amount+=1000;
                System.out.println("Your score amount is "+amount);
                count1+=1;
                Question10();
            }else {
                System.out.println("You entered wrong answer");
                System.out.println("Your score amount is "+amount);
                System.out.println("***Thanks for Participating***");
                System.exit(0);
                break;
            }
        }
        else if(l1.get(5)==l1.get(value) && count==0){
            System.out.println("You left with an only one option i.e.,Audience poll");
            System.out.println("Audience poll answer is 1.1914-1918=25% 2.1939-1945=42%
3.1920-1926=8% 4.1950-1956=25%");
            System.out.println("Choose any option?");
            value=sc.nextInt();
            if(l1.get(2)==l1.get(value) ) {
                amount+=1000;

```

```

        System.out.println("Your score amount is "+amount);
        count+=1;
        Question10();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0); }}
else if(l1.get(5)==l1.get(value) && count1==0) {
    System.out.println("you left with an only one option i.e., 50:50");
    System.out.println("50:50 answers are 1.1914-1918 or 2.1939-1945");
    System.out.println("Choose any option");
    value=sc.nextInt();
    if(l1.get(2)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        count1+=1;
        Question10();
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0); }
else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {
    System.out.println("You don't have any lifelines");
    System.out.println("Choose any option?");
    value=sc.nextInt();
    if(l1.get(2)==l1.get(value)) {
        amount+=1000;
        System.out.println("Your score amount is "+amount);
        Question10();
    }else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated thanks for
participating");
        System.out.println("your score amount is "+amount);

```

```
System.exit(0);}else {
```

```
System.out.println("You entered wrong answer");
```

```
System.out.println("Your score amount is "+amount);
```

```
System.out.println("***Thanks for Participating***");
```

```
System.exit(0);                }}
```

```
else if(l1.get(6)==l1.get(value)) {
```

```
System.out.println("The game terminated Thanks for participating");
```

```
System.out.println("Your score amount is "+amount);
```

```
System.exit(0);                }
```

```
else {
```

```
if(l1.get(2)==l1.get(value)) {
```

```
amount+=1000;
```

```
System.out.println("your score amount is "+amount);
```

```
Question10();
```

```
}else {
```

```
System.out.println("You entered wrong answer");
```

```
System.out.println("Your score amount is "+amount);
```

```
System.out.println("***Thanks for Participating***");
```

```
System.exit(0);                }}    }
```

```
catch(InputMismatchException | IndexOutOfBoundsException e) {
```

```
e.printStackTrace();
```

```
System.out.println("Please enter correct input");}}
```

```
//=====
```

```
=====
```

```
public void Question10() {
```

```
try {
```

```
LinkedList l1=new LinkedList();
```

```
l1.add("H.Who is the father of chemistry ?");
```

```
l1.add("1.John Dalton");
```

```
l1.add("2.Joseph Priestly");
```

```
l1.add("3.Albert Einstein");
```

```
l1.add("4.Antoine Lavoisier");
```

```
l1.add("5.Lifelines");
```

```
l1.add("6.Quit");
```

```

        System.out.println("<+++++Final question of the
game+++++>");

        ListIterator itr=l1.listIterator();

        while(itr.hasNext()) {

            System.out.println(itr.next());

            System.out.println("choose any option");

            value=sc.nextInt();

            if(l1.get(5)==l1.get(value) && count==0 && count1==0){

                System.out.println("enter your choice as 1.Audience poll 2.50:50");

                int choice=sc.nextInt();

                switch(choice) {

                    case 1:

                        System.out.println("Audience poll answers are 1.John Dalton-5% 2.Joseph Priestly-8%
3.Albert Einstein-32% 4.Antoine Lavoisier-45%");

                        System.out.println("Choose any option?");

                        value=0;

                        value=sc.nextInt();

                        if(l1.get(4)==l1.get(value)) {

                            amount+=1000;

                            System.out.println("Congratulations "+getName()+" your total score amount
is "+amount);

                            System.out.println("%%%%%%%%=====> You won the game
<%%%%%%%%");

                            count+=1;

                        }else {

                            System.out.println("You entered wrong answer");

                            System.out.println("Your score amount is "+amount);

                            System.out.println("***Thanks for Participating***");

                            System.exit(0);

                            break;

                        case 2:

                            System.out.println("50:50 answers are 1.John Dalton & 4.Antoine Lavoisier");

                            System.out.println("Choose any option");

                            value=sc.nextInt();

                            if(l1.get(4)==l1.get(value)) {

                                amount+=1000;

```

```

        System.out.println("Congratulations "+getName()+" your total score amount
is "+amount);

        System.out.println("%%%%%%%%%%=> You won the game
<%%%%%%%%%%");

        count1+=1;

    }else {

        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }

        break;    }}

    else if(l1.get(5)==l1.get(value) && count==0){
        System.out.println("You left with an only one option i.e.,Audience poll");

        System.out.println("Audience poll answer is 1.John Dalton-
5% 2.Joseph Priestly-8% 3.Albert Einstein-32% 4.Antoine Lavoisier-45%");

        System.out.println("Choose any option");

        value=sc.nextInt();

        if(l1.get(4)==l1.get(value) ) {

            amount+=1000;

            System.out.println("Congartualtions"+getName()+ " your total score amount
is "+amount);

            System.out.println("%%%%%%%%%%=> You won the game
<%%%%%%%%%%");

            count+=1;

        }else {

            System.out.println("You entered wrong answer");
            System.out.println("Your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);    }}

    else if(l1.get(5)==l1.get(value) && count1==0) {

        System.out.println("you left with an only one option i.e., 50:50");

        System.out.println("50:50 answers are 1.John Dalton or 4.Antoine Lavoisier");

        System.out.println(" Choose any option?");

        value=sc.nextInt();

        if(l1.get(4)==l1.get(value)) {

            amount+=1000;

```

```

        System.out.println("your score amount is "+amount);
        count1+=1;
    }else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }
    else if(l1.get(5)==l1.get(value) && count!=0 && count1!=0) {
        System.out.println("You don't have any lifelines");
        System.out.println("Choose any option");
        value=sc.nextInt();
        if(l1.get(4)==l1.get(value)) {
            amount+=1000;
            System.out.println("Congratulations "+getName()+" your total score amount is
"+amount);
            System.out.println("%%%%%%%%%%=> You won the game
<%%%%%%%%%%");
        }
        else if(l1.get(6)==l1.get(value)) {
            System.out.println("The game terminated thanks for participating");
            System.out.println("Your score amount is "+amount);
            System.exit(0);}else {
            System.out.println("You entered wrong answer");
            System.out.println("your score amount is "+amount);
            System.out.println("***Thanks for Participating***");
            System.exit(0);
        }}
    else if(l1.get(6)==l1.get(value)) {
        System.out.println("The game terminated Thanks for Participation");
        System.out.println("Your score amount is "+amount);
        System.exit(0);    }
    else {
        if(l1.get(4)==l1.get(value)) {
            amount+=1000;
            System.out.println("Congratulations "+getName()+" your total score amount is
"+amount);

```



```

        System.out.println("%%%%%%%%%%=====> You won the game
<=====%%%%%%%%%%");
    } else {
        System.out.println("You entered wrong answer");
        System.out.println("Your score amount is "+amount);
        System.out.println("***Thanks for Participating***");
        System.exit(0);    }    }
    catch(InputMismatchException | IndexOutOfBoundsException e) {
        e.printStackTrace();
        System.out.println("Please enter correct input");}}}

```

MODULE 7

Output Screenshots

```

eclipse-workspace - QuizApp/src/QuizQuestions.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
[Icons]
Problems @ Javadoc Declaration Console X
<terminated> Main (1) [Java Application] C:\Program Files\Java\jdk-23\bin\javaw.exe (Apr 16, 2025, 12:53:06 PM – 1:21:57 PM elapsed: 0:28:51.658) [pid: 7300]
Enter your name :trisha
Enter your age :20
Enter your phonenumber:6303351305
////@@Welcome to kaun bhanega das hajarpati@@
Participant Name :TRISHA
Participant Age :20
Participant PhoneNo :6303351305

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%% Please enter your choice 1.Quit and 2.To Initiate the game %%
1
$$$$$$$$$$$$$$$$$$$$=====>Thanks for participating the game terminated<=====$$$$$$$$$$$$$$$$

```

Figure 1.To Quit

```
Enter your name :trisha
Enter your age :20
Enter your phonenumber:9912482840
//////////Welcome to kaun bhanega das hajarpati//////////

Participant Name      :TRISHA
Participant Age       :20
Participant PhoneNo   :9912482840
```

Figure 2. Game rules

Figure3.Display Stack of Questions

```

<=====Fourth question=====>
D.Who is the father of the computer?
1.Tim Bernerlee
2.Dinnes Ritchie
3.KenThompson
4.Charless Babbage
5.Lifelines
6.Quit
Choose any option?
5
Enter your choice as 1.Audience poll 2.50:50
2
50:50 ans are 2.Dennis Ritchie & 4.Charless babbage
Choose any option?
4
Your score amount is 4000
<=====Fifth question=====>
E.Who invented the Java language?
1.Tim Bernerlee
2.Dinnes Ritchie
3.James Gosling
4.Charless Babbage
5.Lifelines
6.Quit
Choose any option
3
Your score amount is 5000

```

Figure 4. Lifeline=> 2.50:50

```

<=====Sixth question=====>
F.Who invented the C language?
1.Tim Bernerlee
2.Dinnes Ritchie
3.James Gosling
4.Charless Babbage
5.Lifelines
6.Quit
Choose any option
5
You left with an only one option i.e.,Audience poll
Audience poll answer is 1.Timbernerlee-5% 2.Dinnes Ritchie-72% 3.James Gosling-8% 4.Charless Babbage-5%
Choose any option?
2
Your score amount is 6000

```

Figure 5. Lifeline=>1.Audience poll

```

<=+++++Seventh question+++++=>
G.Who invented the HTML language?
1.Tim Bernerlee
2.Dinnes Ritchie
3.James Goosling
4.Charless Babbage
5.Lifelines
6.Quit
Choose any option?
5
You don't have any lifelines
Choose any option
1
Your score amount is 7000
<=+++++Eighth question+++++=>
H.what is the total of this equation  $20*0+3-3+12*2\%2+6$  ?
1.20
2.50
3.18
4.36
5.Lifelines
6.Quit
choose any option
3
your score amount is 8000

```

Figure 6. Zero Lifelines

```

<=+++++Nineth question+++++=>
I.what is the period of Second WorldWar ?
1.1914-1918
2.1939-1945
3.1920-1926
4.1950-1956
5.lifelines
6.Quit
choose any option
5
You don't have any lifelines
Choose any option?
2
Your score amount is 9000
<=+++++Tenth question+++++=>
H.Who is the father of chemistry ?
1.John Dalton
2.Joseph Priestly
3.Albert Einstein
4.Antoine Lavoisier
5.Lifelines
6.Quit
choose any option
5
You don't have any lifelines
Choose any option
2
You entered wrong answer
your score amount is 9000
***Thanks for Participating***

```

Figure 7. Final Question of the game

```

<=====Final question of the game=====>
H.Who is the father of chemistry ?
1.John Dalton
2.Joseph Priestly
3.Albert Einstein
4.Antoine Lavoisier
5.Lifelines
6.Quit
choose any option
4
Congratulations your total score amount is 10000
%%%%%%%%=====> You won the game <=====%%%%%%%%

```

Figure 7.1 Game winning situation

MODULE 8

Conclusion and References

Conclusion:

- This java project mainly focuses on implementation of Java OOPs concepts ,which plays a major in protecting the data .
- This Quiz App can assist to test the knowledge to player along with fun and entertainment also.
- It is a flow of Questions until it reach to an end, which is implemented by using the methods and Control flow statements in java .
- This Console based Quiz App java project is one of the developing real world application of Gaming by using Core Java part, that what we have learnt in **G-tec Jainx institutions**.

References:

- To develop this java project I collected the references from institutional java class notes.
- For extra content I surfed through Google.