



LAB : Scala :

Write a Scala program to print numbers from 1 to 100 using for loop.




The screenshot shows a terminal window with the 'Terminal' tab selected. Inside the terminal, the GNU nano 6.2 text editor is open, displaying a Scala program. The program defines an object named 'pn' with a 'main' method that takes an array of strings as arguments. Inside the 'main' method, a 'for' loop iterates from -1 to 100, printing each value of 'i' on a new line.

```
GNU nano 6.2
object pn{
  def main(args: Array[String]): Unit={
    for (i<-1 to 100){
      println(i)
    }
  }
}
```



The screenshot shows the same terminal window after the Scala program has been compiled and executed. The user has entered three commands: 'nano pn.scala' to open the file, 'scalac pn.scala' to compile it, and 'scala pn' to run it. The output of the program is visible as a list of numbers from 1 to 29, with line numbers 1 through 29 displayed on the left side of the terminal.

```
bmscscse@bmscscse-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~$ nano pn.scala
bmscscse@bmscscse-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~$ scalac pn.scala
bmscscse@bmscscse-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~$ scala pn
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
```



48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100



bmscecse@bmscecse-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~\$