



FEU INSTITUTE OF TECHNOLOGY

COLLEGE OF COMPUTER STUDIES AND MULTIMEDIA ARTS

IT0049 (WEB SYSTEM TECHNOLOGIES)

TECHNICAL FORMATIVE ASSESSMENT

1

FROM ZERO TO FOUR PAGES: YOUR FIRST CODEIGNITER APPLICATION

Student Name / Group Name:	Tristan Acha	
Members (if Group):	Name	Role
Section:	TC37	
Professor:	Mr. Joseph Calleja	

PROGRAM OUTCOME/S (PO) ADDRESSED BY THE LABORATORY EXERCISE

- Analyze a complex problem and identify and define the computing requirements appropriate to its solution. [PO: B]

COURSE LEARNING OUTCOME/S (CLO) ADDRESSED BY THE LABORATORY EXERCISE

- Understand the advanced principles of web development using web frameworks and MVC architecture. [CLO: 1]

INTENDED LEARNING OUTCOME/S (ILO) OF THE LABORATORY EXERCISE

At the end of this exercise, students must be able to:

- Install CodeIgniter using Composer and configure the application's base URL.
- Create routes for a multi-page website.
- Build controllers that respond to those routes.
- Create views and pass data to them.
- Use a static PHP array as a temporary data source for a listing page.

BACKGROUND INFORMATION

Before a web application can talk to a database, it needs a clear structure for turning a URL into a page. CodeIgniter organizes this using the Model-View-Controller (MVC) pattern: routes decide which controller method runs for a given URL, the controller decides what to do, and the view renders the HTML the browser receives. This activity focuses on the routing, controller, and view layers only — the data layer comes in the next module.

A static PHP array is a simple way to represent a list of records before a real database is introduced. It behaves like a temporary, in-memory table: you can loop over it in a view exactly the way you will later loop over database results, which is why this activity uses it as a stand-in.

GRADING SYSTEM / RUBRIC

CRITERIA	Description
Functionality & Requirements Completeness (40 points max)	All required pages and features are present and work as specified in the activity instructions.
Code Structure & Organization (25 points max)	Controllers, models, and views are separated correctly and follow the framework's conventions; code is readable and sensibly named.

CRITERIA	Description
Data Handling with Static Arrays (20 points max)	The static PHP array is structured sensibly, used consistently as the page's temporary data source, and looped through correctly in the view.
Documentation & Submission Quality (15 points max)	The GitHub repository is organized and complete, the README explains how to set up and run the project, and the hosted link is live and matches the submitted code.

LABORATORY ACTIVITY

You will build the first version of a basic Point-of-Sale (POS) system: a four-page CodeIgniter website. The Customer Accounts and User Accounts pages will use a static PHP array as a temporary data source — no database is involved yet.




Required pages: a landing page (/), an about page (/about), a Customer Accounts page (/customers) listing customer records (full name, email, phone) from a static array, and a User Accounts page (/users) listing user/staff records (username, full name, role) from a static array.

1. Install CodeIgniter 4 via Composer and confirm the base project runs in your browser.
2. Configure your app's base URL in .env and clean up the default welcome routes.


```

16
17  CI_ENVIRONMENT = development
18
19  #-----
20  # APP
21  #-----
22
23  app.baseUrl = 'http://localhost:8080/'
24  # If you have trouble with `.` , you could also use `_.`
25  # app_baseURL = ''
26  # app.forceGlobalSecureRequests = false
27  # app.CSPEnabled = false

```



3. Create a Pages controller with methods for the landing and about pages, and register their routes.



POS Landing Page

About the POS System

4. Create a Customers controller and a Users controller. In each, define a static PHP array of at least 5 sample records as the method's temporary data source.

```

localhost:8080/users
Pretty-print ☐

[
  {
    "username": "admin01",
    "full_name": "Maria Santos",
    "role": "Administrator"
  },
  {
    "username": "manager01",
    "full_name": "John Ramirez",
    "role": "Manager"
  },
  {
    "username": "cashier01",
    "full_name": "Nicole Garcia",
    "role": "Cashier"
  },
  {
    "username": "sales01",
    "full_name": "Kevin Mendoza",
    "role": "Sales Staff"
  },
  {
    "username": "inventory01",
    "full_name": "Andrea Cruz",
    "role": "Inventory Clerk"
  }
]

```

```

localhost:8080/customers
Pretty-print ☐

[
  {
    "full_name": "Daniel Reyes",
    "email": "daniel.reyes@example.com",
    "phone": "09171234567"
  },
  {
    "full_name": "Angela Santos",
    "email": "angela.santos@example.com",
    "phone": "09182345678"
  },
  {
    "full_name": "Miguel Navarro",
    "email": "miguel.navarro@example.com",
    "phone": "09193456789"
  },
  {
    "full_name": "Sofia Mendoza",
    "email": "sofia.mendoza@example.com",
    "phone": "09204567890"
  },
  {
    "full_name": "Carlo Bautista",
    "email": "carlo.bautista@example.com",
    "phone": "09215678901"
  }
]

```

5. Build views for all four pages. In the Customer Accounts and User Accounts views, loop through the static array data with a foreach to display each record.

Customer Accounts

Full Name	Email	Phone
Daniel Reyes	daniel.reyes@example.com	09171234567
Angela Santos	angela.santos@example.com	09182345678
Miguel Navarro	miguel.navarro@example.com	09193456789
Sofia Mendoza	sofia.mendoza@example.com	09204567890
Carlo Bautista	carlo.bautista@example.com	09215678901

User Accounts

Username	Full Name	Role
admin01	Maria Santos	Administrator
manager01	John Ramirez	Manager
cashier01	Nicole Garcia	Cashier
sales01	Kevin Mendoza	Sales Staff
inventory01	Andrea Cruz	Inventory Clerk

6. Add simple navigation links between all four pages and confirm every route works.

← → localhost:8080

[Home](#) [About](#) [Customer Accounts](#) [User Accounts](#)

POS System

Welcome to the Point-of-Sale system.

← → localhost:8080/about

[Home](#) [About](#) [Customer Accounts](#) [User Accounts](#)

About the POS System

This application demonstrates the basic routing, controller, and view features of CodeIgniter.

← → localhost:8080/customers

[Home](#) [About](#) [Customer Accounts](#) [User Accounts](#)

Customer Accounts

Full Name	Email	Phone
Daniel Reyes	daniel.reyes@example.com	09171234567
Angela Santos	angela.santos@example.com	09182345678
Miguel Navarro	miguel.navarro@example.com	09193456789
Sofia Mendoza	sofia.mendoza@example.com	09204567890
Carlo Bautista	carlo.bautista@example.com	09215678901

← → localhost:8080/users

[Home](#) [About](#) [Customer Accounts](#) [User Accounts](#)

User Accounts

Username	Full Name	Role
admin01	Maria Santos	Administrator
manager01	John Ramirez	Manager
cashier01	Nicole Garcia	Cashier
sales01	Kevin Mendoza	Sales Staff
inventory01	Andrea Cruz	Inventory Clerk

Submission Requirements:

- A link to a GitHub repository containing your raw project files, including your database export.

<https://github.com/TristanAcha4/-Technical-Fomative-Assessment-1-Module-1.git>

- A link to your hosted, working version of the application.

REFERENCES

- Manfield, A. (2021). Pro CodeIgniter: Learn how to create professional web-applications with PHP.
- CodeIgniter User Guide. Routing.
<https://codeigniter4.github.io/userguide/incoming/routing.html>
- CodeIgniter User Guide. Controllers.
<https://codeigniter4.github.io/userguide/incoming/controllers.html>