


This challenge is based on a system of leagues.

For this challenge, multiple leagues for the same game will be available. Once you have proven your worth against the first Boss, you will access the higher league and unlock new opponents.

Goal

Win more points than your opponent by **scanning the most fish**.



To protect marine life, it is crucial to understand it. Explore **the ocean floor** using your drones to scan as many fish as possible to better understand them!

Rules

The game is played turn by turn. Each turn, each player gives an action for their drones to perform.

The Map

The map is a **square** of **10,000** units on each side. Length units will be denoted as " **u** " in the rest of the statement. The coordinate **(0, 0)** is located at the **top left** corner of the map.

Drones

Each player has two drones to explore the ocean floor and scan the fish. Each turn, the player can decide to move their drone in a direction or not activate its motors.




Your drone continuously emits light around it. If a fish is within this **light radius**, it is automatically scanned. You can increase the **power** of your light (and thus your scan radius), but this will drain your **battery**.

In order to **save your scans** and score points, you will need to resurface with your drone.

Fish


On the map, different fish are present. Each fish has a specific **type** and **color**. In addition to the points earned if you scan a fish and bring the scan back to the surface, **bonuses** will be awarded if you scan all the fish of the **same type** or **same color**, or if you are the **first** to do so.



Each fish moves within a **habitat zone**, depending on its **type**. Only fish within the **light radius** of one of your drones will be visible to you.

Depth Monsters

Depth monsters lurk! If they are blinded by the **lights** of a passing drone, they will start chasing it.



Unit Details

Drones

Drones move towards the given point, with a maximum distance per turn of **600u**. If the **motors** are not activated in a turn, the drone will **sink** by **300u**.

At the end of the turn, fish within a radius of **800u** will be **automatically scanned**.


If you have increased the **power of your light**, this radius becomes **2000u**, but the **battery** drains by **5** points. If the powerful light is not activated, the battery recharges by **1**. The battery has a capacity of **30** and is **fully charged** at the beginning of the game.

If the drone is near the **surface** ($y \leq 500u$), the scans will be automatically saved, and points will be awarded.

Radar

To better navigate the dark depths, drones are equipped with **radars**. For each **creature** (fish or monster) in the game zone, the radar will indicate:













- **TL**: if the entity is somewhere **top left** of the drone.
- **TR**: if the entity is somewhere **top right** of the drone.
- **BR**: if the entity is somewhere **bottom right** of the drone.
- **BL**: if the entity is somewhere **bottom left** of the drone.



Note: If the entity shares the same x-coordinate as the drone, it will be considered as being on the left. If the entity shares the same y-coordinate as the drone, it will be considered as being on the top.


Fish

Fish move **200u** each turn, in a randomly chosen direction at the beginning of the game. Each fish moves within a habitat zone based on its type. If it reaches the edge of its habitat zone, it will **rebound** off the edge.

Fish	type	Y min	Y max
   	0	2500	5000
   	1	5000	7500
   	2	7500	10000


If a fish comes within **600u** of another, it will begin to swim in the opposite direction to the nearest fish.

If a drone has its **motors activated** within a distance of less than **1400u**, the fish will enter **"frightened" mode** in the next turn: in this mode, the fish will start swimming in the direction opposite to the nearest drone at a speed of **400u** per turn. While frightened, the fish cannot **exit** its habitat on the y-coordinate (it will stay at that y-coordinate without bouncing), but if its x-coordinate becomes negative or greater than 9999, it will **permanently leave** the map and cannot be scanned anymore.



Monsters

If a monster is within a radius of **500u** from a drone during a turn (so not necessarily at the end of the turn), the drone will enter **"emergency" mode**. In this mode, all **unsaved scans** will be lost. The drone will activate its buoys and start ascending at a speed of **300u** per turn. Until the drone reaches the surface ($y=0$), the drone will continue to ascend, and actions will be ignored.



Monsters are detectable a bit **farther** than your light radius (**300u** more than your light).

Monsters start the game with a **zero speed**. If a monster is within the **light radius** of a drone at the end of a turn, it enters **"aggressive" mode** and will dash in the direction of the nearest drone in the next turn at a speed of **540u**.

If it is no longer within a light radius, it will continue swimming in that direction at a speed of **270u**. During this **non-aggressive swim**, the monster will change direction if:

- it is at $y = 2500u$ or at the lateral edges of the map, the limit of its habitat that it can never cross.
- it is within **600u** of another monster, in which case it will go in the opposite direction of the nearest monster.

Creature **type** **Y min** **Y max** **start** **Y min**



-1 2500 10000 5000

Score Details

Points are awarded for **each scan** depending on the type of scanned fish. Being the **first** to save a **scan** or a **combination** allows you to earn **double** the points.

Scan	Points	Points if first to save
Type 0	1	2
Type 1	2	4
Type 2	3	6
All fish of one color	3	6
All fish of one type	4	8

At the end of the game, **all unsaved scans** are **automatically saved**, and associated points are awarded.

Victory Conditions

- The game reaches **200** turns
- A player has earned enough points that their opponent cannot catch up
- Both players have saved the scans of **all remaining fish** on the map

Defeat Conditions

- Your program does not return a valid command within the given time for each of your drones, including those in **emergency** mode.

Debugging Tips

- Hover over an entity to see more information about it.
- Add text at the end of an instruction to display that text above your drone.
- Click on the gear icon to display additional visual options.
- Use the keyboard to control actions: space for play/pause, arrows for step-by-step forward movement.

Technical Details

Physics Engine

- Velocity vectors are rounded to the nearest integer.
- Collision between drones and monsters can occur between two turns, calculated based on entity velocity vectors.
- When selecting the closest entity to a fish or monster, in case of a tie, the average of the positions is taken.

Order of Actions

- Turning on / off drone lights
- Draining or recharging drone batteries
- Movement of drones, fishes, monsters
- Drone ↔ monster collision management
- Updating monster targets
- Fish scans
- Saving drone scans at $y \leq 500$
- Emergency repairs for drones at $y = 0$
- Updating fish speed
- Updating monster speed according to their targets

Game Protocol

Initialization Input

First line: `creatureCount` an integer for the number of creatures in the game zone. Will always be **12**.

Next `creatureCount` lines: 3 integers describing each creature:

- `creatureId` for this creature's unique id.
- `color` (**0 to 3**) and `type` (**0 to 2**). Monsters will be shown as **-1 -1**.

Input for One Game Turn

Next line: `myScore` for you current score.

Next line: `foeScore` for you opponent's score.

Next line: `myScanCount` for your amount of **saved** scans.

Next `myScanCount` lines: `creatureId` for each scan scored.

Next line: `foeScanCount` for your opponent's amount of **saved** scans.

Next `foeScanCount` lines: `creatureId` for each scan scored by your opponent.

Next line: `myDroneCount` for the number of drones you control.

Next `myDroneCount` lines:

- `dronId`: this drone's unique id.
- `droneX` and `droneY`: this drone's position.
- `emergency`: **1** if the drone is in emergency mode, **0** otherwise.
- `battery`: this drone's current battery level.

Next line: `foeDroneCount` for the number of drones your opponent controls.

Next `foeDroneCount` lines:

- `dronId`: this drone's unique id.
- `droneX` and `droneY`: this drone's position.
- `emergency`: **1** if the drone is in emergency mode, **0** otherwise.
- `battery`: this drone's current battery level.

Next line: `droneScanCount` for the amount of scans currently within a drone.

Next `droneScanCount` lines: `dronId` and `creatureId` describing which drone contains a scan of which fish.

Next line: `visibleCreatureCount` the number of creatures within the light radius of your drones.

Next `visibleCreatureCount` lines:

- `creatureId`: this creature's unique id.
- `creatureX` and `creatureY`: this creature's position.
- `creatureVx` and `creatureVy`: this creature's current speed.

Next line: `radarBlipCount`.

Next `radarBlipCount` lines: Two integers `dronId`, `creatureId` and a string `radar` indicating the relative position between each creature and each one of your drones. `radar` can be:

- **TL**: the creature is to the top-left of the drone.
- **TR**: the creature is to the top-right of the drone.
- **BR**: the creature is to the bottom-right of the drone.
- **BL**: the creature is to the bottom-left of the drone.

Output

Next `myDroneCount` lines: one valid instruction for each of your drones, in the same order the drones were provided to you:

- `MOVE x y light`: makes the drone move towards `(x,y)`, engines on.
- `WAIT light`. Switches engines off. The drone will sink but can still use light to scan nearby creatures.

Set `light` to **1** to activate the powerful light, **0** otherwise.

Constraints

$13 \leq \text{creatureCount} \leq 20$ depending on the number of monsters on the map.

`myDroneCount` = 2

Response time per turn ≤ 50 ms

Response time for the first turn ≤ 1000 ms

To Start

Why not start the battle with one of these **IA Starters** , provided by the team:

- JavaScript <https://gist.github.com/CGjupoulton/8dda912e519671d440b8929e907e603a>
- Java <https://gist.github.com/CGjupoulton/0add0a53e404f7373025bb952bc67cc2>
- Python <https://gist.github.com/CGjupoulton/799531754313104f0485f112324251ec>
- Ruby <https://gist.github.com/CGjupoulton/8cf4c3ca01c8405e840e7f55325d1fe4>
- TypeScript <https://gist.github.com/CGjupoulton/bfad2283896c08a7f6c8203040fc486f>

You can modify them to match your style or take them as an example to code everything from scratch.