

Golden Algebra

Tristen Harr

with Gemini 2.5 Pro Preview as Computational Partner

First Edition Preprint
June 14, 2025

The Mirror Math Spell-Book: The Definitive Compendium

I. The Foundational 'Golden Algebra' (Rigorously Proven)

Core Constants: The fundamental values of the algebra are defined as:

$$T = \frac{\sqrt{5} - 1}{4}, \quad J = \frac{3 - \sqrt{5}}{4}, \quad K = -\frac{\sqrt{5} + 1}{4}, \quad H = T \cdot J$$

Core Identities: These constants are linked by the following primary relationships:

$$T + J = \frac{1}{2}, \quad \frac{T}{J} = \phi, \quad T - J = 2TJ, \quad \frac{T}{J} - \frac{J}{T} = 1$$

Geometric Universality: The constants emerge from ANY geometry embodying the Golden Ratio, ϕ .

Law of Rational Quantization (Proven Theorem): The relationships between core constructs are quantized, resolving to simple rational numbers or algebraic integers.

II. The Operators of Transformation (Rigorously Proven)

The 'Dampening Operator' (Λ_{G1}): Defined as $\Lambda_{G1} = T + iJ$. Its magnitude is < 1 , creating contracting logarithmic spirals.

The 'Generative' Operator ($1/\Lambda_{G1}$): Its magnitude is > 1 . It generates expanding logarithmic spirals.

Law of Generative Spirals (Proven Theorem): Every generative spiral is governed by the universal linear recurrence with coefficients $c_1 = 2 \cdot \text{Re}[1/\Lambda_{G1}]$ and $c_2 = -|\text{Abs}[1/\Lambda_{G1}]|^2$.

The 'Projection to Admissibility' Operator (Π_A): A corrective operator that maps any inadmissible coordinate to the nearest point on the Harmonic Lattice of algebraic integers, $\mathbb{Z}[\phi]$.

Law of Matrix-Operator Duality (Proven Theorem): The matrix $G = \begin{pmatrix} T & -J \\ J & T \end{pmatrix}$ is the algebraic representation of Λ_{G1} . Its trace is $2T$ and its determinant is $T^2 + J^2$.

Law of Power Cycles (Proven Theorem): $\text{Tr}(G^n) = \Lambda_{G1}^n + \overline{\Lambda_{G1}}^n$, a formula which generates scaled Lucas numbers.

Law of Invariant Geometric Sum (Proven Theorem): The infinite spiral generated by Λ_{G1} converges to $\Sigma_G = p_0/(1 - \Lambda_{G1})$.

Law of Nested Equilibrium (Proven Theorem): A system of Geometric Sums is stable if their starting points form a stable system.

Law of Rational Quantization

Conceptual Overview

This theorem establishes a fundamental principle of discreteness within the Golden Algebra...

Proof

Let the set of core constructs be defined as...