

# EDA\_HW\_boston\_CMPE188

February 4, 2025

```
[55]: import pandas as pd
import matplotlib.pyplot as plt
from pandas import set_option
from pandas import read_csv
from sklearn.preprocessing import StandardScaler
from sklearn.preprocessing import Normalizer
from numpy import set_printoptions
import seaborn as sns
from pandas.plotting import scatter_matrix
```

1. In this assignment you will perform exploratory data analysis on the Boston dataset.
2. The dataset has been provided on Canvas.
3. Load the dataset into a Pandas dataframe.
4. Clean the data (if needed).

```
[56]: filename = 'boston.csv'
data = read_csv(filename)
set_printoptions(precision=3)
data = data.drop('index', axis=1)
data.head(5)
```

```
[56]:      crim    zn  indus  chas  nox   rm   age  dis  rad  tax  ptratio  black
lstat medv
0  6.3e-03  18.0    2.3    0  0.5  6.6  65.2  4.1    1  296    15.3  396.9
5.0  24.0
1  2.7e-02  0.0    7.1    0  0.5  6.4  78.9  5.0    2  242    17.8  396.9
9.1  21.6
2  2.7e-02  0.0    7.1    0  0.5  7.2  61.1  5.0    2  242    17.8  392.8
4.0  34.7
3  3.2e-02  0.0    2.2    0  0.5  7.0  45.8  6.1    3  222    18.7  394.6
2.9  33.4
4  6.9e-02  0.0    2.2    0  0.5  7.1  54.2  6.1    3  222    18.7  396.9
5.3  36.2
```

```
[57]: # Check for missing values
print(data.isnull().sum())
```

```
crim    0
zn      0
```

```

indus      0
chas       0
nox        0
rm         0
age        0
dis        0
rad        0
tax        0
ptratio    0
black      0
lstat      0
medv       0
dtype: int64

```

Nothing to clean

5. The output in this data set is Medv (median price). The rest of the columns are considered input. Separate the data into an input and output dataframes/Series. You can ignore/eliminate categorical data.

```

[58]: # Split into input/output datasets (medv is output)
array = data.values
Y1 = data['medv']
X1 = data.drop('medv', axis=1)
X1names = X1.columns

```

6. Perform normalization and standardization on the data. We normally normalize and standardize the input frame and keep the output intact.
7. Put the new normalized input data frame and the output into a new data frame called data\_norm. Do the same for standardized data. Call the new data frame for standardized data as data\_stand.

```

[59]: data_norm = X1.copy()
# Normalize
norm_scaler = Normalizer().fit(data_norm)
data_norm = norm_scaler.transform(data_norm)
# add output to normalized data
data_norm = pd.DataFrame(data_norm, columns=X1names)
data_norm['medv'] = Y1

data_stand = X1.copy()
# Standardize
stand_scaler = StandardScaler().fit(data_stand)
data_stand = stand_scaler.transform(data_stand)
# add output to standardized data
data_stand = pd.DataFrame(data_stand, columns=X1names)
data_stand['medv'] = Y1
data_objects = ((data_norm, 'data_norm'), (data_stand, 'data_stand'), (data,
↪ "data_raw"))

```

8. Perform basic EDA, i.e. descriptive stats, plot the histograms and match/verify with descriptive stats.

```
[60]: # Descriptive stats
set_option('display.width', 100)
set_option('display.precision', 1)
for data, name in data_objects:
    print(f"Data: {name}")
    print(data.describe())
```

Data: data\_norm

	crim	zn	indus	chas	nox	rm	age	dis
count	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02
mean	5.1e-03	2.3e-02	1.9e-02	1.3e-04	9.9e-04	1.2e-02	1.2e-01	7.3e-03
std	1.2e-02	4.7e-02	1.1e-02	4.8e-04	1.9e-04	2.7e-03	4.8e-02	4.6e-03
min	1.3e-05	0.0e+00	9.6e-04	0.0e+00	6.6e-04	4.7e-03	6.4e-03	1.5e-03
25%	1.6e-04	0.0e+00	1.1e-02	0.0e+00	8.7e-04	9.4e-03	8.6e-02	3.3e-03
50%	5.0e-04	0.0e+00	1.7e-02	0.0e+00	9.7e-04	1.2e-02	1.3e-01	6.4e-03
75%	5.2e-03	2.5e-02	2.4e-02	0.0e+00	1.1e-03	1.3e-02	1.6e-01	1.1e-02
max	1.1e-01	2.1e-01	6.1e-02	2.4e-03	2.1e-03	1.8e-02	2.4e-01	2.8e-02

	ptratio	black	lstat	medv
count	5.1e+02	5.1e+02	5.1e+02	506.0
mean	3.3e-02	6.6e-01	2.2e-02	22.5
std	6.0e-03	2.1e-01	1.1e-02	9.2
min	2.4e-02	4.8e-04	3.1e-03	5.0
25%	2.7e-02	5.1e-01	1.4e-02	17.0
50%	3.3e-02	7.4e-01	2.0e-02	21.2
75%	3.8e-02	8.1e-01	2.8e-02	25.0
max	5.3e-02	8.9e-01	7.0e-02	50.0

Data: data\_stand

	crim	zn	indus	chas	nox	rm	age	dis
count	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02	5.1e+02
mean	-1.1e-16	7.9e-17	2.1e-16	-3.5e-17	-2.0e-16	-1.1e-16	-1.5e-16	-8.4e-17
std	1.0e+00	1.0e+00	1.0e+00	1.0e+00	1.0e+00	1.0e+00	1.0e+00	1.0e+00
min	-1.1e-16	0.0	0.0	0.0	0.0	0.0	0.0	0.0
max	1.0e+00	1.0	1.0	1.0	1.0	1.0	1.0	1.0

min	-4.2e-01	-4.9e-01	-1.6e+00	-2.7e-01	-1.5e+00	-3.9e+00	-2.3e+00	-1.3e+00
	-9.8e-01	-1.3						
25%	-4.1e-01	-4.9e-01	-8.7e-01	-2.7e-01	-9.1e-01	-5.7e-01	-8.4e-01	-8.1e-01
	-6.4e-01	-0.8						
50%	-3.9e-01	-4.9e-01	-2.1e-01	-2.7e-01	-1.4e-01	-1.1e-01	3.2e-01	-2.8e-01
	-5.2e-01	-0.5						
75%	7.4e-03	4.9e-02	1.0e+00	-2.7e-01	6.0e-01	4.8e-01	9.1e-01	6.6e-01
	1.7e+00	1.5						
max	9.9e+00	3.8e+00	2.4e+00	3.7e+00	2.7e+00	3.6e+00	1.1e+00	4.0e+00
	1.7e+00	1.8						

	ptratio	black	lstat	medv
count	5.1e+02	5.1e+02	5.1e+02	506.0
mean	-4.2e-16	-7.4e-16	-3.1e-16	22.5
std	1.0e+00	1.0e+00	1.0e+00	9.2
min	-2.7e+00	-3.9e+00	-1.5e+00	5.0
25%	-4.9e-01	2.1e-01	-8.0e-01	17.0
50%	2.7e-01	3.8e-01	-1.8e-01	21.2
75%	8.1e-01	4.3e-01	6.0e-01	25.0
max	1.6e+00	4.4e-01	3.5e+00	50.0


Data: data\_raw

	crim	zn	indus	chas	nox	rm	age	dis	rad	tax
ptratio	black	\								
count	5.1e+02	506.0	506.0	5.1e+02	506.0	506.0	506.0	506.0	506.0	506.0
	506.0	506.0								
mean	3.6e+00	11.4	11.1	6.9e-02	0.6	6.3	68.6	3.8	9.5	408.2
	18.5	356.7								
std	8.6e+00	23.3	6.9	2.5e-01	0.1	0.7	28.1	2.1	8.7	168.5
	2.2	91.3								
min	6.3e-03	0.0	0.5	0.0e+00	0.4	3.6	2.9	1.1	1.0	187.0
	12.6	0.3								
25%	8.2e-02	0.0	5.2	0.0e+00	0.4	5.9	45.0	2.1	4.0	279.0
	17.4	375.4								
50%	2.6e-01	0.0	9.7	0.0e+00	0.5	6.2	77.5	3.2	5.0	330.0
	19.1	391.4								
75%	3.7e+00	12.5	18.1	0.0e+00	0.6	6.6	94.1	5.2	24.0	666.0
	20.2	396.2								
max	8.9e+01	100.0	27.7	1.0e+00	0.9	8.8	100.0	12.1	24.0	711.0
	22.0	396.9								


	lstat	medv
count	506.0	506.0
mean	12.7	22.5
std	7.1	9.2
min	1.7	5.0
25%	6.9	17.0
50%	11.4	21.2
75%	17.0	25.0


max 38.0 50.0

```
[61]: # Histograms
for data, name in data_objects:
    data_stand.hist()
    plt.suptitle(f"Histograms of {name}")
    plt.tight_layout()
    plt.show()
```



Histograms of data\_stand





9. Continue with correlation analysis (calculate correlation and plot correlation heatmap) and scatter plots.

```
[62]: for data, name in data_objects:
    plt.figure() # new plot
    corMat = data_norm.corr(method='pearson')
    print(corMat)
    ## plot correlation matrix as a heat map
    sns.heatmap(corMat, square=True)
    plt.yticks(rotation=0)
    plt.xticks(rotation=90)
    plt.title(f"{name.upper()} CORRELATION MATRIX USING HEAT MAP")
    plt.show()


    ## scatter plot of all data
    plt.figure()
    scatter_matrix(data_norm)
    plt.show()
```

	crim	zn	indus	chas	nox	rm	age	dis
rad	tax \							


crim	1.0e+00	-2.1e-01	2.5e-01	-6.3e-02	-8.2e-02	-4.9e-01	8.7e-02	-4.2e-01
	6.1e-01	5.5e-01						
zn	-2.1e-01	1.0e+00	-5.2e-01	-1.9e-02	-3.0e-01	3.9e-01	-4.8e-01	6.4e-01
	-3.1e-01	-3.3e-01						
indus	2.5e-01	-5.2e-01	1.0e+00	8.2e-02	4.1e-01	-4.5e-01	4.5e-01	-6.3e-01
	2.8e-01	4.6e-01						
chas	-6.3e-02	-1.9e-02	8.2e-02	1.0e+00	1.5e-01	1.0e-01	1.2e-01	-5.2e-02
	-4.0e-02	-7.5e-02						
nox	-8.2e-02	-3.0e-01	4.1e-01	1.5e-01	1.0e+00	2.5e-01	6.0e-01	-2.6e-01
	-2.1e-01	-1.2e-01						
rm	-4.9e-01	3.9e-01	-4.5e-01	1.0e-01	2.5e-01	1.0e+00	-3.9e-02	5.8e-01
	-7.0e-01	-8.0e-01						
age	8.7e-02	-4.8e-01	4.5e-01	1.2e-01	6.0e-01	-3.9e-02	1.0e+00	-4.9e-01
	2.5e-02	7.9e-02						
dis	-4.2e-01	6.4e-01	-6.3e-01	-5.2e-02	-2.6e-01	5.8e-01	-4.9e-01	1.0e+00
	-5.6e-01	-6.2e-01						
rad	6.1e-01	-3.1e-01	2.8e-01	-4.0e-02	-2.1e-01	-7.0e-01	2.5e-02	-5.6e-01
	1.0e+00	8.0e-01						
tax	5.5e-01	-3.3e-01	4.6e-01	-7.5e-02	-1.2e-01	-8.0e-01	7.9e-02	-6.2e-01
	8.0e-01	1.0e+00						
ptratio	-3.8e-01	3.3e-02	-2.0e-01	-1.6e-02	2.1e-01	5.9e-01	4.8e-02	4.9e-01
	-5.8e-01	-6.5e-01						
black	-5.9e-01	3.0e-01	-4.5e-01	7.0e-02	4.2e-02	6.8e-01	-1.3e-01	5.8e-01
	-8.1e-01	-9.4e-01						
lstat	2.5e-01	-3.7e-01	4.8e-01	-2.4e-03	3.7e-01	-3.8e-01	5.0e-01	-3.3e-01
	1.7e-01	2.6e-01						
medv	-3.9e-01	3.7e-01	-4.1e-01	1.7e-01	-4.5e-02	6.7e-01	-1.9e-01	3.0e-01
	-3.6e-01	-5.0e-01						

	ptratio	black	lstat	medv
crim	-3.8e-01	-5.9e-01	2.5e-01	-3.9e-01
zn	3.3e-02	3.0e-01	-3.7e-01	3.7e-01
indus	-2.0e-01	-4.5e-01	4.8e-01	-4.1e-01
chas	-1.6e-02	7.0e-02	-2.4e-03	1.7e-01
nox	2.1e-01	4.2e-02	3.7e-01	-4.5e-02
rm	5.9e-01	6.8e-01	-3.8e-01	6.7e-01
age	4.8e-02	-1.3e-01	5.0e-01	-1.9e-01
dis	4.9e-01	5.8e-01	-3.3e-01	3.0e-01
rad	-5.8e-01	-8.1e-01	1.7e-01	-3.6e-01
tax	-6.5e-01	-9.4e-01	2.6e-01	-5.0e-01
ptratio	1.0e+00	5.4e-01	4.3e-02	8.6e-02
black	5.4e-01	1.0e+00	-3.0e-01	4.8e-01
lstat	4.3e-02	-3.0e-01	1.0e+00	-6.5e-01
medv	8.6e-02	4.8e-01	-6.5e-01	1.0e+00






<Figure size 640x480 with 0 Axes>




	crim	zn	indus	chas	nox	rm	age	dis
rad	tax \							
crim	1.0e+00	-2.1e-01	2.5e-01	-6.3e-02	-8.2e-02	-4.9e-01	8.7e-02	-4.2e-01
6.1e-01	5.5e-01							
zn	-2.1e-01	1.0e+00	-5.2e-01	-1.9e-02	-3.0e-01	3.9e-01	-4.8e-01	6.4e-01
-3.1e-01	-3.3e-01							
indus	2.5e-01	-5.2e-01	1.0e+00	8.2e-02	4.1e-01	-4.5e-01	4.5e-01	-6.3e-01
2.8e-01	4.6e-01							
chas	-6.3e-02	-1.9e-02	8.2e-02	1.0e+00	1.5e-01	1.0e-01	1.2e-01	-5.2e-02
-4.0e-02	-7.5e-02							
nox	-8.2e-02	-3.0e-01	4.1e-01	1.5e-01	1.0e+00	2.5e-01	6.0e-01	-2.6e-01
-2.1e-01	-1.2e-01							
rm	-4.9e-01	3.9e-01	-4.5e-01	1.0e-01	2.5e-01	1.0e+00	-3.9e-02	5.8e-01
-7.0e-01	-8.0e-01							
age	8.7e-02	-4.8e-01	4.5e-01	1.2e-01	6.0e-01	-3.9e-02	1.0e+00	-4.9e-01
2.5e-02	7.9e-02							
dis	-4.2e-01	6.4e-01	-6.3e-01	-5.2e-02	-2.6e-01	5.8e-01	-4.9e-01	1.0e+00
-5.6e-01	-6.2e-01							
rad	6.1e-01	-3.1e-01	2.8e-01	-4.0e-02	-2.1e-01	-7.0e-01	2.5e-02	-5.6e-01
1.0e+00	8.0e-01							

tax	5.5e-01	-3.3e-01	4.6e-01	-7.5e-02	-1.2e-01	-8.0e-01	7.9e-02	-6.2e-01
	8.0e-01	1.0e+00						
ptratio	-3.8e-01	3.3e-02	-2.0e-01	-1.6e-02	2.1e-01	5.9e-01	4.8e-02	4.9e-01
	-5.8e-01	-6.5e-01						
black	-5.9e-01	3.0e-01	-4.5e-01	7.0e-02	4.2e-02	6.8e-01	-1.3e-01	5.8e-01
	-8.1e-01	-9.4e-01						
lstat	2.5e-01	-3.7e-01	4.8e-01	-2.4e-03	3.7e-01	-3.8e-01	5.0e-01	-3.3e-01
	1.7e-01	2.6e-01						
medv	-3.9e-01	3.7e-01	-4.1e-01	1.7e-01	-4.5e-02	6.7e-01	-1.9e-01	3.0e-01
	-3.6e-01	-5.0e-01						

	ptratio	black	lstat	medv
crim	-3.8e-01	-5.9e-01	2.5e-01	-3.9e-01
zn	3.3e-02	3.0e-01	-3.7e-01	3.7e-01
indus	-2.0e-01	-4.5e-01	4.8e-01	-4.1e-01
chas	-1.6e-02	7.0e-02	-2.4e-03	1.7e-01
nox	2.1e-01	4.2e-02	3.7e-01	-4.5e-02
rm	5.9e-01	6.8e-01	-3.8e-01	6.7e-01
age	4.8e-02	-1.3e-01	5.0e-01	-1.9e-01
dis	4.9e-01	5.8e-01	-3.3e-01	3.0e-01
rad	-5.8e-01	-8.1e-01	1.7e-01	-3.6e-01
tax	-6.5e-01	-9.4e-01	2.6e-01	-5.0e-01
ptratio	1.0e+00	5.4e-01	4.3e-02	8.6e-02
black	5.4e-01	1.0e+00	-3.0e-01	4.8e-01
lstat	4.3e-02	-3.0e-01	1.0e+00	-6.5e-01
medv	8.6e-02	4.8e-01	-6.5e-01	1.0e+00




<Figure size 640x480 with 0 Axes>




	crim	zn	indus	chas	nox	rm	age	dis
rad	tax \							
crim	1.0e+00	-2.1e-01	2.5e-01	-6.3e-02	-8.2e-02	-4.9e-01	8.7e-02	-4.2e-01
zn	6.1e-01	5.5e-01						
indus	-2.1e-01	1.0e+00	-5.2e-01	-1.9e-02	-3.0e-01	3.9e-01	-4.8e-01	6.4e-01
chas	-3.1e-01	-3.3e-01						
nox	2.5e-01	-5.2e-01	1.0e+00	8.2e-02	4.1e-01	-4.5e-01	4.5e-01	-6.3e-01
rm	2.8e-01	4.6e-01						
age	-6.3e-02	-1.9e-02	8.2e-02	1.0e+00	1.5e-01	1.0e-01	1.2e-01	-5.2e-02
dis	-4.0e-02	-7.5e-02						
rad	-8.2e-02	-3.0e-01	4.1e-01	1.5e-01	1.0e+00	2.5e-01	6.0e-01	-2.6e-01
tax	-2.1e-01	-1.2e-01						
ptratio	-4.9e-01	3.9e-01	-4.5e-01	1.0e-01	2.5e-01	1.0e+00	-3.9e-02	5.8e-01
black	-7.0e-01	-8.0e-01						
lstat	8.7e-02	-4.8e-01	4.5e-01	1.2e-01	6.0e-01	-3.9e-02	1.0e+00	-4.9e-01
medv	2.5e-02	7.9e-02						
	-4.2e-01	6.4e-01	-6.3e-01	-5.2e-02	-2.6e-01	5.8e-01	-4.9e-01	1.0e+00
	-5.6e-01	-6.2e-01						
	6.1e-01	-3.1e-01	2.8e-01	-4.0e-02	-2.1e-01	-7.0e-01	2.5e-02	-5.6e-01
	1.0e+00	8.0e-01						

tax	5.5e-01	-3.3e-01	4.6e-01	-7.5e-02	-1.2e-01	-8.0e-01	7.9e-02	-6.2e-01
	8.0e-01	1.0e+00						
ptratio	-3.8e-01	3.3e-02	-2.0e-01	-1.6e-02	2.1e-01	5.9e-01	4.8e-02	4.9e-01
	-5.8e-01	-6.5e-01						
black	-5.9e-01	3.0e-01	-4.5e-01	7.0e-02	4.2e-02	6.8e-01	-1.3e-01	5.8e-01
	-8.1e-01	-9.4e-01						
lstat	2.5e-01	-3.7e-01	4.8e-01	-2.4e-03	3.7e-01	-3.8e-01	5.0e-01	-3.3e-01
	1.7e-01	2.6e-01						
medv	-3.9e-01	3.7e-01	-4.1e-01	1.7e-01	-4.5e-02	6.7e-01	-1.9e-01	3.0e-01
	-3.6e-01	-5.0e-01						

	ptratio	black	lstat	medv
crim	-3.8e-01	-5.9e-01	2.5e-01	-3.9e-01
zn	3.3e-02	3.0e-01	-3.7e-01	3.7e-01
indus	-2.0e-01	-4.5e-01	4.8e-01	-4.1e-01
chas	-1.6e-02	7.0e-02	-2.4e-03	1.7e-01
nox	2.1e-01	4.2e-02	3.7e-01	-4.5e-02
rm	5.9e-01	6.8e-01	-3.8e-01	6.7e-01
age	4.8e-02	-1.3e-01	5.0e-01	-1.9e-01
dis	4.9e-01	5.8e-01	-3.3e-01	3.0e-01
rad	-5.8e-01	-8.1e-01	1.7e-01	-3.6e-01
tax	-6.5e-01	-9.4e-01	2.6e-01	-5.0e-01
ptratio	1.0e+00	5.4e-01	4.3e-02	8.6e-02
black	5.4e-01	1.0e+00	-3.0e-01	4.8e-01
lstat	4.3e-02	-3.0e-01	1.0e+00	-6.5e-01
medv	8.6e-02	4.8e-01	-6.5e-01	1.0e+00



<Figure size 640x480 with 0 Axes>



11. Identify the high correlation columns from the heatmap and compare the results from those of the scatter plots. Do the results match? Explain.

[ ]: