## Week Report 8

## Practice 5

```
1: phernandez@cis106: ~ ~
phernandez@cis106:~$ awk -F: '{print $1}' /etc/passwd
daemon
bin
sys
sync
games
man
lρ
.
mail
news
uucp
ргоху
www-data
backup
list
irc
gnats
nobody
systemd-network
systemd-resolve
messagebus
systemd-timesync
syslog
_apt
tss
uuidd
systemd-oom
tcpdump
avahi-autoipd
usbmux
```

```
1:phernandez@cis106:~ \sim phernandez@cis106:~ \sim wk -F: '{print $1,$NF}' /etc/passwd root /bin/bash daemon /usr/sbin/nologin bin /usr/sbin/nologin sys /usr/sbin/nologin sys /usr/sbin/nologin sys /usr/sbin/nologin sys /usr/sbin/nologin man /usr/sbin/nologin man /usr/sbin/nologin man /usr/sbin/nologin man /usr/sbin/nologin mail /usr/sbin/nologin mail /usr/sbin/nologin mews /usr/sbin/nologin mews /usr/sbin/nologin mews /usr/sbin/nologin mews /usr/sbin/nologin mews/susr/sbin/nologin mews/susr/sbin/nologin mews/susr/sbin/nologin mews/susr/sbin/nologin mews/susr/sbin/nologin mews/sbin/nologin mews/sbin
```

```
1: phernandez@cis106: ~ ~
phernandez@cis106:~$ awk -F: '{print toupper($1)}' /etc/passwd
ROOT
DAEMON
BIN
SYS
SYNC
GAMES
MAN
LP
MAIL
NEWS
UUCP
PROXY
WWW-DATA
BACKUP
LIST
IRC
GNATS
NOBODY
SYSTEMD-NETWORK
SYSTEMD-RESOLVE
MESSAGEBUS
                                                  bash" /etc/passwd | awk -F: 'BEGIN { printf "%s\t%s", "User", "LOGIN Shell" } {print $1, "\t" ,$7}'
/bin/bash
phernandez@cis106:~$ grep "/bin/bash" /etc/passwd | awk -F: 'BEGIN { printf "%s\t%s", "User", "LOGIN Shell" } {print $1, "\t" ,$7}'
User LOGIN Shellroot /bin/bash
phernandez /bin/bash
phernandez@cis106:~$ grep "/bin/bash" /etc/passwd | awk -F: 'BEGIN { printf "%s\t%s", "User", "LOGIN Shell" } {print toupper($1), "\t" ,$7}'
User LOGIN ShellROOT /bin/bash
PHERNANDEZ /bin/bash
phernandez@cis106:~$
```

## Practice 6

```
1: phernandez@cis106: ~/Documents/Csv ~
phernandez@cis106:~$ cd Documents/Csv/
phernandez@cis106:~/Documents/Csv$ grep -i 'honda' cars.csv | sed 's/Honda/tesla/g'
tesla Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan
tesla Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan
tesla Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan
tesla Accord CVCC;31.5;4;98.00;68.00;2045.;18.5;77;Japan
tesla Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan
tesla Accord LX;29.5;4;98.00;68.00;2135.;16.6;78;Japan
tesla Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan
tesla Accord;32.4;4;107.0;72.00;2290.;17.0;80;Japan
tesla Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan
tesla Prelude; 33.7; 4; 107.0; 75.00; 2210.; 14.4; 81; Japan
tesla Accord;36.0;4;107.0;75.00;2205.;14.5;82;Japan
tesla Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan
tesla Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan

phernandez@cis106:~/Documents/Csv$ grep -i 'honda' cars.csv | sed '1,3 s/Honda/tesla/g'

tesla Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan

tesla Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan
tesla Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan
Honda Accord CVCC;31.5;4;98.00;68.00;2045.;18.5;77;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135.;16.6;78;Japan
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan
Honda Accord;32.4;4;107.0;72.00;2290.;17.0;80;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan
Honda Prelude;33.7;4;107.0;75.00;2210.;14.4;81;Japan
Honda Accord;36.0;4;107.0;75.00;2205.;14.5;82;Japan
Honda Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan
phernandez@cis106:~/Documents/Csv$ sed 'Honda/d' cars.csv
sed: -e expression #1, char 2: extra characters after command
phernandez@cis106:~/Documents/Csv$ sed '/Honda/d' cars.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
STRING; DOUBLE; INT; DOUBLE; DOUBLE; DOUBLE; INT; CAT
Chevrolet Chevelle Malibu; 18.0; 8; 307.0; 130.0; 3504.; 12.0; 70; US
Buick Skylark 320;15.0;8;350.0;165.0;3693.;11.5;70;US
Plymouth Satellite;18.0;8;318.0;150.0;3436.;11.0;70;US
AMC Rebel SST;16.0;8;304.0;150.0;3433.;12.0;70;US
phernandez@cis106:~/Documents/Csv$ grep -i 'honda civic' cars.csv |sed G
Honda Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan
Honda Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan
Honda Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan
Honda Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan
phernandez@cis106:~/Documents/Csv$
```

## Practice 7

```
1: phernandez@cis106: ~/Documents/Csv ~
phernandez@cis106:~/Documents/Csv$ awk 'NR > 3 {print}' cars.csv | sort > cars-no-header.csv
phernandez@cis106:~/Documents/Csv$ cat cars-no-header.csv | tr ';' ',' |awk -F, '{print $1,$NF}'
AMC Ambassador Brougham US
AMC Ambassador DPL US
AMC Ambassador SST US
AMC Concord US
AMC Concord US
AMC Concord d/l US
AMC Concord DL US
AMC Concord DL 6 US
AMC Gremlin US
AMC Gremlin US
AMC Gremlin US
AMC Gremlin US
AMC Hornet Sportabout (sw) US
AMC Matador (sw) US
AMC Matador (sw) US
AMC Pacer US
AMC Pacer d/l US
AMC Rebel SST US
AMC Rebel SST (sw) US
phernandez@cis106:~/Documents/Csv$ cat cars-no-header.csv | tr ';' ',' |awk -F, '{print $1}' > cars-brands.csv
phernandez@cis106:~/Documents/Csv$ grep ";US" cars.csv | awk -F ';' '{print $1}' |sort > americanCars.csv
phernandez@cis106:~/Documents/Csv$ grep ";Japan" cars.csv | awk -F ';' '{print $1} | sort >> americanCars.csv
> grep ";Japan" cars.csv | awk -F ';' '{print $1} | sort >> americanCars.csv
awk: line 1: syntax error at or near |
{print: command not found
phernandez@cis106:~/Documents/Csv$ grep ";Japan" cars.csv | awk -F ';' '{print $1}' | sort >> americanCars.csv
phernandez@cis106:~/Documents/Csv$ cat americanCars.csv
AMC Ambassador BPL
AMC Ambassador DPL
AMC Ambassador SST
AMC Ambassador SST
AMC Concord
AMC Concord
AMC Concord d/l
AMC Concord DL
AMC Concord DL 6
```

AMC Gremlin AMC Gremlin AMC Gremlin AMC Gremlin AMC Hornet AMC Hornet AMC Hornet AMC Hornet

AMC Hornet Sportabout (sw)