


1. AI Draft Domain model:

- Below is the generated domain model provided to be from ChatGPT:

https://chatgpt.com/s/t_6aadad0bb6488191b63bc66d0e728a95

2. Personally Made domain model:

- Below is a photo of the domain model I have drafted up using Mermaid:



- Much like the generated AI domain I have specified my class chart to fit the requirements I have set in the M2 assignment

Source: [Mermaid source](#)

3. Critique: AI vs human-made:

a. AI made diagram:

We see that although the diagram is crudely made, it fulfills the following:

- i. It provided information as to the specific team that I was going to track for my application
- ii. It kept in mind the specifications I had written during my user stories assignment, meaning that it has the players of that team, the match they will play, any injuries the team may have, and finally the league they are playing in
- iii. The AI model also added additional points. It added the referee for the match, while the referee is also important to the match my specific team is playing in, I did not have it as a hard-set requirement.
- iv. Overall, this diagram has the basic requirements I assigned to my application and provides an accurate representation of what I am looking for

b. Human-Made Graph:

My diagram uses the class diagram format to list the details from which my application will take from:

- i. It made similar use of the names of each of the separate items that pertain to my application (i.e. the fan viewing the page, the team itself, the league, etc.)
- ii. Instead of using the specific team, I created a general case diagram that can be referenced to and applied to any team from any league in the world.
- iii. In both graphs, we see that the AI model and I generated similar results based on the M2 assignment in which I have created specified labels that need to be with my application.

Difference:

- One major difference is that in my class diagram, I have specific titles on each of the labels. For example, in ChatGPT's model, it shows that a team has players who may or may not have an injury, but it does not have a sublabel stating what the name of the player is, nor their position.
- My class model, on the other hand, does have sublabels not only on the player, but also on all important labels. The reason why is that each "tag" will have a certain sublabel to ensure nothing gets misplaced or misinterpreted. That way if we were to create a test in which we created a player, we would know to place them within the "player" class and place their positions.