tapat

USER MANUAL

An exam monitor for Google Forms quizzes that blocks a listed set of sites and logs when students leave the exam.


INTE301 Systems Integration & Architecture · Project 1

Sir Rodel Villareaz

Troy Lazaro

October 12, 2026

github.com/Troy-LL/tapat · tapat-xrg5.onrender.com/admin



1. What Tapat does

Tapat is an exam monitor for Google Forms quizzes. *Tapat* is Filipino for "honest." The student takes the quiz inside the Tapat Chrome extension, which blocks a listed set of sites and notes when the student leaves the quiz. The professor sees one row per student on a password-protected admin page. Tapat gives the professor a record; the professor decides.

Repo: **https://github.com/Troy-LL/tapat** · Live admin: **https://tapat-xrg5.onrender.com/admin**

2. Features

Feature	What it does
Block list	Blocks ChatGPT, Gemini, Claude, Word Online / office.com, Google Docs documents and `.pdf` links during the quiz. Google Forms is never blocked. Attempts are logged.
Focus tracking	Logs tab switches, new tabs and Chrome losing focus.
Submit detection	Closes the session when the Form records the response.
Heartbeat	Checks in every 10 seconds so a stopped monitor shows up.
Offline queue	Keeps events in the browser while offline and sends them in order later, never twice.
Waking state	Shows "Server waking up..." while the free server starts.
No session	Flags students in the Form responses CSV who never ran Tapat.
Delete logs / quiz	Removes a quiz's logs, or the whole quiz, after grading.
Desktop watcher	Optional; logs when Word, Notes, Preview or Acrobat comes to the front (app names only).

3. How it works



Each quiz has a start link with a secret part. Starting gives the student a session token tied to their email and the quiz, and every event must carry it, so no one can send events in a classmate's name. Events are saved in the browser first and retried until the server has them.

4. Professor steps

1. In the Google Form, turn on **Collect email addresses** (Settings → Responses).
2. About a minute before the quiz, open https://tapat-xrg5.onrender.com/admin and **Log in**. The first load can take a minute while the free server wakes.
3. Type a title, paste the Form link, and click **Create quiz**.
4. Click **Copy start link** and send it to the class.
5. During the quiz, click a student's row to see their timeline.
6. After the quiz, download the Form responses as CSV and click **Import responses**. Students who skipped Tapat show **No session**.
7. After grading, type `DELETE` and click **Delete logs**, or **Delete quiz** to remove the quiz entirely.




Figure 1. Admin quiz page: start link, one row per student with status and timeline, Import responses, Delete logs and Delete quiz.

5. Student steps

1. Install once: open `chrome://extensions`, turn on **Developer mode**, click **Load unpacked**, and pick the `extension` folder.
2. Click the Tapat icon, paste the start link, enter your school email (the same one as in the Form), and click **Open exam**. If it says "Server waking up...", wait.
3. Read the consent screen ("This logs tab switches and apps opened, nothing else.") and click **I understand, start the quiz**.

4. Answer and submit the Form. Blocked sites show the block page; click **Back to the exam**. If the wifi drops, keep going; events send when you are back online.




Figure 2. Extension popup: paste the start link and enter your school email.




Figure 3. Block page when a listed site is opened during the quiz; the attempt is logged.

6. Status meanings

Status	Color	Meaning
OK	Gray	Monitored the whole time.
Offline gap, synced later	Gray-amber	Connection dropped; the events arrived later, nothing missing.
Monitor silent	Amber	No heartbeat for over 25 seconds and nothing filled the gap.
No session	Red	In the Form responses but never ran Tapat.

Notes show **Blocked site**, **App opened** and **Left exam** (three or more tab switches or focus losses).

7. Limitations and privacy

- It blocks a list, not every site, and can't see a second device.
- Session tokens stop events being faked for a classmate, but don't prove the student typed their own email. The responses CSV catches that mismatch afterward.
- Offline events are lost if the student clears browser data before reconnecting; that gap shows as Monitor silent.
- Students who decline take the quiz on paper or in a proctored room. A flag is a reason to ask, not proof.

Events are stored on a hosted server (Render) with a database on Neon, and only the teacher can see them through a password-protected admin page. Tapat stores emails and event types only, never page contents, keystrokes or window titles.