


matrica

$$\check{s}(u) = 2r$$


 $v(u) = 2r$



krug 2x2


 $\check{s}(u) = r$

v(u) = r




usko pakiranje

p(x) = -r, $p(y) = -r\sqrt{3}$ $\check{s}(u) = 2r$ $v(u) = 2r\sqrt{3}$




cvijet života

 $p(x) = -r/2, p(y) = -r\sqrt{3}/2$ $\check{s}(u) = r$ $v(u) = r\sqrt{3}$




No 1.

 $p(x) = r(12) + R(12)/\sqrt{2}$, $p(y) = R(12)\sqrt{2} - \sqrt{(a^2 - (r(12) - R(12)/\sqrt{2})^2)}$ $\check{s}(u) = 2r(12) + \sqrt{2}R(12)$ v(u) = 2r(12)




No 2.

 $p(x) = r(12) + a/2 + a\sqrt{3}, \quad p(y) = r(12) + a/2$ $\check{s}(u) = 2p(x)$ v(u) = 2p(y)




No 3.

 $\check{s}(u) = 2r(8) = 2(a + a\sqrt{2})$ v(u) = 2r(8)




No 4.

 $p(x) = -3a/2, p(y) = -a \sqrt{3}/2$ $\check{s}(u) = 3a$ $v(u) = a \sqrt{3}$




No 5.

 $p(x) = r(12) + a/2 + a\sqrt{3}, \quad p(y) = r(12) + a/2$ $\check{s}(u) = 2p(x)$ v(u) = 2p(y)



No 5.bis


 $\check{s}(u) = 2a + a\sqrt{3}$ $v(u) = 2a + a\sqrt{3}$



No 6.


$$p(x) = -a, p(y) = -2r(6) = -a\sqrt{3}$$

 $\check{s}(u) = 2a$
 $v(u) = 4r(6) = a\sqrt{12}$




No 6.bis

 $\check{s}(u) = 2a$ v(u) = 2r(6) = a $\sqrt{3}$



No 7.

 $p(x) = (a\sqrt{3} + a) * cos(alph/2), p(y) = (a\sqrt{3} + a) * sin(alph/2)$ $\dot{s}(u) = a\sqrt{3} + 3a$ $v(u) = a\sqrt{3} + a$




No 7.bis

 $\dot{s}(u) = 3a + a\sqrt{3}$ v(u) = 2a + 2a $\sqrt{3}$

No 8.

$$\check{s}(u) = a$$


 $v(u) = a$



No 9.


$$p(x) = -(a + a \sqrt{3}/2), \quad p(y) = -3a/2$$

 $\check{s}(u) = 2(a + a \sqrt{3})$
 $v(u) = 2a$



No 9.bis

 $p(x) = -(a/2 + a \sqrt{3})/2$, $p(y) = -(a/2 + a \sqrt{3})/2$ $\check{s}(u) = a + a \sqrt{3}$ $v(u) = a + a \sqrt{3}$




No 10.

$$p(x) = -2*a, p(y) = -a\sqrt{3/2}$$


 $\check{s}(u) = 7a$

$$v(u) = 7a\sqrt{3}$$



No 11.


p(x) = -3a/2, $p(y) = -a\sqrt{3}/2$ $\check{s}(u) = 3a$ $v(u) = 4R = a\sqrt{3}$



No 12.

$$\check{s}(u) = r(12) + 4a + a\sqrt{3}/2$$


 $v(u) = r(12) + a\sqrt{3}/2$



No 13.


$$\check{s}(u) = a + a\sqrt{3/2}$$

 $v(u) = r(6) + 3a/2 + a\sqrt{3/2}$



No 13.bis


 $p(x) = r(12) + R(12)/\sqrt{2}$, $p(y) = R(12)\sqrt{2} - \sqrt{(a^2 - (r(12) - R(12)/\sqrt{2})^2)}$ $\check{s}(u) = 2r(12) + \sqrt{2}R(12)$ v(u) = 2r(12)



No 13.ter

 $\dot{s}(u) = 2r(12)$


v(u) = 2r(12)



No 14.


$$\check{s}(u) = 2(a+2r(12))$$

 $v(u) = 2(2a+a\sqrt{3}/2)$




No 14. bis

 $\dot{s}(u) = a\sqrt{3}/2 + a/2$ $v(u) = a\sqrt{3}/2 + 3a/2$



No 14. ter


 $\check{s}(u) = 2r$ v(u) = 2r



No 14. quat


$$\check{s}(u) = 2r$$

 $v(u) = 2r$



No 15.

 $\check{s}(u) = 2r(12) + a\sqrt{3}$ v(u) = 2r(12) + a



No 16.

$$p(x) = -šU, p(y) = -vU$$

 $\check{s}(u) = r(12) + 2a + a\sqrt{3}/2$
 $v(u) = r(12) + a\sqrt{3}/2$

X