THIẾT KẾ WEB - ASSIGNMENT 03

HỌ VÀ TÊN : NGUYỄN THANH TRÚC
MSSV : 20110342

EXERCISE 1:

Code:

```
1   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
    Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2   <html xmlns="http://www.w3.org/1999/xhtml">
3   <head>
4   <meta http-equiv="Content-Type" content="text/html;
    charset=utf-8" />
5   <title>Untitled Document</title>
6   <link href="A01.css" rel="stylesheet" type="text/css" />
7   </head>
8
9   <body>
10      <div id="outer">
11          <div id="hdr">
12              <img src = "logo.gif"/>
13          </div>
14          <div id="bar">
15              30 Dec 08
16          </div>
17
18          <div id="body">
19              <div id="nav">
20                  <h3> Menu </h3>
21                  <ul>
22                      <li><a href="#"> Link</a></li>
23                      <li><a href="#"> Link</a></li>
24                      <li><a href="#"> Link</a></li>
25                      <li><a href="#"> Link</a></li>
26                  </ul>
27              </div>
28
29          <div id ="content">
30              <h2> Two column with Header & Footer </h2>
31              <p id="vers"> Ver 1.0 </p>
32              <p id="prg">
33                  There is a main outer div which centers
    the page and is a fixed width.
```

```html
34                      There are 4 main div's within this outer
   div, header (#hdr), bar (#bar),
35                      body (#body) and footer(#ftr).The body
   div holds 2 more divs, the left
36                      div which is for navigation and the right
    div which is for our content.
37                    </p>
38                </div>
39            </div>
40            <div id="ftr">
41                Copyright (c) You 2008
42            </div>
43        </div>
44    </body>
45
46    </html>
```

FILE A01.css

```css
1   @charset "utf-8";
2
3   body, html{
4       margin: 0;
5       padding: 0;
6       color: #000;
7       background: #808080;
8   }
9
10  #outer {
11      margin: 10px;
12      border-color: black;
13      border-width: 1px;
14      border-style: solid;
15      background: #dcdcdc;
16  }
17
18  #hdr{
19      text-align: center;
20      border-bottom: 1px solid black;
21      padding-bottom: 5px;
22      background: #eeeeee;
23  }
24
25  #bar{
26      padding: 5px;
27      border-bottom: 1px solid black;
28      background: #c0c0c0;
29  }
30  #body{
31      width: 100%;
32      height: 250px;
33      padding: 0;
34      margin: 0;
35      border-bottom: 1px solid black;
36  }
37  #nav{
38      width: 25%;
```

```css
38        width: 25%;
39        height: 250px;
40        float: left;
41        background: #dcdcdc;
42        text-align: center;
43    }
44    #nav ul{
45        margin: 0;
46        padding: 0;
47        list-style-type: none;
48    }
49    #vers{
50        text-align: center;
51        color: red;
52    }
53    #content {
54        width: 70%;
55        padding: 10px;
56        height: 250px;
57        float: right;
58        border-left: 1px solid black;
59        background: #ffffff;
60    }
61    #ftr{
62        clear: both;
63        padding: 5px;
64        text-align: center;
65        background: #c0c0c0;
66    }
67    h2{
68        text-align: center;
69    }
70    h3{
71        text-align: center;
72        margin: 0;
73        padding: 10px;
74    }
75    #prg::first-letter{
76        color: blue;
77        font-weight: bold;
78    }
79
```

My result:

Your Logo

30 Dec 08

Menu

Link
Link
Link
Link

Two column with Header & Footer

Ver 1.0

There is a main outer div which centers the page and is a fixed width. There are 4 main div's within this outer div, header (#hdr), bar (#bar), body (#body) and footer(#ftr).The body div holds 2 more divs, the left div which is for navigation and the right div which is for our content.

Copyright (c) You 2008

EXERCISE 2:

Code:

```
1   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
    Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2   <html xmlns="http://www.w3.org/1999/xhtml">
3   <head>
4   <meta http-equiv="Content-Type" content="text/html;
    charset=utf-8" />
5   <title>Untitled Document</title>
6   <link href="A02.css" rel="stylesheet" type="text/css" />
7   </head>
8   |
9   <body>
10      <div id="body">
11          <div id="header">
12              <h1> CSS 3 column with 1 center column Fluid </h1
    >
13          </div>
14
15          <div id="main">
16              <div id="left-col">
17                  <span id="title"> Left Column: </span>
18                  <span id="width"> 230px </span>
19                  <span id="txt"> abc </span>
20              </div>
21
22              <div id="content">
23                  <div id="content-col">
24                      <span id="title"> Content Column: </span>
25                      <span id="width"> Fluid </span>
26                      <span> abc </span>
27                  </div>
28
29                  <div id="right-col">
30                      <span id="title"> Right Column: </span>
31                      <span id="width"> 200px </span>
32                      <span> abc </span>
33                  </div>
34              </div>
35          </div>
36
37          <div id="footer">
38              <a href="http://www.dynamicdrive.com/style/">
    Dynamic Drive CSS Library </a>
39          </div>
40      </div>
41  </body>
42  </html>
43
```

FILE A02.css

```css
@charset "utf-8";

html, body{
    margin: 0;
    padding: 0;
    color: black;
    background: white;
}

#body {
    width: 800px;
    margin: 0 auto;
    background: white;
}
#header {
    background: #eaeaea;
    padding: 10px;
}

#main {
    width: 100%;
}

#left-col {
    padding: 10px;
    padding-top: 0;
    float: left;
    width: 210px;
    background: #C8FC98;
}

#content{
    width: 570px;
    float: right;
}
#content-col {
    width: 370px;
    float: left;
```

```css
39      padding: 10px;
40      padding-top: 0;
41  }
42
43  #right-col {
44      float: right;
45      padding: 10px;
46      padding-top: 0;
47      width: 160px;
48      background: #FDE95E;
49  }
50  #footer {
51      padding: 5px;
52      clear: both;
53      text-align: center;
54      background: #000000;
55  }
56
57  #footer a {
58      color: #8A8A45;
59  }
60
61  #title {
62      font-weight: bold;
63  }
64  #width{
65      color: red;
66      font-style: italic;
67      font-weight: bold;
68  }
69
70
```

My result:

CSS 3 column with 1 center column Fluid

Left Column: *230px* abc   **Content Column:** *Fluid* abc   **Right Colum** abc

Dynamic Drive CSS Library

EXERCISE 3:

Code:

Untitled-13.html × | A01.css × | Untitled-14.html × | A02.css × | Untitled-15.html × | A03.css × | Untitled-16.html

Source Code   A03.css

Code | Split | Design | Live   Title: Untitled Document

```
1   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
    Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2   <html xmlns="http://www.w3.org/1999/xhtml">
3   <head>
4   <meta http-equiv="Content-Type" content="text/html;
    charset=utf-8" />
5   <title>Untitled Document</title>
6   <link href="A03.css" rel="stylesheet" type="text/css" />
7   </head>
8
9   <body>
10      <ul>
11          <li><a href="#home"> HOME </a></li>
12          <li><a href="#about"> ABOUT US </a></li>
13          <li><a href="#services"> SERVICES </a></li>
14          <li><a href="#solutions"> SOLUTIONS </a></li>
15          <li><a href="#contact"> CONTACT US </a></li>
16      </ul>
17  </body>
18  </html>
19
```

FILE A03.css

```css
@charset "utf-8";

body {
    width: 800px;
    margin: 0 auto;
    padding: 0;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

ul {
    width: 800px;
    height: 100px;
    list-style-type: none;
    overflow: hidden;

    background-image: url("menu_036_bg.jpg");
    background-size: cover;
}

li {
    font-size: smaller;
    float: left;
    position: relative;
    padding: 20px 15px;
}

li a {
    display: inline-block;
    color: #4C799C;
    text-align: center;
    font-weight: bolder;
    padding: 10px 20px;
    text-decoration: none;
}

li a:hover {
    background-image: url("menu_036_c.jpg");
    background-repeat: repeat-x;

    background-size: 50px 50px;
}
```

My result:

EXERCISE 4:

Code:

```
1   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
    Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2   <html xmlns="http://www.w3.org/1999/xhtml">
3   <head>
4   <meta http-equiv="Content-Type" content="text/html;
    charset=utf-8" />
5   <title>Untitled Document</title>
6   <link href="A04.css" rel="stylesheet" type="text/css" />
7   </head>
8
9   <body>
10      <div id="menu">
11          <ul>
12              <li><a href="#"> Item 1 </a></li>
13              <li><a href="#"> Item 2 </a></li>
14              <li>
15                  <a href="#"> <span> Folder 1</span> <span id=
    "symbol"> &#9658 </span></a>
16                  <ul class="sub-menu">
17                      <li><a href="#"> Sub Item 1.1 </a></li>
18                      <li><a href="#"> Sub Item 1.2 </a></li>
19                  </ul>
20              </li>
21              <li><a href="#"> Item 3 </a></li>
22              <li>
23                  <a href="#"> <span> Folder 2 </span> <span id
    ="symbol"> &#9658 </span></a>
24                  <ul class="sub-menu">
25                      <li><a href="#"> Sub Item 2.1 </a></li>
26                      <li><a href="#"> Sub Item 2.2 </a></li>
27                  </ul>
28              </li>
29              <li><a href="#"> Item 4 </a></li>
30          </ul>
31      </div>
32  </body>
```

FILE A04.css

```css
@charset "utf-8";

body {
    font-family: monospace;
    font-size: 15px;
}

#menu ul{
    background: #022D58;
    width: 200px;
    padding: 0;
    list-style-type: none;
    text-align: left;
}

#menu li {
    height: 30px;
    line-height: 30px;
    width: auto;
    padding: 0 10px;
    border-bottom: 1px solid #767789;
    border-right: 1px solid #767789;
}

#menu li a{
    text-decoration: none;
    color: white;
    font-weight: bold;
    display: block;
}

#menu li:hover{
    background: #000000;
}

#menu ul li{
    position: relative;
}
```

```css
39
40  #menu .sub-menu {
41      position: absolute;
42      left: 200px;
43      top: 0;
44      display: none;
45  }
46
47  #menu li:hover .sub-menu {
48      display: block;
49  }
50
51  #symbol {
52      float: right;
53  }
54
```

My result:

EXERCISE 5: (BÀI ĐIỂM CỘNG)

Code:

```
1   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
    Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2   <html xmlns="http://www.w3.org/1999/xhtml">
3   <head>.
4   <meta http-equiv="Content-Type" content="text/html;
    charset=utf-8" />
5   <title>Untitled Document</title>
6   <link href="A05.css" rel="stylesheet" type="text/css" />
7   </head>
8
9   <body>
10      <ul id="nav">
11          <li><a href="#trang-chu"> Trang chủ </a></li>
12          <li><a href="#kinh-te"> Kinh tế </a>
13              <ul id="sub-nav">
14                  <li><a href="#"> Tài chính </a></li>
15                  <li><a href="#"> Chứng khoán </a></li>
16                  <li><a href="#"> Doanh nghiệp </a>
17                      <ul id="sub-sub-nav">
18                          <li><a href="#"> Kiểm toán </a></li>
19                          <li><a href="#"> Kế toán </a></li>
20                          <li><a href="#"> Kinh doanh </a></li>
21                      </ul>
22                  </li>
23                  <li><a href="#"> Doanh nhân </a></li>
24              </ul>
25          </li>
26          <li><a href="#xa-hoi"> Xã hội </a></li>
27          <li><a href="#van-hoa"> Văn hóa </a></li>
28          <li><a href="#the-thao"> Thể thao </a></li>
29      </ul>
30  </body>
31  </html>
```

FILE A05.css

```css
@charset "utf-8";

body {
    width: 800px;
    margin: 0 auto;
    padding: 0;
    font-family: Arial, Helvetica, sans-serif;
}

#nav {
    width: 800px;
    list-style: none;
    margin: 0;
    padding: 0;
    text-align: center;
    font-weight: bold;
}

#nav li {
    display: block;
    position: relative;
    float: left;
    background-color: #FF0000;
}

#nav li a{
    display: inline-block;
    width: 140px;
    padding: 9px;
    text-decoration: none;
    color: black;
    border-left: 1px solid #BA0000;
    border-right: 1px solid #BA0000;
}

#nav li a:hover {color:white;}

#sub-nav {
```

```css
#sub-nav {
    position: absolute;
    padding: 0;
    left:0;
    z-index: 1;
    display: none;
}

#sub-nav li{
    display:block;
    position: relative;
    background-color: #0099FF;
    border-bottom: 1px dashed black;
}

#sub-sub-nav {
    position: absolute;
    padding: 0;
    left: 0;
    z-index: 1;
    display: none;
}
#sub-sub-nav li {
    display: block;
    position: relative;
    background-color: #00CCCC;
    border-bottom: 1px-dashed black;
}

#nav li:hover ul ul {display:none;}

#nav li:hover ul {display:block;}

#nav li li:hover ul {
    display: block;
    margin-left: 160px;
    top: 0;
        top: 0;
}
```

My result:

Trang chủ	Kinh tế	Xã hội	Văn hóa	Thể

Tài chính

Chứng khoán

Doanh nghiệp | **Kiểm toán**

Doanh nhân | **Kế toán**

Kinh doanh