

N Banco de Pruebas Postman para API de Vehículos

? GET /api/vehicles

- ✓ **Prueba correcta 1:** Lista todos los vehículos.

```
curl -X GET http://localhost:8080/api/vehicles
```

Respuesta esperada: 200 OK con array JSON de vehículos.

- ✓ **Prueba correcta 2:** Endpoint accesible

```
curl -X GET http://localhost:8080/api/vehicles/1
```

Respuesta esperada: 200 OK con lista de coches.

- ✗ **Prueba errónea:**

```
curl -X GET http://localhost:8080/api/vehicless
```

Respuesta esperada: 404 Not Found

? GET /api/vehicles/{id}

- ✓ **Prueba correcta 1 (coches):**

```
curl -X GET http://localhost:8080/api/vehicles/1
```

Respuesta esperada: 200 OK con lista de coches.

- ✓ **Prueba correcta 2 (motos):**

```
curl -X GET http://localhost:8080/api/vehicles/2
```

Respuesta esperada: 200 OK con lista de motos.

- ✗ **Errores:**

```
curl -X GET http://localhost:8080/api/vehicles/3 # 404 personalizada
curl -X GET http://localhost:8080/api/vehicles/0 # 404 personalizada
curl -X GET http://localhost:8080/api/vehicles/a # 400 personalizada
curl -X GET http://localhost:8080/api/vehicles/- # 400 personalizada
curl -X GET http://localhost:8080/api/vehicles/? # 404 Spring
```

? POST /api/vehicles/filter

- ✓ **Prueba correcta 1:**

```
curl -X POST http://localhost:8080/api/vehicles/filter \
-H "Content-Type: application/json" \
-d
'{"type":"car","id":2,"brand":"Honda","model":"Civic","year":2005,"fuelType":"DI
ESEL","licensePlate":"5705GPA","vehicleId":1,"concessionaireId":2,"numberOfDoors
":5}'
```

- **✓ Prueba correcta 2 (sólo por matrícula):**

```
curl -X POST http://localhost:8080/api/vehicles/filter \
-H "Content-Type: application/json" \
-d '{"licensePlate":"5705GPA"}'
```

- **✗ Errores:**

```
curl -X POST http://localhost:8080/api/filter # sin JSON
curl -X POST http://localhost:8080/api/filter \
-H "Content-Type: application/json" \
-d '{"id":2,"brand":"Honda"}' # sin campo "type"
curl -X POST http://localhost:8080/api/filter \
-H "Content-Type: application/json" \
-d '{"type":"car","id":2,"extraField":"error"}' # campo extra
```

+ POST /api/vehicles/insert

- **✓ Prueba correcta 1 (nuevo coche):**

```
curl -X POST http://localhost:8080/api/vehicles/insert \
-H "Content-Type: application/json" \
-d
'{"type":"car","id":2,"brand":"Honda","model":"Civic","year":2005,"fuelType":"DI
ESEL","licensePlate":"5704GPA","vehicleId":1,"concessionaireId":2,"numberOfDoors
":5}'
```

- **✓ Prueba correcta 2 (nueva moto):**

```
curl -X POST http://localhost:8080/api/vehicles/insert \
-H "Content-Type: application/json" \
-d '{"type":"motorcycle","id":6,"brand":"SEAT","model":"MO-
MO","year":2020,"fuelType":"GASOLINE","licensePlate":"1235ABC","vehicleId":2,"co
ncessionaireId":0,"engineDisplacement":0}'
```

- **✗ Errores:**

```
curl -X POST http://localhost:8080/api/vehicles/insert # sin JSON
curl -X POST http://localhost:8080/api/vehicles/insert \
-H "Content-Type: application/json" \
-d
'{"type":"car","id":2,"brand":"Honda","model":"Civic","year":2005,"fuelType":"DI
ESEL","licensePlate":"5705GPA","vehicleId":1,"concessionaireId":2,"numberOfDoors
":5}' # matrícula existente
curl -X POST http://localhost:8080/api/vehicles/insert \
-H "Content-Type: application/json" \
-d '{"brand":"SEAT","model":"MO-
MO","year":2020,"fuelType":"GASOLINE","licensePlate":"1235QBC","vehicleId":2,"co
ncessionaireId":0,"engineDisplacement":0}' # sin campo type
```

PUT /api/vehicles/update/{licensePlate}

- **✓ Prueba correcta 1:**

```
curl -X PUT http://localhost:8080/api/vehicles/update/1234ABC \
-H "Content-Type: application/json" \
-d '{"type":"motorcycle","id":6,"brand":"SEAT","model":"MO-
MO","year":2020,"fuelType":"GASOLINE","licensePlate":"1234ABC","vehicleId":2,"co
```

```
ncessionaireId":0,"engineDisplacement":0}'
```

- **✓ Prueba correcta 2 (intentando cambiar id):**

```
curl -X PUT http://localhost:8080/api/vehicles/update/1234ABC \  
-H "Content-Type: application/json" \  
-d '{"type":"motorcycle","id":9,"brand":"leap","model":"MO-  
MO","year":2020,"fuelType":"GASOLINE","licensePlate":"1234ABC","vehicleId":2,"co  
ncessionaireId":0,"engineDisplacement":0}'
```

- **✗ Errores:**

```
curl -X PUT http://localhost:8080/api/vehicles/update/1 # sin JSON  
curl -X PUT http://localhost:8080/api/vehicles/update/1234ABC \  
-H "Content-Type: application/json" \  
-d '{"type":"car","id":9,"brand":"leap","model":"MO-  
MO","year":2020,"fuelType":"GASOLINE","licensePlate":"1234ABC","vehicleId":2,"co  
ncessionaireId":0,"engineDisplacement":0}' # cambiar tipo
```

✗ DELETE /api/vehicles/delete/{licensePlate}

- **✓ Prueba correcta 1:**

```
curl -X DELETE http://localhost:8080/api/vehicles/delete/1234ABC
```

- **✓ Prueba correcta 2 (borrar otra vez):**

```
curl -X DELETE http://localhost:8080/api/vehicles/delete/1234ABC
```

- **✗ Errores:**

```
curl -X DELETE http://localhost:8080/api/vehicles/delete/1234 # matrícula  
inexistente  
curl -X DELETE http://localhost:8080/api/vehicles/delete/ # sin  
matrícula
```

? Prueba Lineal Completa (CRUD de un vehículo)

1. Insertar:

```
curl -X POST http://localhost:8080/api/vehicles/insert \  
-H "Content-Type: application/json" \  
-d '{"type":"car","id":100,"brand":"Tesla","model":"Model  
Y","year":2022,"fuelType":"ELECTRIC","licensePlate":"TES123","vehicleId":3,"conc  
essionaireId":1,"numberOfDoors":5}'
```

201 Created

2. Consultar por filtro:

```
curl -X POST http://localhost:8080/api/vehicles/filter \  
-H "Content-Type: application/json" \  
-d '{"licensePlate":"TES123}"
```

200 OK

3. Modificar:

```
curl -X PUT http://localhost:8080/api/vehicles/update/TES123 \
-H "Content-Type: application/json" \
-d '{"type":"car","id":100,"brand":"Tesla","model":"Model Y
Performance","year":2023,"fuelType":"ELECTRIC","licensePlate":"TES123","vehicleI
d":3,"concessionaireId":1,"numberOfDoors":5}'
```

200 OK

4. Consultar actualizado:

Mismo filtro anterior

200 OK

5. Eliminar:

```
curl -X DELETE http://localhost:8080/api/vehicles/delete/TES123
```

204 No Content

6. Consultar eliminado:

```
curl -X POST http://localhost:8080/api/vehicles/filter \
-H "Content-Type: application/json" \
-d '{"licensePlate":"TES123}"'
```

404 Not Found o lista vacía