



Performance




Accessibility



Best Practices



SEO

Progressive
Web AppA legend showing three score ranges: 0-49 (red), 50-89 (orange), and 90-100 (green).


Performance

Metrics



| | | | |
|--------------------------|-------|-----------------------------------|--------|
| ▲ First Contentful Paint | 6.0 s | ▲ First Meaningful Paint | 6.1 s |
| ▲ Speed Index | 6.0 s | ▲ First CPU Idle | 7.2 s |
| ▲ Time to Interactive | 7.7 s | ▲ Max Potential First Input Delay | 420 ms |

Values are estimated and may vary.



Opportunities — These optimizations can speed up your page load.

Opportunity

Estimated Savings

▲ Preload key requests 4.21 s ^

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#)

| URL | Potential Savings |
|---|-------------------|
| ...woff2/IRANSansWeb(FaNum)_Medium.woff2 (192.168.252.37) | 4,210 ms |
| ...woff2/IRANSansWeb(FaNum).woff2 (192.168.252.37) | 4,200 ms |


■ Eliminate render-blocking resources 0.32 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#)

| URL | Size | Potential Savings |
|--|-------|-------------------|
| /assets/vendors~main.a3401b8b.chunk.css (192.168.252.37) | 19 KB | 610 ms |
| /assets/main.ef2945f6.chunk.css (192.168.252.37) | 6 KB | 460 ms |

■ Properly size images 0.15 s ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

| URL | Size | Potential Savings |
|---|-------|-------------------|
|  /assets/hosseinShemshadi.49f7468.jpg (192.168.252.37) | 16 KB | 12 KB |

■ Remove unused CSS 0.15 s ^


Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)

| URL | Size | Potential Savings |
|--|-------|-------------------|
| /assets/vendors~main.a3401b8b.chunk.css (192.168.252.37) | 19 KB | 19 KB |
| /assets/main.ef2945f6.chunk.css (192.168.252.37) | 6 KB | 6 KB |

■ Serve images in next-gen formats

■ 0.15 s ^

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).

| URL | Size | Potential Savings |
|---|-------|-------------------|
|  /assets/hosseinShemshadi.49f7468.jpg (192.168.252.37) | 16 KB | 8 KB |

Diagnostics — More information about the performance of your application.

▲ Ensure text remains visible during webfont load

^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more](#).

| URL | Potential Savings |
|---|-------------------|
| ...woff2/IRANSansWeb(FaNum)_Medium.woff2 (192.168.252.37) | 20 ms |
| ...woff2/IRANSansWeb(FaNum).woff2 (192.168.252.37) | 30 ms |

▲ Minimize main-thread work — 4.6 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this.

| Category | Time Spent |
|-------------------|------------|
| Script Evaluation | 2,740 ms |

| Category | Time Spent |
|------------------------------|------------|
| Other | 566 ms |
| Style & Layout | 446 ms |
| Rendering | 353 ms |
| Script Parsing & Compilation | 298 ms |
| Parse HTML & CSS | 131 ms |
| Garbage Collection | 27 ms |

■ Reduce JavaScript execution time — 2.8 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

| URL | Total CPU Time | Script Evaluation | Script Parse |
|---|----------------|-------------------|--------------|
| Other | 1,912 ms | 497 ms | 5 ms |
| /assets/main.ef2945f6.chunk.js (192.168.252.37) | 1,295 ms | 1,230 ms | 18 ms |
| /assets/vendors~highcharts.70c7dc26.chunk.js (192.168.252.37) | 469 ms | 419 ms | 9 ms |
| /assets/welcome.view.9f1e9469.chunk.js (192.168.252.37) | 213 ms | 197 ms | 3 ms |
| /assets/vendors~main.a3401b8b.chunk.js (192.168.252.37) | 176 ms | 33 ms | 143 ms |
| chrome-extension://lmhkpmbekcpmknklieibfkpmmfibljld/js/pagewrap.bundle.js | 81 ms | 60 ms | 21 ms |

| URL | Total CPU Time | Script Evaluation | Script Parse |
|---|----------------|-------------------|--------------|
| chrome-extension://gppongmhjkpfnbhagpmjfkannfbllamg/js/lib/iframe.js | 74 ms | 65 ms | 10 ms |
| chrome-extension://lmhkpmbekcpmknklloeibfkpmmfibljld/js/content.bundle.js | 67 ms | 55 ms | 12 ms |


● Minimize Critical Requests Depth — 6 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn more.](#)

Maximum critical path latency: **980 ms**

Initial Navigation



● Keep request counts low and transfer sizes small — 19 requests • 945 KB ^

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

| Resource Type | Requests | Transfer Size |
|---------------|----------|---------------|
| Total | 19 | 945 KB |

| Resource Type | Requests | Transfer Size |
|---------------|----------|---------------|
| Script | 6 | 827 KB |
| Font | 2 | 54 KB |
| Stylesheet | 2 | 25 KB |
| Image | 2 | 21 KB |
| Document | 1 | 13 KB |
| Other | 6 | 5 KB |
| Media | 0 | 0 KB |
| Third-party | 7 | 6 KB |

Passed audits (13)



● Defer offscreen images — Potential savings of 4 KB



Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)

| URL | Size | Potential Savings |
|---|------|-------------------|
| /assets/Logoswhite.79d44a7.svg (192.168.252.37) | 4 KB | 4 KB |

● Minify CSS



Minifying CSS files can reduce network payload sizes. [Learn more.](#)

● Minify JavaScript



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)

● Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn more.](#)

● Enable text compression — Potential savings of 2 KB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#)

☒ Show 3rd-party resources (1)

| URL | Size | Potential Savings |
|------------------------------|------|-------------------|
| ...latest/5 (192.168.252.38) | 3 KB | 2 KB |

● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn more.](#)

● Server response times are low (TTFB) — Root document took 210 ms ^

Time To First Byte identifies the time at which your server sends a response. [Learn more.](#)

● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn more.](#)

● Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)

● Avoids enormous network payloads — Total size was 945 KB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#)

| URL | Size |
|---|--------|
| /assets/vendors~main.a3401b8b.chunk.js (192.168.252.37) | 665 KB |
| /assets/vendors~highcharts.70c7dc26.chunk.js (192.168.252.37) | 76 KB |
| /assets/main.ef2945f6.chunk.js (192.168.252.37) | 75 KB |
| ...woff2/IRANSansWeb(FaNum).woff2 (192.168.252.37) | 28 KB |
| ...woff2/IRANSansWeb(FaNum)_Medium.woff2 (192.168.252.37) | 26 KB |
| /assets/vendors~main.a3401b8b.chunk.css (192.168.252.37) | 19 KB |
| /assets/hosseinShemshadi.49f7468.jpg (192.168.252.37) | 16 KB |
| /dashboard/ (192.168.252.37) | 13 KB |
| /assets/welcome.view.9f1e9469.chunk.js (192.168.252.37) | 7 KB |
| /assets/main.ef2945f6.chunk.css (192.168.252.37) | 6 KB |

● Uses efficient cache policy on static assets — 0 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)

● Avoids an excessive DOM size — 422 elements ^

Browser engineers recommend pages contain fewer than ~1,500 DOM elements. The sweet spot is a tree depth < 32 elements and fewer than 60 children/parent element. A large DOM can increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#)

| Statistic | Element | Value |
|--------------------|---|-------|
| Total DOM Elements | | 422 |
| Maximum DOM Depth | <rect x="0" y="0" width="249" height="353" fill="none"> | 16 |

| Statistic | Element | Value |
|------------------------|--|-------|
| Maximum Child Elements | <code><svg version="1.1" class="highcharts-root" xmlns="http://www.w3.org/2000/svg" width="370" height="400" viewBox="0 0 370 400"></code> | 15 |

● User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

Failing Elements

Failing Elements

```
<button class="jss232 jss226 jss297" tabindex="0" type="button" aria-  
haspopup="true">
```

```
<button class="jss232 jss270 jss272 jss275 jss304" tabindex="0"  
type="button" aria-haspopup="true"><span class="jss271"><div  
class="jss322"></div></span><span class="jss332"></span></button>
```

▲ Image elements do not have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements

```

```

Contrast — These are opportunities to improve the legibility of your content.

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

Failing Elements

```
<span class="jss364">۱ هفته</span>
```

```
<span class="jss364">۱ ماه</span>
```

```
<span class="jss364">۳ ماه</span>
```

```
<span class="jss364">۶ ماه</span>
```

```
<span class="jss364">۱ سال</span>
```

```
<span class="jss364">از ابتدا</span>
```

```
<span class="jss364">۱ هفته</span>
```

```
<span class="jss364">۱ ماه</span>
```

Failing Elements

```
<span class="jss364">۳ ماه</span>
```

```
<span class="jss364">۶ ماه</span>
```

```
<span class="jss364">۱ سال</span>
```

```
<span class="jss364">از ابتدا</span>
```

Best practices — These items highlight common accessibility best practices.

- ▲ [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

Failing Elements

```
<meta name="viewport" content="width=device-width,initial-scale=1,maximum-scale=1,user-scalable=0">
```

Additional items to manually check (11) — These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#). ^

- The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more](#).

- Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more](#).

- Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

- The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

- User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

- Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

- Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

- Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

- Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

- Headings don't skip levels ^

Headings are used to create an outline for the page and heading levels are not skipped. [Learn more.](#)

- HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

Passed audits (16) ^

● [aria-*] attributes match their roles ^

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

● [role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

● Elements with [role] that require specific children [role]s, are present ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

● [role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

● [role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

● [aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

● [aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

● The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

● `[id]` attributes on the page are unique ^

The value of an id attribute must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more](#).

● `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

● `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more](#).

● Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]` attribute. ^

A table being used for layout purposes should not include data elements, such as the th or caption elements or the summary attribute, because this can create a confusing experience for screen reader users. [Learn more](#).

● No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

- Cells in a `<table>` element that use the `[headers]` attribute only refer to other cells of that same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

Not applicable (15) ^

- `[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

- `<audio>` elements contain a `<track>` element with `[kind="captions"]` ^

Captions make audio elements usable for deaf or hearing-impaired users, providing critical information such as who is talking, what they're saying, and other non-speech information. [Learn more.](#)

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>` or `<template>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

- Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more.](#)

- `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

- `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

- Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

- Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

- Lists contain only `` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

- List items (``) are contained within `` or `` parent elements ^

Screen readers require list items (``) to be contained within a parent `` or `` to be announced properly. [Learn more.](#)

- The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

- `<object>` elements have `[alt]` text ^

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

- `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

- <video> elements contain a <track> element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)

- <video> elements contain a <track> element with [kind="description"] ^

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. [Learn more.](#)



Best Practices

- ▲ Does not use HTTPS — 18 insecure requests found ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

☒ Show 3rd-party resources (6)

Insecure URL

/dashboard/ (192.168.252.37)

/assets/vendors~main.a3401b8b.chunk.css (192.168.252.37)

/assets/main.ef2945f6.chunk.css (192.168.252.37)

/assets/vendors~main.a3401b8b.chunk.js (192.168.252.37)

/assets/runtime~main.611bc4da.bundle.js (192.168.252.37)

Insecure URL

/assets/main.ef2945f6.chunk.js (192.168.252.37)

/assets/welcome.view.9f1e9469.chunk.js (192.168.252.37)

...woff2/IRANSansWeb(FaNum)_Medium.woff2 (192.168.252.37)

...woff2/IRANSansWeb(FaNum).woff2 (192.168.252.37)

/assets/Logoswhite.79d44a7.svg (192.168.252.37)

/assets/hosseinShemshadi.49f7468.jpg (192.168.252.37)

...1/journal-entries?&page=0&size=5 (192.168.252.38)

...latest/5 (192.168.252.38)

...v1/investors?page=0&size=5&sort=%5Bsignup_date.desc%5D (192.168.252.38)

...v1/requests?page=0&size=5 (192.168.252.38)

...assets-under-management/daily?from=153...&to=153... (192.168.252.38)

...performance/daily?from=153...&to=153... (192.168.252.38)

/assets/vendors~highcharts.70c7dc26.chunk.js (192.168.252.37)

▲ Does not use HTTP/2 for all of its resources — 12 requests not served via HTTP/2 ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. [Learn more](#).

| URL | Protocol |
|--|----------|
| /dashboard/ (192.168.252.37) | http/1.1 |
| /assets/vendors~main.a3401b8b.chunk.css (192.168.252.37) | http/1.1 |
| /assets/main.ef2945f6.chunk.css (192.168.252.37) | http/1.1 |
| /assets/vendors~main.a3401b8b.chunk.js (192.168.252.37) | http/1.1 |
| /assets/runtime~main.611bc4da.bundle.js (192.168.252.37) | http/1.1 |
| /assets/main.ef2945f6.chunk.js (192.168.252.37) | http/1.1 |

| URL | Protocol |
|-----|----------|
|-----|----------|

| | |
|---|----------|
| /assets/welcome.view.9f1e9469.chunk.js (192.168.252.37) | http/1.1 |
|---|----------|

| | |
|---|----------|
| ...woff2/IRANSansWeb(FaNum)_Medium.woff2 (192.168.252.37) | http/1.1 |
|---|----------|

| | |
|--|----------|
| ...woff2/IRANSansWeb(FaNum).woff2 (192.168.252.37) | http/1.1 |
|--|----------|

| | |
|---|----------|
| /assets/Logoswhite.79d44a7.svg (192.168.252.37) | http/1.1 |
|---|----------|

| | |
|---|----------|
| /assets/hosseinShemshadi.49f7468.jpg (192.168.252.37) | http/1.1 |
|---|----------|

| | |
|---|----------|
| /assets/vendors~highcharts.70c7dc26.chunk.js (192.168.252.37) | http/1.1 |
|---|----------|

▲ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

| URL | Location |
|-----|----------|
|-----|----------|

| | |
|---|---------|
| /assets/vendors~highcharts.70c7dc26.chunk.js (192.168.252.37) | line: 0 |
|---|---------|

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns.

☒ Show 3rd-party resources (1)

| URL | Description |
|---|---|
| ...v1/investors? page=0&size=5&sort=%5Bsignup_date.desc%5D (192.168.252.38) | Failed to load resource: net::ERR_CONNECTION_REFUSED |

Passed audits (11) ^

● Avoids Application Cache ^

Application Cache is deprecated. [Learn more.](#)

● Avoids document.write()



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

● Links to cross-origin destinations are safe



Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more.](#)

● Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to user gestures instead. [Learn more.](#)

● Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. Read more on the [MDN Web Docs page](#)

● Avoids front-end JavaScript libraries with known security vulnerabilities



Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more.](#)

● Detected JavaScript libraries



All front-end JavaScript libraries detected on the page.

Name

Version

React

● Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

● Avoids deprecated APIs ^

Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

● Allows users to paste into password fields ^

Preventing password pasting undermines good security policy. [Learn more.](#)

● Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more.](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more.](#)

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more.](#)

▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements

```

```

Crawling and Indexing — To appear in search results, crawlers need access to your app.

▲ robots.txt is not valid — 1 error found ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed.

| Line # | Content | Error |
|--------|---|---------------------------------|
| 1 | <!doctype html><html lang=fa dir=rtl data-reactroot=''><head><meta charset=utf-8><meta http-equiv=x-ua-compatible content='ie=edge'><meta name=viewport content='width=device-width,initial-scale=1,maximum-scale=1,user-scalable=0'><link rel=stylesheet><title data-react-helmet=true></title><style id=jss-server-side>.jss1{width:32px;height:32px}.jss2{background-color:#43a047}.jss3{background-color:#d32f2f}.jss4{background-color:#e4b806}.jss5{background-color:#ffa000}.jss6{font-size:20px}.jss7{opacity:.9;margin-left:8px}.jss8{display:flex;align-items:center}</style><link rel=stylesheet href=/assets/vendors~main.a3401b8b.chunk.css><link rel=stylesheet href=/assets/main.ef2945f6.chunk.css></head><body><div id=app style=flex:1></div><script>window.__INITIAL_STATE__={locale:{language:"fa",direction:"rtl"},user:{username:"mofid@admin",authorities:["ROLE_USER","ROLE_ADMINISTRATOR"]},client:{clientStatus:{exists:null,isInvestor:null,isRepresentative:null,hasRepresentative:!1,isRegistered:!1,age:null,type:"IRANIAN_INDIVIDUAL",uniqueId:null,information:{}},representativeStatus:{exists:null,isInvestor:null,isRepresentative:null,age:null,type:"IRANIAN_INDIVIDUAL",relationshipType:null,fieldName:null,uniqueId:null,information: | Unk own dire ctiv e |

| Line # | Content | Error |
|--------|--|-------|
| | <pre> {}}},SubmitRevisedData:!1,nationalities:null,banks:null,cities:null},fund :{readyState:"INIT",requestAction: {approved:0,rejected:0,unknown:0,deleted:0},funds: [],clientInfo:null,bankAccounts:null,isFundUpdated:!1,subscriptionInfo: {}},workingDays:null,lastRedemptionRequest:null},modals:[],accounting: {accountId:null,naturalBalanceType:null,totalAmountAccount:null},investm ent:{readyState:"INIT",portfolios:null,currentPortfolio:null},payment: {managedAssets:null},grid:{dateFilters: [],clearSelection:!1},themeSetting:{colorTheme:null},form:{},routing: {location:null}}</script><script>window.__i18n__= {locale:"fa",resourceStore:{fa:{chips:{age:"سن سرمایه گذار",signup_date:"تاریخ ثبت",unique_code:"کد سرمایه گذار",investment_value:"مبلغ شویه",type:"نوع سرمایه گذار",payment_method:"نام شعبه درخواست",payment_amount:"مبلغ پرداختی",requester_branch_name:"وضعیت",request_time:"زمان درخواست",request_status:"تعداد",request_type:"نوع درخواست",number_of_unit:"روز",review_working_day_date:"تاریخ",meeting_result_type:"نوع",meeting_date:"مقدار",number_of_share:"سر",amount:"مبلغ",price:"قیمت",status:"وضعیت",deadline:"تاریخ",action_date:"تاریخ اعمال",trades:{trade_type:"نوع معامله",trade_date:"تاریخ",trade_volume:"حجم معامله",trade_price:"قیمت سهم",trade_cost:"بهای تمام",trade_fee:"مالیات",trade_tax:"کارمزد معامله",trade_broker:"کارگزاری"},journalEntries: {journal_entry_mechanism:"نحوه ثبت",journal_entry_type:"نوع",transaction_type:"نوع رویداد",journal_entry_date:"تاریخ"},portfolio: {performance:{asset_type:"نوع دارایی"}},message:{restError: {errorCommunicatingWithServer:"خطا در برقراری ارتباط با",closeFundDayConfirmErrors:{requestsConfirm:"لطفا (درخواست های در حال",confirmBankAccounts:"لطفا (تراکنش های سررسید شده) را بررسی نمایید",confirmInvestments:"لطفا (هشدارهای سرمایه گذاری) را بررسی نمایید",confirmAccounting:"لطفا (هشدارهای حسابداری) را بررسی نمایید",invalidAuthError:"نام کاربری یا رمز عبور وارد شده صحیح نمی",imageWasDeleteSuccessfully:"تصویر با موفقیت حذف",pleaseFillNameOfDoc:"لطفا نام سند را وارد",imageWasSavedSuccessfully:"تصویر با موفقیت ذخیره",notMoreThan5mb:"حجم فایل نباید بیشتر از ۵ مگابایت",allowedImageExtension:"و (jpg, png) فایل های مجاز جهت ارسال مدارک",باشد</pre> | |

| Line# | Content | Error |
|-------|---|-------|
| | <pre>pdf)",uploadClientDocs:"لطفا مدارک مربوط به سرمایه گذار را آپلود کنید.",registerMessagePart1:"ثبت نام",registerMessagePart2:"با موفقیت انجام شد",dragAndDropPart1:"تصویر",dragAndDropPart2:"کشید یا کلیک خود را به اینجا",noSearchColumn:"به نظر میرسد این جدول از جستجو پشتیبانی نمی کند"},funds:{request:{header:"درخواست ها",newRequestBtn:"درخواست جدید",selectWorkingDays:"انتخاب روز کاری"},tabTitle:{all:"همه",pending:"در انتظار تایید",pendingForFundAdmin:"در انتظار تایید مدیر",pendingForSystem:"در انتظار تایید نا مشخص"},actions:{approvedRequests:"درخواست های تایید شده",rejectedRequests:"درخواست های رد شده",unknownRequests:"درخواست های نامشخص",deletedRequests:"درخواست های حذف شده"},table:{client_name:"نام",client_type:"نوع سرمایه گذار",unique_code:"شناسه",payment_method:"شیوه پرداخت",payment_id:"شناسه پرداخت",payment_amount:"مبلغ",requester_branch_name:"شعبه",request_time:"زمان درخواست",request_status:"وضعیت درخواست",request_type:"نوع تاریخ رد",number_of_units:"تعداد واحد",rejectionDate:"رد",iranian:"ایرانی",foreigner:"خارجی",institution:"حقوقی",individual:"حقیقی",iranian_individual:"ایرانی حقیقی",iranian_institution:"ایرانی حقوقی",foreigner_individual:"خارجی حقیقی",foreigner_institution:"خارجی وئی",subscription:"صدور",redemption:"ابطال",transfer:"انتقال",collateral:"وثیقه دریافت",online_gateway:"درگاه آنلاین",receipt_payment:"رسید کارت",card_to_card:"کارت به کارت",satna:"ساتنا",pose:"سازمان",card_to_card:"کارت به کارت",approve:"تایید",reject:"رد کردن",unknown:"نا مشخص",deselect:"لغو اعمال",clarify:"تعیین وضعیت",delete:"حذف",applyChanges:"اعمال انتخاب نوع",countSelected:"تعداد انتخاب شده"},modals:{selectRequestType:"انتخاب نوع سرمایه",theInvestorHasNotBeenRegisteredYet:"سرمایه گذار مورد نظر وجود ندارد",theInvestorNotFound:"برای ثبت نام سرمایه گذار",toRegisterTheInvestor:"درخواست صدور",redemptionRequest:{title:"درخواست ابطال",redeemableUnits:"واحدهای قابل ابطال",totalUnits:"کل ابطالهای تایید",pendingRedemption:"واحدهای وثیقه شده",collateralUnits:"واحدها تا \${redeemableUnits} تعداد واحدهای قابل ابطال",numberOfUnitsError:"تعداد واحدهای قابل ابطال",numberOfUnitsErrorPart1:"تعداد واحدهای قابل ابطال",numberOfUnitsErrorPart2:"تا است",redemptionRequestRegistered:"سرمایه گذار واحدی جهت ابطال",noUnitsToRedeem:"بروز اشکال در ثبت درخواست",registeringRedemptionFailed:"ثبت",redemptionSuccess:{titlePartOne:"درخواست ابطال برای",titlePartTwo:"تعداد",requestSerial:"شماره سریال درخواست",numberOfUnits:"تاریخ درخواست",requestDate:"لیست سرمایه"}},client:{list:{header:"سرمایه",</pre> | |

| Line # | Content | Error |
|--------|---|-------|
| | <pre> "گذارها",newClientBtn:"سرمایه گذار جدید"},registration:{bankAccount:"حساب نوع","bankAccountNumber:"شماره حساب","bankAccountType:"بانکی قرض","checkingAccount:"حساب جاری","savingAccount:"حساب بلند مدت","shortTermDeposit:"حساب کوتاه مدت","longTermDeposit:"حساب بلند نام","currencyDeposit:"حساب پس انداز","bankName:"نام کد","city:"شهر","bankBranchName:"نام شعبه","bankBranchCode:" اطلاعات","bankAccountIBAN:"شماره شبا","personalInfo:"شعبه شماره","passportNumber:"شماره نام","lastName:"نام","firstName:"نام","gender:"جنسیت","male:"مرد","female:"زن","birthDate:"تاریخ تولد","birthCountry:"کشور محل تولد","nationality:"ملیت","investmentCertificateNumber:"شماره مجوز سرمایه تولد","investmentCertificateIssueDate:"تاریخ صدور","contactInfo:"اطلاعات تلفن","mobileNumber:"تلفن","phoneNumber:"تلفن تماس کد","postalCode:"کد پستی","address:"آدرس","faxNumber:"فکس","email:"ایمیل"," همراه محل","countryOfOrigin:"نام شرکت","companyName:"شماره ثبت","registerNumber:"پستی شناسه","nationalIdentityNumber:"تاریخ ثبت","registerDate:"ثبت table:{economicCode:"کد اقتصادی","registerCity:"محل ثبت","ملی سن سرمایه","age:"کد سرمایه گذار","identity:"نوع سرمایه گذار","نام","type": تاریخ","signup_date:"مبلغ سرمایه گذاری","investment_value:"گذار شماره","mobileNumber:"کد سرمایه گذار","unique_code:"ثبت حقوقی","individual:"حقوقی","institution:"خارجی","foreigner:"ایرانی","iranian:"موبایل نوع سرمایه","clientType:"modals:{fundRequest:"درخواست صندوق"}, ثبت نام","newClientRegistration:"انتخاب نوع سرمایه گذار","selectClientType:"گذار قبلا ثبت نام شده","hasAlreadyBeenRegistered:"سرمایه گذار جدید برای به روز رسانی پروفایل سرمایه گذار","toUpdateInvestorProfiles:"است "},registerSteps: {clientInformation:"اطلاعات سرمایه گذار","representativeInformation:"اطلاعات review:"مرور اطلاعات","documentDelivery:"تحويل گواهی","documentDeliveryInfo:"اطلاعات تحويل پروفایل سرمایه","clientProfile:"نام","clientName:"نام نماینده","representativeName:"نماینده","گذار نمونه","portfolio:"اطلاعات سرمایه گذار","clientInformation:"سرمایه گذار اطلاعات","contactInfo:"اطلاعات شخصی","personalInfo:"کارها اطلاعات تحويل","documentDeliveryInfo:"اطلاعات حساب بانکی","bankAccountInfo:"تماس بازدهی","todaysReturn:"خالص ارزش دارایی ها","totalNetWorth:"گواهی سرمایه گذاری","investments:"آخرین فعالیت","recentActivities:"امروز لطفا یک","selectRequest:"لیست درخواست ها","requestsList:"درخواست ها","requests:"میانگین","avgInvestmentCost:"نوع","type:"نام","investmentName:"درخواست را انتخاب کنید ارزش","fairValue:"مبلغ سرمایه گذاری </pre> | |

| Line # | Content | Error |
|--------|---|-------|
| | <p>طول",duration:"بازدهی",return:"سبد",sma:"صندوق",fund:"روز کارت",nationalId:"شناسنامه",documents:{birthCertificate:"مبلغ"},amount:"دوره روزنامه آگهی",letterOfIncorporation:"ملی "پاسپورت",passport:"وکالتنامه",poa:"معرفی نامه",loi:"اساسنامه",prospectus:"رسمی مجوز سرمایه گذاری",foreignInvestorCertificate:"مشاهده",goToProfile:"دلخواه",custom:"خارجی زمان",uploadTime:"مدارک",documents:"عملیات",actions:"پروفایل آیا از حذف این سند اطمینان",confirmation:"آلود مدارک",uploadDocument:"آلود نام سند را وارد",fileNameOfDoc:"مدرك مورد نیاز جهت بارگذاری",requiredDocs:"دارید؟ دفتر",accounting:{bookOfAccount:{accountOfBook:"شماره",journalEntryId:"حساب مانده ابتدای دوره",openingDebit:"توضیحات",description:"تاریخ",creationTime:"سند مانده ابتدای دوره",openingCredit:"بستانکار مانده پایان دوره",closingDebit:"بستانکار",credit:"بدهکار",debit:"بدهکار مانده پایان دوره",closingCredit:"بستانکار مانده ابتدای",beginningBalance:"مانده",endingBalance:"بستانکار جمع",total:"بستانکار",totalDebit:"بدهکار",totalCredit:"دوره لطفا یک حساب را وارد",pleaseSelectAnAccount:"مانده از قبل",remainedBefore:"کل بدون سند افتتاحیه /",opening_closing:"بدون مانده از قبل",remained_before:"... نمایید بدون سند بستن حسابهای موقت و",temporary_operational:"اختتامیه جستجوی حساب",searchAccounts:" : نوع مانده",naturalBalanceType:"عملکرد ...",debit_or_credit:"بستانکار یا بدهکار",journalEntries:{table: شماره",entryNumber:"انتخاب کنید",placeholder:"سند نحوه",label:"شرح",description:"تاریخ",date:"سند ",type:{manual:"خودکار",automatic:"انتخاب کنید",placeholder:"ثبت انتخاب",placeholder:"نوع ثبت",label:"نوع ",transaction:{label:"نوع",temporary:"موقت",permanent:"دائم",کنید تایید",subscription_approval:"درخواست صدور",subscription_request:"رویداد رد درخواست",subscription_rejection_by_system:"پرداخت به سرمایه",payment_for_redemption:"ابطال تایید ابطال",redemption_approval:"انتقال وجه مابین حسابهای",internal_bank_account_transfer:"گذاران کارمزد",bodies_fees:"اصلاحی",correcting:"واریزی نامشخص",unknown_payment:"بانکی محاسبه روزانه هزینه نرم",software_expenses:"ارکان پرداخت بابت باقیمانده",payment_for_subscription_remainder:"افزار انتقال به",transfer_to_broker:"صدور شناسایی درآمد سود سپرده",recognizing_banking_deposit_interest:"کارگزار دریافت سود سپرده",receiving_banking_deposit_interest:"بانکی ارزشیابی",stock_valuation:"خرید سهام",stock_purchase:"بانکی</p> | |

| Line # | Content | Error |
|--------|---|-------|
| | <p>خرید اوراق با درآمد",fixed_income_purchase:"سهم</p> <p>خرید",warrant_purchase:"ارزشیابی اوراق با درآمد ثابت",fixed_income_valuation:"ثابت</p> <p>ارزشیابی حق",warrant_valuation:"حق تقدم</p> <p>اعمال سود مجمع",executing_dividend_from_stock:"تقدم</p> <p>تتزیل سود",daily_recognition_of_dividend_discount_reverse:"سهم</p> <p>دریافت سود مصوبه",receiving_dividend_from_stock:"سهم</p> <p>محاسبات روزانه سود اوراق با",recognizing_fixed_income_securities_interest:"مجمع</p> <p>دریافت سود اوراق با درآمد",receiving_fixed_income_securities_interest:"درآمد ثابت</p> <p>واریزی",payment_for_warrant_execution:"افزایش سرمایه",warrant_execution:"ثابت</p> <p>تراز",balance:"فروش سهم",stock_sales:"برای حق تقدم سهم</p> <p>اطلاعات سند",modal:{journal_entry_information:"سند",reference:"مرجع",sند</p> <p>جزئیات",transaction_information:"حسابداری</p> <p>table:",journal_entry_detail:"سند",reference:"مرجع",معاملات</p> <p>نام",account_name:"کد حساب",account_code:"ردیف",row:"</p> <p>problemLoadingEntryDetails:"بروز اشکال در دریافت جزئیات سند",total:"مجموع",credit:"بستانکار",debit:"بدهکار",description:"شرح",حساب</p> <p>trialBalance:"مانده",debitAmount:"بدهکار",creditAmount:"بستانکار",index:"ردیف",debitBalance:"نام",accountCode:"کد حساب",accountName:"مانده بستانکار",creditBalance:"بدهکار</p> <p>accountLevels:"مجموع صفحه",pageTotal:"تا",toTime:"از",fromTime:"حساب</p> <p>حسابهای",auxiliary:"حسابهای کل",generalLedger:"سطح حساب",label:"بدون سند",filters:{closing:"معین",descriptive:"حسابهای تفصیلی",operational:"اختتامیه",fiscalPeriodsLabel:"دوره",fiscalPeriodsPrefix:"سال مالی منتهی به",investment:{trades:{title:"لیست معاملات",tabs:{all:"همه",canceled:"لغو شده ها"},table:{symbolAutoCompletePlaceholder:"جستجوی نمادها",headers:{date:"تاریخ",type:"/خرید</p> <p>cost:",symbol:"نماد",volume:"حجم",price:"قیمت",fee:"کارمزد",taxes:"مالیات",tradeDate:"تاریخ معامله",tradeType:{label:"نوع معامله",placeholder:"انتخاب",buy:"خرید",sell:"فروش",tradeVolume:"حجم معامله",tradePrice:"قیمت",tradeCost:"مالیات",tradeFee:"کارمزد معامله",tradeTax:"بهای تمام شده",tradeBroker:{label:"کارگزار",placeholder:"انتخاب",tradeDetailsModal:{tradeInfo:"اطلاعات معامله",tradeCost:"بهای تمام",tradeFeeDetail:"جزئیات کارمزد معامله",tradeCostDetail:"بهای تمام",title:"جزئیات",trade:"معامله",calculations:"محاسبات",ticketNumber:"شماره",financialInstrument:"نوع",type:"ارجاع",volume:"تعداد",price:"قیمت",broker:"کارگزار",status:"وضعیت",tradeTime:"زما</p> | |

| Line # | Content | Error |
|--------|--|-------|
| | <p>کارمزد:"CSDIFees","کارمزد بازار:"exchangeFees","کارمزد کارگزار:"brokerFees","ن معامله جمع:"totalFees","کارمزد سازمان:"SEOFees","کارمزد فناوری اطلاعات:"TMCFees","سپرده گذاری کارمزدها:"types","بهای تمام شده:"cost","مالیات:"tax","کارمزد های ابطال:"canceled","تأیید شده:"confirmed},statusChoices:{buy:"خرید",sell:"فروش"},portfolio:{pageTitle:"پورتفولیو",portfolioSummary:"خلاصه",closingOn:"منتهی به",tabTitles:{summary:"خلاصه",assetAllocation:"ترکیب",performance:"عملکرد",priceAdjustment:"تعدیل",portfolioDetails:"جزئیات پورتفولیو",assetType:"نوع",receivables:"حسابهای نقد و بانک",cash:"مبلغ",amount:"نوع",type:"دارایی",stock:"حق و سهم",bond:"اوراق با درآمد ثابت",expenditures:"مخارج",derivatives:"دریافتی حساب فیما بین با",brokerAccount:"درصد",percent:"جمع",total:"تقدم ارزش دارایی ها به",assetValueWithUnit:"ارزش دارایی ها",assetValue:"کارگزار",intervals:{1w:"1 هفته",3mo:"3 ماه",6mo:"6 ماه",1y:"1 سال",all:"از ابتدا"},performance:{pageTitle:"عملکرد",filter:"انتخاب",button:"نوع ابزار اساس نوع",label:"نوع ابزار مالی",placeholder:"جستجو در نام ابزار"},searchInNames:"کنید",secondFilterLabel:"نمایش",withBalance:"دارای مانده",all:"همه",columns:{index:"ردیف",name:"نام",type:"نوع",balance:"مانده",price:"قیمت",interestReceivable:"خالص ارزش",lastValue:"ارزش پایان دوره",sellFairValue:"سود دریافتی",avgAnnualReturnToDate:"بازدهی امروز",avgAnnualReturnToMaturity:"بازدهی",total:"مجموع"},priceAdjustment:{pageTitle:"تعدیل",newAdjustment:"تعدیل جدید",history:"سابقه",successfullyMessage:"تنظیمات",scheduledAdjustments:"تعدیلات زمان بندی",instrumentName:"نام",marketPrice:"قیمت بازار",adjustedPrice:"قیمت تعدیل",description:"تاریخ",adjustmentType:"نوع تعدیل",startDate:"تاریخ",endDate:"شروع",status:"وضعیت",portfolio:"پورتفولیو",financialInstrument:"ابزار",selectFinancialInstrument:"انتخاب ابزار",balance:"مانده",lastPrice:"آخرین",reason:"دلیل",comments:"شرح",faceValue:"ارزش اسمی",maturityDate:"تاریخ",type:"نوع",modalTitle:"تعدیل قیمت",oneTimeAdjustment:"تعدیل",formulatedAdjustment:"تعدیل نظام مند",tabTitles:{scheduledAdjustments:"تعدیلات آتی",history:"تعدیلات انجام شده"},adjustmentTypes:{formulated:"تصمیمات",oneTime:"یکباره",reasons:{corporate_decision:"افزایش",trade_volume:"حجم معاملات",capital_increase:"اخبار منتشر شده",news:"شرکت",other:"سایر",interest_paying_bonds:"اوراق سود",zero_coupon_bonds:"اوراق به کسر"},statusTypes:</p> | |

| Line # | Content | Error |
|--------|--|-------|
| | <pre> {active:"فعال",inactive:"غير فعال"},valueChangeTypes:{label:"نوع تعيين","addValue:"افزودن مقداری","addPercent:"افزودن درصدی","set:" تعیین"},changeValueLabel:"مقدار",formulatedAdjustmentTypes: {STRAIGHT_LINE:"خط مستقیم",COMPOUNDED:"مرکب",CONSTANT:"ثابت"},validation: {noNegativeValue:"عدد اعشاری قابل قبول نیست","noDecimal:"عدد اعشاری قابل قبول نیست"},submit:"ثبت"},valuation: {valuation:"ارزشیابی",portfolio:"پورتفولیو",valuationFailedTitle:"ارزشیابی ناموفق",valuationSuccessfulTitle:"ارزشیابی موفق",valuationSuccessfulMessage1:"ارزشیابی برای ",valuationSuccessfulMessage2:"در تاریخ",valuationSuccessfulMessage3:"با ارزشیابی برای",valuationFailedMessage1:"ارزشیابی برای ",valuationFailedMessage2:"در تاریخ",valuationFailedMessage3:"با مشکل مواجه شد. لطفا با پشتیبانی تماس حاصل فرمایید "},instrumentTypes: {stock:"سهام",bond:"اوراق",warrant:"حق ترکیب",fund:"صندوق",option:"اختیار",future:"آتی"},assetAllocation:{title:"ترکیب ابزار",table:{type:{financialInstrument:"بازار نوع",industry:"صنعت",exchange:"بازار",instrumentType:"نوع",volume:"تعداد",price:"قیمت خالص ارزش",fairValue:"خالص ارزش",allocation:"درصد",type:"نوع",industry:"صنعت",exchange:"بازار",instrum entType:"نوع دارایی",total:"مجموع",selectOne:"انتخاب جزئیات ابزار",instrumentDetails:{title:"جزئیات ابزار",generalInformation:"اطلاعات",مالی ",position:"وضعیت",performance:"عملکرد",balance:"مانده",price:"قیمت",lastVa lue:"ارزش نهایی",sellFairValue:"خالص ارزش فروش",interestReceivable:"سود متوسط قیمت",averageBuyPrice:"متوسط قیمت خرید",averageSellPrice:"متوسط قیمت فروش",buyValue:"ارزش خرید",sellValue:"ارزش بازار",returnPercent:"بازدهی",name:"نام",symbol:"نماد",type:"نوع",exchange:"بازار",relatedStockName:"نام سهام مربوطه",relatedStockId:"نام سهام",relatedWarrant:"حق تقدم مربوطه",relatedTabaei:"تبعی",relatedDerivative:"ارزش مشتقه مربوطه",faceValue:"ارزش",interestRate:"نرخ سود",interestPaymentDate:"تاریخ پرداخت",maturityDate:"تاریخ سررسید",streakPrice:"قیمت",underlyingAsset:"دارایی",all:"همه",date:"تاریخ",volume:"حجم",fee:"کارمزد",tax:"مالیات",cost:"بهای تمام شده",transactions:"لیست معاملات"},messages: {couldNotLoadPortfolios:"در دریافت پورتفولیو ها مشکلی پیش آمد",problemLoadingData:"مشکل در دریافت اطلاعات",problemInSubmission:"خطا" </pre> | |

| Line # | Content | Error |
|--------|---|-------|
| | <p>common: "با موفقیت ثبت شد", saved: "در ارسال اطلاعات بدون", noData: "از", from: "فیلترها", filters: "جستجو", search: {</p> <p>time: "تاریخ", date: "همه", all: "نوع", type: "مجموع", totalRows: "جمع", total: "اطلاعات", overview: "بررسی", fore: "برای", request: "ندارد", doesNotHave: "ساعت",</p> <p>آیا از حذف درخواست اطمینان", confirmTitle: "به روز رسانی شد", hasBeenUpdated: "اجمالی", confirmTitleRequestAction: "آیا از اعمال تغییرات اطمینان", confirmText: "این عمل قابل بازگشت نیست",</p> <p>از", startNumber: "تا تعداد", endNumber: "تعداد", number: "از واحد", startUnit: "واحد", unit: "واحد", endUnit: "تعداد", dashboardColor: "رنگ داشبورد", email: "ایمیل", trade_time: "تاریخ",</p> <p>trade_type: "معامله", trade_tax: "بهای تمام", trade_cost: "مالیات", trade_volume: "حجم", trade_price: "قیمت", broker_fee: "کارمزد", symbol: "نماد",</p> <p>کارگزاری", mofid: "فروش", sell: "خرید", BUY: "خرید", buy: "کارگزار", broker: "شده", other: "مفید", fundDay: "روز کاری", opened: "خلاصه", summary: "کارگزاری دیگر",</p> <p>noContentToShow: "برای", for: "بستن", close: "بسته شد", closed: "شده", currentFundDay: "روز جاری", نمایش وجود ندارد",</p> <p>با تایید بستن صندوق, محاسبات خالص دارایی ها را", closingFundConfirmationText: "صندوق", closingFundConfirmationTitle: "تایید کرده و روز جدید صندوق را آغاز خواهید کرد",</p> <p>هشدار سرمایه گذاری وجود", noReviewingInvestment: "بستن صندوق برای روز کاری", closingFundDay: "بستن صندوق", closeFund: "ندارد",</p> <p>reviewingRequests: "ایجاد", operations: "ایجاد", create: "کاری", reviewingBankAccounts: "واحد های سرمایه گذاری", unitsOverview: "ها", reviewingInvestments: "بررسی سرمایه گذاری ها", reviewingAccounting: "بانکی",</p> <p>محاسبه قیمت هر", reviewingCalculateNAV: "حسابداری", review: "بررسی", pendingRequests: "درخواست های در حال", review: "واحد", noPendingRequests: "درخواست در حال انتظاری وجود", انتظار",</p> <p>approved_redemptions: "درخواست های بررسی شده", requestsReviewed: "ندارد", approved_subscriptions: "تایید شده", approved_subscriptions: "تایید شده",</p> <p>marked_unknown_subscriptions: "نا", marked_unknown_subscriptions: "شده", rejected_redemptions: "ابطال های رد", rejected_redemptions: "مشخص",</p> <p>outstanding_units_count: "صدور های رد شده", rejected_subscriptions: "شده", redeemed_units_count: "تعداد ابطال", subscribed_units_count: "سرمایه گذاری شده",</p> <p>dueTransactions: "تراکنش های سررسید", bank_account: "حساب", bank_account: "صدور", noDueTransaction: "تراکنش سررسید شده ای وجود",</p> <p>receivable: "فروش", sold_count: "خرید", bought_count: "پرداختی", payable: "ندارد", valuation: "ارزشیابی", buy_fair_value: "خالص ارزش خرید", book_amount: "یافتی",</p> <p>corporate_actions: "تعداد", valuation_price: "قیمت", valuation_price: "دفتری", warrant_applied: "سهم", bonus_applied: "حق تقدم اعمال شده", warrant_applied: "مجامع"</p> | |

| Line # | Content | Error |
|--------|---|-------|
| | <p>سود تقسیم:"dividend_applied", "حق تقدم تبدیل شده:"warrant_converted", "جایزه تعداد:"price_adjustments, "تعداد معاملات:"trades, "مانده کارگزار:"broker_balances, "شده هشدار:"noInvestmentAlert, "هشدارهای سرمایه گذاری:"investmentAlerts, "تعدیل قیمت حق تقدم های در حال:"pending_warrants, "وجود ندارد سود اوراق دریافت:"pending_bond_interest_receipt, "انتظار ثبت های:"journal_entries, "سود تقسیمی دریافت شده:"pending_dividend_receipt, "شده مانده:"accounting_group_balances, "تعداد ثبت ها:"recorded_entries_count, "حسابداری هزینه:"expenses_balance, "درآمدها:"revenues_balance, "گروه های حسابداری دارایی:"assets_balance, "ها بدهی:"liabilities_balance, "سرمایه:"capital_balance, "ها هشدار حسابداری وجود:"noAccountingAlerts, "هشدارهای حسابداری:"accountingAlerts, "پایان سال:"fiscal_period_end, "مانده خلاف مالیات:"negative_balance, "ندارد قیمت آماری هر:"statistical_nav, "محاسبه قیمت هر واحد:"calculateNAV, "مالی قیمت ابطال هر:"redemption_nav, "قیمت صدور هر واحد:"subscription_nav, "واحد خالص دارایی:"net_assets, "دیگر دارایی ها:"other_assets, "واحد ارزش فروش خالص:"net_sell_value, "ارزش خرید خالص دارایی ها:"net_buy_value, "بدهی:"liabilities, "واحدهای نزد سرمایه گذار:"outstanding_units, "دارایی ها نام:"account_name, "کد حساب:"account_code, "سرمایه گذاری ها:"investments, "مانده:"debit_balance, "بستانکار:"credit_amount, "بدهکار:"debit_amount, "حساب حساب:"bank_account_name, "مانده بستانکار:"credit_balance, "بدهکار:"debit_balance, "طرف:"counterparty_name, "بانکی محاسبه روزانه افزایش سقف واحد های:"fund_upper_limit_increase_expenses, "حساب خالص ارزش:"fair_value, "قیمت:"price, "حجم:"volume, "نام:"name, "صندوق سه:"Stock, "مجموع:"allocation_total, "صنعت:"industry, "درصد:"allocation, "فروش نوع:"assetType, "اوراق:"Bond, "م سود:"interest_receivable, "مانده:"balance, "بازار:"bazaar, "دارایی خالص ارزش:"sell_fair_value, "ارزش پایان دوره:"last_value, "دریافتی بازدهی:"average_annual_return_to_date, "فروش بازدهی:"average_annual_return_to_maturity, "امروز حق:"warrant, "اوراق:"bond, "سهام:"stock, "نوع:"financial_instrument_type, "سررسید دارای:"withBalance, "آتی:"future, "اختیار:"option, "صندوق:"fund, "تقدم منتهی:"closingOn, "نمایش:"show, "مانده نحوه:"is_automatic, "نوع ثبت:"is_permanent, "دستی:"manual, "خودکار:"automatic, "به تراز:"journal_entry_balance, "نوع رویداد:"transaction_type, "ثبت subscriptio nRequestFor, "موقت:"temporary, "دائم:"permanent, "تاریخ:"journal_entry_date, "سند رویداد:"default_transaction_type, "انجام شد:"done, "درخواست صدور برای:"nRequestFor, "رد درخواست صدور توسط:"subscription_rejection_by_user, "مالی پیش فرض سند:"closing_temporary_accounts, "سند افتتاحیه:"opening, "سند اختتامیه:"closing, "مدیر</p> | |

| Line # | Content | Error |
|--------|---|-------|
| | سند بستن حساب های",closing_profit_loss:"سند بستن حساب های موقت | |
| | فروش",bond_sales:"عملکرد | |
| | شناسایی سود اوراق در زمان",bond_interest_receivable_change_by_trade:"اوراق | |
| | خرید اختیار فروش",tabaei_purchase:"فروش حق تقدم",warrant_sales:"معامله | |
| | تعدیل کارمزد",broker_fee_adjustment:"اعمال اختیار فروش تبعی",tabaei_execution:"تبعی | |
| | کارمزد حق نظارت",seo_oversight_expenses:"کارگزار | |
| | پرداخت به",payment_to_auditor:"پرداخت به مدیر",payment_to_manager:"سازمان | |
| | پرداخت به",payment_to_registrar:"پرداخت به متولی",payment_to_inspector:"حسابرس | |
| | دریافت از",transfer_from_broker:"مدیر ثبت | |
| | پرداخت بابت درخواست صدور رد",payment_for_rejected_subscription:"کارگزار | |
| | درخواست",subscription_request:"هزینه تصفیه",dissolution_expense:"شده | |
| | تایید درخواست",subscription_approval:"صدور | |
| | رد درخواست",subscription_rejection_by_system:"صدور | |
| | پرداخت به سرمایه",payment_for_redemption:"تایید ابطال",redemption_approval:"صدور | |
| | انتقال وجه مابین حسابهای",internal_bank_account_transfer:"گذاران | |
| | کارمزد",bodies_fees:"اصلاحی",correcting:"واریزی نامشخص",unknown_payment:"بانکی | |
| | محاسبه روزانه هزینه نرم",software_expenses:"ارکان | |
| | پرداخت بابت باقیمانده",payment_for_subscription_remainder:"افزار | |
| | انتقال به",transfer_to_broker:"صدور | |
| | شناسایی درآمد سود سپرده",recognizing_banking_deposit_interest:"کارگزار | |
| | دریافت سود سپرده",receiving_banking_deposit_interest:"بانکی | |
| | ارزشیابی",stock_valuation:"خرید سهام",stock_purchase:"بانکی | |
| | خرید اوراق با درآمد",fixed_income_purchase:"سهام | |
| | خرید",warrant_purchase:"ارزشیابی اوراق با درآمد ثابت",fixed_income_valuation:"ثابت | |
| | ارزشیابی حق",warrant_valuation:"حق تقدم | |
| | اعمال سود مجمع",executing_dividend_from_stock:"تقدم | |
| | تنزیل سود",daily_recognition_of_dividend_discount_reverse:"سهام | |
| | دریافت سود مصوبه",receiving_dividend_from_stock:"سهام | |
| | محاسبات روزانه سود اوراق با",recognizing_fixed_income_securities_interest:"مجمع | |
| | دریافت سود اوراق با درآمد",receiving_fixed_income_securities_interest:"درآمد ثابت | |
| | واریزی",payment_for_warrant_execution:"افزایش سرمایه",warrant_execution:"ثابت | |
| | نحوه",journal_entry_mechanism:"فروش سهام",stock_sales:"برای حق تقدم سهام | |
| | قیمت",market_price:"نوع ثبت",journal_entry_type:"ثبت | |
| | موضوع",reason:"قیمت تعدیل شده",adjusted_price:"بازار | |
| | تاریخ",last_modified:"تاریخ شروع",start_date:"نوع تعدیل",adjustment_type:"پرداخت | |
| | غیر",inactive:"فعال",active:"یکباره",one_time:"نظام مند",formulated:"پایان | |
| | اخبار",news:"تصمیمات شرکت",priceAdjustmentReasons:{corporate_decision:"فعال | |
| | افزایش",capital_increase:"حجم معاملات",trade_volume:"منتشر شده | |

| Line # | Content | Error |
|--------|---|-------|
| | <p>اوراق",other:"سایر",interest_paying_bonds:"سرمایه دفتر",zero_coupon_bonds:"اوراق به کسر",accountOfBook:"شماره",journal_entry_id:"حساب مانده ابتدای دوره",openingDebit:"توضیحات",description:"مانده ابتدای دوره",openingCredit:"بستانکار مانده پایان دوره",closingDebit:"بدهکار",debit:"بدهکار",credit:"بستانکار",closingCredit:"بدهکار مانده ابتدای",beginningBalance:"مانده",ending_balance:"بستانکار مانده از",remainedBefore:"بستانکار",totalDebit:"بدهکار",totalCredit:"دوره لطفا یک حساب را وارد نمایید",pleaseSelectAnAccount:"بدون سند افتتاحیه",opening_closing:"/ بدون سند بستن حسابهای موقت و",temporary_operational:"اختتامیه جستجوی حساب",searchAccounts:" : نوع مانده",naturalBalanceType:"عملکرد",debit_or_credit:"یا",debit_or_credit:"بدهکار",managed_asset_name:"نام",managed_asset_type:"نوع",average_investment_cost:"طول",return_value:"بازدهی",duration_days:"سرمایه گذاران",fundInvestors:"درحال انتظار",pending:"دوره در انتظار تایید",pendingForFundAdmin:"سبد های اختصاصی",specialtyBaskets:"صندوق رد",rejected:"تایید شده",approved:"در انتظار تایید سیستم",pendingForSystem:"مدیر نوع",request_type:"نا مشخص",unknown:"شده زمان",request_time:"تعداد واحدها",number_of_units:"مبلغ",amount:"درخواست انتقال",transfer:"ابطال",redemption:"صدور",subscription:"وضعیت",status:"درخواست لطفا یک",selectRequest:"وثیقه",collateral:"انتقال بین بانکی",bankTransfer:"لیست درخواست",requestsList:"درخواست ها",requests:"تاریخ محاسبه قیمت هر",nav_date:"خالص ارزش دارایی ها",net_worth:"ها",button:"قیمت هر واحد",nav:"آورده",contribution:"واحد",clickHere:"اینجا کلیک",cancel:"لغو",save:"ذخیره",submit:"ارسال",close:"بستن",print:"چاپ",datePicker:{label:"تاریخ",okLabel:"تایید",cancelLabel:"لغو",clearLabel:"پاک",minDateMessage:"تاریخ بیش از عقب ترین تاریخ مجاز است",maxDateMessage:"تاریخ پس از آخرین تاریخ مجاز است",clientType:{iranian:"ایرانی",foreigner:"خارجی",institution:"حقوقی",individual:"حقیقی"},operator:{equals:"برابر با",gte:"بعد از",lte:"قبل از",between:"بین",amount:{gt:"بیش",lt:"کمتر از",lt:"برابر با",before:"قبل",after:"بعد از",between:"بین"}},filter:{date:{lowerThreshold:"از",upperThreshold:"تا تاریخ",date:"تاریخ",age:{age:"سن",startAge:"از",endAge:"تا سن",clientAge:"سن سرمایه گذار",signUpDate:"</p> | |

| Line # | Content | Error |
|--------|---|-------|
| | <pre> {date:"تاریخ",endDate:"از تاریخ",startDate:"تا تاریخ",dateOfRegistration:"تاریخ ثبت",value:{value:"(مبلغ ریال)",startValue:"از مبلغ",endValue:"تا مبلغ",valueOfInvestment:"مبلغ سرمایه گذاری",paymentAmount:{amount:"مبلغ",startAmount:"از مبلغ",endAmount:"تا مبلغ",amountOfPayment:"مبلغ (ریال)",paymentMethodItems:{online_gateway:"درگاه کارت به",receipt_payment:"دریافت رسید",card_to_card:"وضعیت",requestStatus:{requestStatus:"وضعیت",selectRequestStatus:"انتخاب وضعیت",clarifyUnknownRequest:"تعیین وضعیت درخواست",setRequestTime:"زمان در حال انتظار",requestStatusItems:{pending_for_fund_admin_approval:"رد شده توسط مدیر",rejected_by_fund_admin:"در حال انتظار برای تایید",pending_for_system_approval:"تغییر به وضعیت نامشخص توسط مدیر",unknown_by_fund_admin:"رد شده توسط",rejected_by_system:"تایید شده توسط سیستم",approval_by_system:"نوع",requestType:{requestType:"درخواست",selectRequestType:"انتخاب نوع درخواست",requestTime:{date:"زمان",endDate:"از تاریخ",startDate:"تا تاریخ",requestTime:"از واحد",startUnit:"تا واحد",endUnit:"واحد",unit:"واحد",numberOfUnits:{unit:"تعداد واحدها",paymentMethods:{ONLINE_GATEWAY:"درگاه کارت به",CARD_TRANSFER:"دریافت رسید",PAYMENT_RECEIPT:"آنلاین",definitions:{fund:"صندوق",nationality:"ملیت",nationalId:"کد ملی",passportNumber:"شماره",registerNumber:"شماره",nationalIdentityNumber:"شناسه ملی",client:"سرمایه گذار",amount:"مبلغ",rial:"ریال",paymentMethod:"شیوه",cardToCard:"کارت",receiptPayment:"واریز به حساب",paymentId:"شناسه پرداخت",journalEntries:"دفتر",satna:"ساتنا",pose:"دستگاه کارت خوان",generalLedger:"دفتر",accountBook:"دفتر حساب",trialBalance:"تراز آزمایشی",destinationBankName:"نام بانک",sourceBankName:"نام بانک مقصد",requestSerial:"شماره سریال درخواست",receiptNumber:"شماره",branch:"شعبه",cashRemainder:"باقی",fees:"کارمزدها",subscriptionNav:"قیمت صدور هر واحد",redemptionNav:"قیمت ابطال هر",comment:"توضیحات",redeemedUnits:"مبلغ قابل",payableAmount:"تعداد واحدهای ابطال شده",reviewDate:"تاریخ بررسی",request:"درخواست",response:"نتیجه",investmentDetail:"جزئیات سرمایه گذاری",requestDetail:"جزئیات",profitLossCurrentUnits:"سود و زیان واحدهای",request:"درخواست </pre> | |

| Line # | Content | Error |
|--------|--|-------|
| | <p>سود",fundDividend:"سود و زیان واحدهای ابطال شده",profitLossRedeemedUnits:"موجود جمع سود و",profitLossTotal:"تقسیمی صندوق آخرین",lastRedemptionNav:"تعداد واحدها",unitBalance:"بازدهی",returnPercent:"ریان بدهی به /",dueFromOrToClient:"خالص ارزش دارایی ها",netWorth:"قیمت ابطال هر واحد قیمت هر",nav:"آورده",contribution:"تاریخ محاسبه قیمت هر واحد",navDate:"طلب از مشتری حساب",fundBankAccountNumber:"درگاه آنلاین",onlineGateway:"وضعیت",status:"واحد صندوق",apiData:{requests:{subscription:"صدور",redemption:"ابطال",transfer:"انتقال"},status:{pending_for_fund_admin_approval:"در حال انتظار برای تایید مدیر رد شده توسط مدیر",rejected_by_fund_admin:"صندوق در حال انتظار برای تایید",pending_for_system_approval:"تغییر به وضعیت نامشخص توسط مدیر",unknown_by_fund_admin:"سیستمی رد شده توسط",rejected_by_system:"تایید شده توسط سیستم",approval_by_system:"صندوق paymentMethod:{paymentMethod:"انتخاب شیوه",selectPaymentMethod:"شیوه پرداخت",online_gateway:"درگاه آنلاین",receipt_payment:"واریز به",card_to_card:"کارت به کارت",satna:"ساتنا",pose:"دستگاه کارت خوان"},menu:{investment:{title:"سرمایه",trades:"معاملات",portfolio:"پورتفولیو",priceAdjustment:"تعدیل",multiSelect:{noOptionMessage:"گزینه ای یافت نشد"},table:{rowsPerPage:"تعداد سطر در هر صفحه",row:"ردیف"},dashboard:{title:"مدیریت دارایی تحت",assetUnderManagement:"سببگردانی - صفحه اصلی دارایی تحت مدیریت -",AUMChartTitle:"بازدهی به",performance:"عملکرد",performanceChartTitle:"درخواست های",lastRequests:"معامله های اخیر",lastTrades:"درصد سرمایه",lastRegisteredClients:"سند های حسابداری اخیر",lastJournalEntries:"گزاره های اخیر",tradeTypes:{sell:"فروش",buy:"خرید"},requestTypes:{subscription:"صدور",redemption:"ابطال"},viewAll:"مشاهده همه",intervals:{all:"سال",y:"ماه",x:"۱",mo:"۶",w:"۳",d:"۱"},errors:{loading:{journalEntries:"اشکال در دریافت اسناد",trades:"اشکال در دریافت سرمایه",clients:"اشکال در دریافت درخواست ها",requests:"اشکال در دریافت مقادیر دارایی تحت مدیریت",aumValues:"اشکال در دریافت مقادیر عملکرد تراکنش",transactions:"ایجاد",createTransaction:"تراکنش جدید",newTransaction:"نوع",reasonType:"موضوع پرداخت",reason:"حساب بانکی",bankAccount:"طرف",counterparty:"تکی",single:"گروهی",multiple:"طرف",counterpartyType:"حساب",managedAsset:"انتقال",transfer:"دریافت",receipt:"پرداخت",payment:"حساب</p> | |

| Line # | Content | Error |
|--------|--|-------|
| | دریافت بابت درخواست:"receipt_for_subscription_request", مالی | |
| | دریافت سود:"fixed_income_interest_receipt", صدور | |
| | دریافت بابت حق تقدم فروش:"undecided_warrant_sell_receipt", اوراق | |
| | انتقال از حساب:"transfer_from_bank", رفته | |
| | تبدیل حق:"payment_for_convert_warrant", بانکی | |
| | پرداخت بابت درخواست صدور رد:"payment_of_rejected_subscriptions", تقدم | |
| | پرداخت بابت:"remainder_payment", پرداخت بابت ابطال:"payment_for_redemption", شده | |
| | پرداخت به:"payment_to_auditor", پرداخت به مدیر:"payment_to_manager", باقیمانده صدور | |
| | پرداخت به:"payment_to_registrar", پرداخت به متولی:"payment_to_inspector", حسابرس | |
| | پرداخت بابت نرم:"payment_for_software", مدیر ثبت | |
| | انتقال به:"transfer_to_bank", پرداخت بابت برگزاری مجمع:"payment_for_meetings", افزار | |
| | صدورهای رد:"rejected_subscription", ابطال:"redemption", حساب بانکی | |
| | درخواست:"subscription_request", باقیمانده صدور:"subscription_remainder", شده | |
| | نقل از:"transfer_from_broker", انتقال به کارگزار:"transfer_to_broker", صدور | |
| | کارمزد:"auditor_fee", خدمات مدیر:"manager_services", کارگزار | |
| | کارمزد:"inspector_fee", کارمزد مدیر ثبت:"registrar_fee", حسابرس | |
| | هزینه نرم:"software_service_fee", متولی | |
| | مخارج نرم:"software_service_prepayment", افزار | |
| | تبدیل حق:"warrant_convert", دریافت سود سپرده:"bank_interest_receipt", افزار | |
| | دریافت سود:"dividend_receipt", دریافت سود اوراق:"bond_interest_receipt", تقدم | |
| | دریافت حق تقدم استفاده:"unused_warrant_payment_receipt", سهام | |
| | حق نظارت:"seo_oversight_expense", نشده | |
| | مخارج حق نظارت:"seo_oversight_expense_prepayment", سازمان | |
| | انتقال بین:"bank_transfer", واریزی نامشخص:"unknown_receipt", سازمان | |
| | مدیر:"registrar", متولی:"inspector", حسابرس:"auditor", مدیر:"manager", بانکی | |
| | پیش:"prepayment", برگزاری مجمع:"meetings", نرم افزار:"software", ثبت | |
| | حساب:"bank", کارگزار:"broker", پرداخت | |
| | softw, ناشر:"financial_instrument_issuer", سازمان:"seo", نامشخص:"unknown", بانکی | |
| | are_vendor, سرمایه:"client", شرکت نرم افزاری:"are_vendor", | |
| | افزودن موضوع:"addReason", مالیات:"tax", عوارض:"toll", هزینه:"expense", گزار | |
| | کم کردن موضوع:"removeReason", پرداخت | |
| | dividend:"سود", interest:"کارمزد", fee:"خدمات", services:"پرداخت | |
| | تبدیل حق:"warrantConvert", سهم جایزه:"bonus-stock", {"حق تقدم:"warrant", سهام | |
| | dividend:"سود", دریافت مبلغ حق تقدم از شرکت:"warrantReceipt", تقدم | |
| | دریافت سود:"dividendReceipt", سر رسید دریافت سود:"dividendDeadLine", تقسیمی | |
| | در انتظار تصمیم:"pending_decision", اعمال شده:"applied", تقسیمی | |
| | فروخته:"traded", تبدیل شده:"converted", در انتظار دریافت:"pending_for_receipt", مدیر | |
| | پرداخت بابت حق:"dividend_spent", دریافت مبلغ از شرکت:"payment_received", شده | |

| Line # | Content | Error |
|--------|--|-------|
| | <p>مجامع پیش",upcomingActions:"تمام مجامع",allActions:"تقدم تاریخ",meeting_date:"مجامع",corporateActionsList:"مجامع",corporateActions:"رو انتخاب نوع",typePlaceholder:"نوع",meetingResultType:"مجمع از مقدار",ofNumberOfShare:"مقدار سهام",number_of_share:"فعالیت مبلغ",dividendAmount:"تا مقدار سهام",toNumberOfShare:"سهم انتخاب نوع",statusPlaceholder:"مبلغ واریزی",paymentAmount:"سود شیوه",paymentType:"تاریخ اعمال",action_date:"سر رسید",deadline:"وضعیت حساب بانکی",sourceBankAccount:"حساب بانکی",bankAccount:"پرداخت حساب سود",dividendAccount:"حساب بانکی مقصد",destinationBankAccount:"مبدأ انتخاب",selectItem:"سود تقسیمی دریافتی برای",dividendReceivableFor:"تقسیمی سر رسید",newDeadLine:"سر رسید فعلی",currentDeadLine:"وارد کنید",enter:"مبلغ نباید بیشتر",amountShouldNotExceed:"ریال باشد",isRial:"جدید",totalAmountShouldNotExceed:"مجموع مبلغ نباید بیشتر از",accept:"تایید",eod: لیست خالص ارزش",navList:"بستن روز کاری",eod:"تاریخ",date: قیمت صدور هر",subscription_nav:"محاسبه خالص ارزش دارایی ها",calculate_nav:"دارایی قیمت آماری هر",statistical_nav:"قیمت ابطال هر واحد",redemption_nav:"واحدهای ابطال",redeemed_units:"واحدهای صادر شده",subscribed_units:"سرمایه گذاران",new_investor:"واحدهای سرمایه گذاری",outstanding_units:"بدهی",liabilities:"دارایی ها",assets:"تعداد معاملات",number_of_trades:"جدید ورود به ناحیه",signInToPanel:"ورود به پنل",signIn:{ها یاد",rememberMe:"رمز عبور",password:"نام کاربری",username:"کاربری",confirm: {"بازگردانی رمز عبور",resetPassword:"آوری",confirm: {"تایید",submit:"ثبت",cancel:"لغو",delete:"حذف",no:"بله",yes: صندوق",naamiFund:"سبذگردانی انتخاب مفید",dashboardPageTitle:"پروفایل",profile: آیا از خروج خود اطمینان",confirmations:{نامی",exit:"خروج",agGrid: {"بعدی",next:"از",of:"تا",to:"بیشتر",more:"صفحه",page:"فیلترها",filters: انتخاب",selectAll:"...بارگذاری",loadingOoo:"قبلی",previous:"اول",first:"قبلی",searchOoo:"جستجو",blanks:"خالی",filterOoo:"مقدار...",applyFilter:"اعمال",clearFilter:"پاکسازی",equals:"برابر",lessThan:"کمتر",greaterThanOrEqual:"بیشتر یا برابر",lessThanOrEqual:"کمتر یا برابر با",greaterThan:"برابر نباشد",notEqual:"بیشتر از",inRange:"بین",contains:"شامل",startsWith:"شروع با",endsWith:"اتمام",rowGroupColumns:"ستون ها",columns:"گروه",group:"جهت گروه بندی ستون ها را به این بخش",rowGroupColumnsEmptyMessage:"گروه",valueColumns:"مقدار ستون ها",pivotMode:"حالت محور",groups:"بکش تا جمع",valueColumnsEmptyMessage:"محورها",pivots:"مقادیر",values:"ها</p> | |

| Line # | Content | Error |
|--------|---|-------|
| | <pre> دکمه",pivotColumnsEmptyMessage:"بکش تا محور شود",toolPanelButton:" محتوایی وجود",noRowsToShow:" مقدار...",pinColumn:"چسباندن",valueAggregation:" سایز خودکار",autosizeAllColumns:"سایز خودکار ستون",autosizeThiscolumn:" بازسازی",resetColumns:"از گروه خارج کردن با",ungroupBy:"گروه بندی",groupBy:" پنل",toolPanel:"جمع کردن همه",collapseAll:"باز کردن همه",expandAll:" خروجی اکسل",excelExport:"خروجی Csv",csvExport:"خروجی",export:" چسباندن به",pinLeft:"(xlsx.)",excelXMLeExport:"(xml.) خروجی اکسل",pinRight:" چسباندن به",pinRight:" a",count:"تعداد",none:"هیچ",max:"حداکثر",min:"حداقل",sum:"جمع",noPin:"نچسب", copyWithHeaders:"کپی با",copy:"کپی",average:"میانگین", filterChips:{from:"بین",to:"و"}},ctrlC:"Ctrl+C",paste:"چسباندن",ctrlV:"Ctrl+V",Update:"بروزرسانی"}, src=/assets/vendors~main.a3401b8b.chunk.js></script><script src=/assets/runtime~main.611bc4da.bundle.js></script><script src=/assets/main.ef2945f6.chunk.js></script></body></html> </pre> | |

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

● Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more](#).

Passed audits (9) ^

● Has a <meta name="viewport"> tag with width or initial-scale ^

Add a viewport meta tag to optimize your app for mobile screens. [Learn more](#).

Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Document has a valid hreflang ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document uses legible font sizes — 81.88% legible text ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more.](#)

| Source | Selector | % of Page Text | Font Size |
|------------------------------|--|----------------|-----------|
| /dashboard/ (192.168.252.37) | <pre><text x="96" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="14" opacity="1"></pre> | 1.88 % | 11px |

| Source | Selector | % of Page Text | Font Size |
|------------------------------|---|----------------|-----------|
| /dashboard/ (192.168.252.37) | <pre><text x="96" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="296" opacity="1"></pre> | 1.74 % | 11p x |
| /dashboard/ (192.168.252.37) | <pre><text x="96" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="226" opacity="1"></pre> | 1.74 % | 11p x |
| /dashboard/ (192.168.252.37) | <pre><text x="96" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="155" opacity="1"></pre> | 1.74 % | 11p x |
| /dashboard/ (192.168.252.37) | <pre><text x="96" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="85" opacity="1"></pre> | 1.74 % | 11p x |

| Source | Selector | % of Page Text | Font Size |
|------------------------------|---|----------------|-----------|
| /dashboard/ (192.168.252.37) | <code><text x="121.06985294118" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="middle" transform="translate(0,0)" y="382" opacity="1"></code> | 1.21 % | 11p x |
| /dashboard/ (192.168.252.37) | <code><text x="202.44240196078" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="middle" transform="translate(0,0)" y="382" opacity="1"></code> | 1.21 % | 11p x |
| /dashboard/ (192.168.252.37) | <code><text x="283.81495098039" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="middle" transform="translate(0,0)" y="382" opacity="1"></code> | 1.21 % | 11p x |
| /dashboard/ (192.168.252.37) | <code><text x="78.849264705882" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="middle" transform="translate(0,0)" y="382" opacity="1"></code> | 1.21 % | 11p x |

| Source | Selector | % of Page Text | Font Size |
|------------------------------|---|----------------|-----------|
| /dashboard/ (192.168.252.37) | <code><text x="174.60089869281" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="middle" transform="translate(0,0)" y="382" opacity="1"></code> | 1.21 % | 11p x |
| /dashboard/ (192.168.252.37) | <code><text x="270.35253267974" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="middle" transform="translate(0,0)" y="382" opacity="1"></code> | 1.21 % | 11p x |
| /dashboard/ (192.168.252.37) | <code><text x="52" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="296" opacity="1"></code> | 0.40 % | 11p x |
| /dashboard/ (192.168.252.37) | <code><text x="52" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="226" opacity="1"></code> | 0.40 % | 11p x |

| Source | Selector | % of Page Text | Font Size |
|------------------------------|---|----------------|-----------|
| /dashboard/ (192.168.252.37) | <pre><text x="52" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="155" opacity="1"></pre> | 0.40 % | 11p x |
| /dashboard/ (192.168.252.37) | <pre><text x="52" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="85" opacity="1"></pre> | 0.40 % | 11p x |
| /dashboard/ (192.168.252.37) | <pre><text x="96" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="367" opacity="1"></pre> | 0.13 % | 11p x |
| /dashboard/ (192.168.252.37) | <pre><text x="52" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="367" opacity="1"></pre> | 0.13 % | 11p x |

| Source | Selector | % of Page Text | Font Size |
|------------------------------|---|----------------|-----------|
| /dashboard/ (192.168.252.37) | <text x="52" style="color:#666666;cursor:default;font-size:11px;fill:#666666;" text-anchor="end" transform="translate(0,0)" y="14" opacity="1"> | 0.13 % | 11p x |
| Legible text | | 81.8 % | ≥ 12p x |

● Document avoids plugins

^

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more](#).

● Tap targets are sized appropriately — 100% appropriately sized tap targets

^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more](#).

Not applicable (1)

^

● Document has a valid rel=canonical

^

Canonical links suggest which URL to show in search results. [Learn more](#).



Progressive Web App

These checks validate the aspects of a Progressive Web App. [Learn more.](#)

Fast and reliable

- Page load is fast enough on mobile networks 

A fast page load over a cellular network ensures a good mobile user experience. [Learn more.](#)

- ▲ Current page does not respond with a 200 when offline 

If you're building a Progressive Web App, consider using a service worker so that your app can work offline. [Learn more.](#)

- ▲ start_url does not respond with a 200 when offline 

No usable web app manifest found on page.

A service worker enables your web app to be reliable in unpredictable network conditions. [Learn more.](#)

Installable

- ▲ Does not use HTTPS — **18 insecure requests found** 

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

☒ Show 3rd-party resources (6)

Insecure URL

/dashboard/ (192.168.252.37)

Insecure URL

/assets/vendors~main.a3401b8b.chunk.css (192.168.252.37)

/assets/main.ef2945f6.chunk.css (192.168.252.37)

/assets/vendors~main.a3401b8b.chunk.js (192.168.252.37)

/assets/runtime~main.611bc4da.bundle.js (192.168.252.37)

/assets/main.ef2945f6.chunk.js (192.168.252.37)

/assets/welcome.view.9f1e9469.chunk.js (192.168.252.37)

...woff2/IRANSansWeb(FaNum)_Medium.woff2 (192.168.252.37)

...woff2/IRANSansWeb(FaNum).woff2 (192.168.252.37)

/assets/Logoswhite.79d44a7.svg (192.168.252.37)

/assets/hosseinShemshadi.49f7468.jpg (192.168.252.37)

...1/journal-entries?&page=0&size=5 (192.168.252.38)

...latest/5 (192.168.252.38)

...v1/investors?page=0&size=5&sort=%5Bsignup_date.desc%5D (192.168.252.38)

...v1/requests?page=0&size=5 (192.168.252.38)

...assets-under-management/daily?from=153...&to=153... (192.168.252.38)

...performance/daily?from=153...&to=153... (192.168.252.38)

/assets/vendors~highcharts.70c7dc26.chunk.js (192.168.252.37)

▲ Does not register a service worker that controls page and start_url ^

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more](#).

▲ Web app manifest does not meet the installability requirements ^

Failures: No manifest was fetched.

Browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more.](#)



PWA Optimized

▲ Does not redirect HTTP traffic to HTTPS ^

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS. [Learn more.](#)

▲ Is not configured for a custom splash screen ^

Failures: No manifest was fetched.

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more.](#)

▲ Does not set an address-bar theme color ^

Failures: No manifest was fetched, No ``<meta name="theme-color">`` tag found.

The browser address bar can be themed to match your site. [Learn more.](#)

● Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more.](#)

● Has a `<meta name="viewport">` tag with width or initial-scale ^

Add a viewport meta tag to optimize your app for mobile screens. [Learn more.](#)

▲ Does not provide fallback content when JavaScript is not available ^

The page body should render some content if its scripts are not available.

Your app should display some content when JavaScript is disabled, even if it's just a warning to the user that JavaScript is required to use the app. [Learn more.](#)

▲ Does not provide a valid apple-touch-icon ^

For ideal appearance on iOS when users add to the home screen, define an apple-touch-icon. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More.](#)

Additional items to manually check (3) — These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually. ^

● Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn more.](#)

● Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network, a key to perceived performance. [Learn more.](#)

● Each page has a URL ^

Ensure individual pages are deep linkable via the URLs and that URLs are unique for the purpose of shareability on social media. [Learn more.](#)

Runtime Settings

| | |
|----------------------|---|
| URL | http://192.168.252.37:3000/dashboard/ |
| Fetch time | May 15, 2019, 8:13 AM GMT+4:30 |
| Device | Emulated Nexus 5X |
| Network throttling | 150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated) |
| CPU throttling | 4x slowdown (Simulated) |
| User agent (host) | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3729.131 Safari/537.36 |
| User agent (network) | Mozilla/5.0 (Linux; Android 6.0.1; Nexus 5 Build/MRA58N) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3694.0 |

Mobile Safari/537.36 Chrome-Lighthouse

CPU/Memory Power 1282

Generated by **Lighthouse** 5.0.0 | [File an issue](#)