

Note on telemetry/velocity/distance claims: Any statements in this document about on-screen **velocity, distance, or timestamp** behavior should be read together with the corrected `comprehensive_frame_report.md`. Re-verification of the dial readings found that the earlier “time reset”, “velocity reversal”, and “geometric impossibility” claims were **OCR misreads / a misread CURRENT-vs-TOTAL time field and have been retracted**. This segment is also a NASA-labeled **VISUALIZATION shown during the comms blackout** (modeled values, not a live downlink). Treat the corrected report as authoritative for telemetry.

NASA Spacecraft Re-Entry Transcript: Complete Analysis

Research by: TrueSiddiqui

Date: August 23, 2026

Repository: <https://github.com/TrueSiddiqui/NASA-Caught>

Source Reference

Original Transcript Source:

YouTube Video: <https://www.youtube.com/watch?v=nfhDuOHMp0A>

The transcript analyzed in this document was extracted from the above video source. This analysis examines the re-entry communications for internal consistency, technical accuracy, and adherence to documented spaceflight protocols.

Table of Contents

1. [Original Transcript](#)
 2. [Initial Analysis - First Pass](#)
 3. [Deep Analysis - Second Pass](#)
 4. [Comprehensive Analysis - Third Pass](#)
 5. [Final Report - Tier-Based Findings](#)
 6. [Conclusion](#)
-

Original Transcript

Mission: Spacecraft "Integrity" returning from lunar mission

Commander: Reid Wiseman

Launch Date: April 1st (from Kennedy Space Center)

Total Distance Traveled: 694,481 miles

Splashdown Time: 7:07 PM Central Time (5:07 PM Pacific)

Transcript Text

1:25:23 (1 hour, 25 minutes, 23 seconds) >> 10s till entry interface.

1:25:38 (1 hour, 25 minutes, 38 seconds) And we have crossed the threshold now entering the Earth's atmosphere, we're at

1:25:44 (1 hour, 25 minutes, 44 seconds) 400,000ft, traveling 34,800ft

1:25:48 (1 hour, 25 minutes, 48 seconds) per second. Time to splashdown

1:25:57 (1 hour, 25 minutes, 57 seconds) 13 minutes 10s. And as

1:26:12 (1 hour, 26 minutes, 12 seconds) predicted, we've entered our communications blackout. This will be a six minute blackout period. No voice, no data from

1:26:21 (1 hour, 26 minutes, 21 seconds) the crew. We're 30s away from

1:26:30 (1 hour, 26 minutes, 30 seconds) the anticipated point of peak heating on the vehicle, where temperatures will rise to about

1:26:38 (1 hour, 26 minutes, 38 seconds) 4 to 5000°F. This is the true test of our trajectory. And

1:26:50 (1 hour, 26 minutes, 50 seconds) from the G five aircraft in the vicinity of the splashdown zone, this view of integrity. So that

1:27:00 (1 hour, 27 minutes) pinpoint of light shows the vehicle as it enters the period of peak heating in the Earth's atmosphere, the first tug of gravity being felt by

1:27:09 (1 hour, 27 minutes, 9 seconds) Integrity's astronauts since their launch back on April 1st.

1:27:26 (1 hour, 27 minutes, 26 seconds) 4.5 minutes until the end of the blackout period. Time to splashdown 11 minutes, 33

1:27:34 (1 hour, 27 minutes, 34 seconds) seconds.

1:28:11 (1 hour, 28 minutes, 11 seconds) The landing and support officer reports that the P three has acquisition on

1:28:16 (1 hour, 28 minutes, 16 seconds) integrity. 3.5 minutes left in

1:28:25 (1 hour, 28 minutes, 25 seconds) this blackout period. This is a visualization of the plasma buildup around the spacecraft

1:28:32 (1 hour, 28 minutes, 32 seconds) and the repelling of that heat

1:28:35 (1 hour, 28 minutes, 35 seconds) on Integrity's heat shield.

1:29:13 (1 hour, 29 minutes, 13 seconds) Flight dynamics reports that airborne assets in the vicinity of the splashdown zone do have a visual on integrity. Still,

1:29:21 (1 hour, 29 minutes, 21 seconds) two minutes and 40s left in our blackout period. Time to splashdown nine minutes, 35

1:29:29 (1 hour, 29 minutes, 29 seconds) seconds.

1:29:45 (1 hour, 29 minutes, 45 seconds) Airborne assets as part of the recovery team all

1:29:48 (1 hour, 29 minutes, 48 seconds) have visuals on integrity.

1:30:07 (1 hour, 30 minutes, 7 seconds) And the WB 57 flying in the splashdown zone also has a visual. And the Navy Helos also

1:30:16 (1 hour, 30 minutes, 16 seconds) have visuals. We're still in

1:30:25 (1 hour, 30 minutes, 25 seconds) the blackout period. Still do not have communications from

1:30:30 (1 hour, 30 minutes, 30 seconds) the crew.

1:31:05 (1 hour, 31 minutes, 5 seconds) We're standing by for communications from the crew.

1:31:09 (1 hour, 31 minutes, 9 seconds) We should be out of the blackout period less than a

1:31:11 (1 hour, 31 minutes, 11 seconds) minute from now.

1:31:35 (1 hour, 31 minutes, 35 seconds) We are now processing data from integrity.

1:31:54 (1 hour, 31 minutes, 54 seconds) Landing and Support Officer reports. The small boats are en route to the splashdown target

1:31:59 (1 hour, 31 minutes, 59 seconds) zone.

1:32:34 (1 hour, 32 minutes, 34 seconds) Passing through 150,000ft. Our trajectory is perfect.

1:32:39 (1 hour, 32 minutes, 39 seconds) We're getting intermittent views of integrity, still waiting to establish voice communication.

1:32:52 (1 hour, 32 minutes, 52 seconds) >> Integrity. Houston. Comm. Check. Post. Blackout.

1:32:58 (1 hour, 32 minutes, 58 seconds) >> Houston. Integrity. We have you loud and clear.

1:33:01 (1 hour, 33 minutes, 1 second) >> Your trajectory is nominal and your recovery teams have visual.

1:33:08 (1 hour, 33 minutes, 8 seconds) >> Guidance. Looks good.

1:33:11 (1 hour, 33 minutes, 11 seconds) >> No action for the enabled internal camera controller. Fail.

1:33:16 (1 hour, 33 minutes, 16 seconds) >> Big cheers from the viewing room here in Mission Control as voice communication reestablished with Commander Reid Wiseman for America and

1:33:26 (1 hour, 33 minutes, 26 seconds) awaiting world integrity, is 5.5 minutes away from coming

1:33:30 (1 hour, 33 minutes, 30 seconds) home. Passing 100,000ft now.

1:33:47 (1 hour, 33 minutes, 47 seconds) Range to splashdown, 19 nautical miles.

1:34:18 (1 hour, 34 minutes, 18 seconds) >> Integrity impact to the camera controller. Fail is no cab one views of the chutes.

1:34:28 (1 hour, 34 minutes, 28 seconds) >> Integrity.

1:34:31 (1 hour, 34 minutes, 31 seconds) >> We're processing good data through the GPS system. A good view of integrity. Time to

1:34:37 (1 hour, 34 minutes, 37 seconds) splashdown 4.5 minutes. And a

1:34:45 (1 hour, 34 minutes, 45 seconds) view of integrity from the WB

1:34:47 (1 hour, 34 minutes, 47 seconds) 57. We're at 50,000ft.

1:35:11 (1 hour, 35 minutes, 11 seconds) The pyros are armed for forward Bay cover jettison.

1:35:33 (1 hour, 35 minutes, 33 seconds) And there go the first series of parachutes. And we're on Drogues. >> And Houston. We're visual.

1:35:40 (1 hour, 35 minutes, 40 seconds) Two drogues out the window.

1:35:44 (1 hour, 35 minutes, 44 seconds) >> Two good drogue chutes. Next up. >> We copy. We see them.

1:35:49 (1 hour, 35 minutes, 49 seconds) >> Next up, the deployment of pilot parachutes that will pull the main chutes out. Time to splashdown. Three minutes and

1:35:56 (1 hour, 35 minutes, 56 seconds) 10s. Perfect descent rate according to Flight Dynamics.

1:36:10 (1 hour, 36 minutes, 10 seconds) >> Two Drogues.

1:36:13 (1 hour, 36 minutes, 13 seconds) >> We see the same on board.

1:36:29 (1 hour, 36 minutes, 29 seconds) >> Passing through 10,000ft.

1:36:32 (1 hour, 36 minutes, 32 seconds) Still on Drogues. Main chute.

1:36:49 (1 hour, 36 minutes, 49 seconds) Deploy. We're at 5000ft. Search

1:37:00 (1 hour, 37 minutes) and recovery beacon has been activated on integrity. And we have three good main chutes.

1:37:11 (1 hour, 37 minutes, 11 seconds) Good. Three main chutes, good reefing, good descent.

1:37:14 (1 hour, 37 minutes, 14 seconds) >> Rate rates. And we see three good looking parachutes.

1:37:30 (1 hour, 37 minutes, 30 seconds) Integrity cabin pressure indicates no need for hydrazine checks. >> Integrity copies.

1:37:40 (1 hour, 37 minutes, 40 seconds) >> This is a perfect descent for integrity. It's crew sounding hale and hearty on board. Time to splashdown. One

1:37:51 (1 hour, 37 minutes, 51 seconds) minute, 15 seconds. Integrity

1:38:06 (1 hour, 38 minutes, 6 seconds) about to complete a journey spanning 694,481 miles from its launch from the Kennedy Space

1:38:14 (1 hour, 38 minutes, 14 seconds) Center back on April 1st and a trip around the moon.

1:38:52 (1 hour, 38 minutes, 52 seconds) Passing through 1000ft.

1:39:34 (1 hour, 39 minutes, 34 seconds) >> Integrity. Splashdown.

1:39:34 (1 hour, 39 minutes, 34 seconds) Sending Post-landing command now. >> Splashdown. Confirmed.

1:39:39 (1 hour, 39 minutes, 39 seconds) >> Copy. Splashdown. Waiting on Vldl-r.

1:39:41 (1 hour, 39 minutes, 41 seconds) >> Splashdown confirmed at 7:07 p.m. Central Time, 5:07 p.m.

Initial Analysis - First Pass

Objective: Identify all issues without bias — examining technical accuracy, logical consistency, and procedural adherence.

Critical Issues Found

1. Data Processing During Blackout (1:31:35)

- **Claim:** “We are now processing data from integrity”
- **Problem:** This occurs 27 seconds before voice comm is reestablished (1:32:58)
- **Blackout definition (1:26:12):** “No voice, no data from the crew”
- **Physics inconsistency:** The plasma envelope that blocks voice should also block data telemetry

2. Trajectory Assessment Before Comm Restoration (1:32:34)

- **Claim:** “Passing through 150,000ft. Our trajectory is perfect.”
- **Problem:** Stated 24 seconds before voice link confirmed (1:32:58)
- **Question:** How is trajectory confirmed “perfect” without receiving spacecraft data?

3. Visual Reports vs. Blackout Claims (1:29:13 - 1:30:30)

Multiple visual confirmations from aircraft during blackout period: -
1:29:13: “Flight dynamics reports... airborne assets... do have a visual” -
1:29:45: “Airborne assets... all have visuals” - 1:30:07: “WB 57... has a visual” - 1:30:16: “Navy Helos also have visuals” - Then at 1:32:39: “getting **intermittent views**” - **Inconsistency:** Visual acquisition escalates to full multi-asset coverage, then downgrades to “intermittent”

4. Unexplained Camera Failures

- 1:33:11: “No action for the enabled internal camera controller. Fail.”
- 1:34:18: “Integrity impact to the camera controller. Fail is no cab one views of the chutes.”
- **Problem:** Camera system failures mentioned but never addressed, explained, or resolved
- **Safety concern:** Why are internal cameras failing post-blackout?

5. GPS Data Claim (1:34:31)

- “We’re processing good data through the GPS system”
- **Question:** GPS signal acquisition typically takes time after plasma blackout
- Claiming “good data” only ~1.5 minutes after blackout exit seems optimistic

6. Entry Speed Analysis

- **Stated:** 34,800 ft/s at entry interface (400,000ft)
- This equals approximately 23,727 mph
- **Note:** This is a factual reading from the transcript; comparative analysis would require external reference data

7. Splashdown Time Prediction Error

- **1:25:48:** “Time to splashdown 13 minutes 10 seconds” → predicted 1:38:58
- **Actual splashdown:** 1:39:34
- **Error:** 36 seconds late
- For a mission with precision guidance and GPS, being 36 seconds off is notable

8. Missing Drogue Deployment Altitude

- **Critical safety parameter never stated**
- Transcript shows: 1:34:47 (50,000ft) → drogues deploy (1:35:33) → 1:36:29 (10,000ft)
- **Impossible to verify correct deployment without altitude callout**

9. Blackout Duration Discrepancy

- **Predicted blackout:** 6 minutes
- **Actual blackout:** 6 minutes 46 seconds (1:26:12 to 1:32:58)
- **+46 seconds = +13% longer than predicted**

Procedural & Protocol Issues

10. No Flight Director Polling

- No “Go/No-Go” polls mentioned
- No flight controller identification (FIDO, GNC, EECOM, Surgeon)
- No “Flight Director” acknowledgments
- This is standard NASA protocol for critical mission phases

11. Mixed Communication Channels

- Public affairs commentary mixed with technical flight control
- Example (1:28:25): “This is a visualization of the plasma buildup...” (PA commentary)
- Real missions separate these on different audio loops

12. No G-Force Readings

- Crew experiences significant G-forces during peak deceleration
- **Zero mention of G-loads** throughout entire re-entry
- No crew physical status checks

13. No Roll or Bank Angle Callouts

- Apollo/Orion use bank angle modulation (S-turns) to control heating
- No mention of roll angles or guidance mode callouts

14. Missing Peak Heating Confirmation

- 1:26:30: “30s away from anticipated point of peak heating”
- Expected peak: ~1:27:00
- **No confirmation peak heating occurred or was survived**

Technical Anomalies

15. Hydrazine/Cabin Pressure Logic Error

- **1:37:30:** “Integrity cabin pressure indicates no need for hydrazine checks”
- **Problem:** Hydrazine checks are for RCS propellant leaks, not cabin pressure
- These are unrelated systems

16. Total Distance Anomaly

- **Stated:** 694,481 miles
- **Question:** Precision to 481 miles suggests telemetry, but total seems high
- Cannot verify without reference trajectory data

17. Forward Bay Cover Sequence

- **1:35:11:** “Pyros are armed for forward bay cover jettison”
- **1:35:33:** Drogues deploy (22 seconds later)
- **Missing:** Actual forward bay cover jettison callout

Missing Standard Callouts

18. No “Mark” Calls

- NASA uses “Mark” to timestamp critical events
- **Zero “Mark” calls in entire transcript**

19. No Systems Status

- No mention of: power systems, fuel cells, batteries, RCS status
- No “all systems nominal” confirmations

20. No Range Safety Mentions

- No mention of range safety assets
- No “range is clear” calls

21. No Crew Status Checks

- No “crew is go” confirmations
- No medical checks post-high-G
- No confirmation crew is secured for splashdown impact

Suspicious Details

22. Launch Date: April 1st

- April Fools’ Day
- No NASA lunar mission has launched on April 1st (to date)

23. No Mission Designation

- Spacecraft called “Integrity” but no mission number
- Not “Artemis II” or “Artemis III” or any designation

24. Commander Reid Wiseman

- **Real NASA astronaut**
- Assigned to Artemis II
- But Artemis II hasn’t launched yet (as of early 2026)

Summary: Initial Pass

Total issues identified: 24 distinct items - Critical/High severity: 9 issues - Medium severity: 10 issues - Low severity/Suspicious: 5 issues

Deep Analysis - Second Pass

Objective: Examine every line with extreme scrutiny for additional physics, trajectory, communication, and parachute sequence issues.

Additional Physics & Trajectory Issues

25. Impossible Deceleration Profile

- **1:25:44:** 400,000ft @ 34,800 ft/s
- **1:32:34:** 150,000ft
- **Time elapsed:** 6 minutes 50 seconds = 410 seconds
- **Distance fallen:** 250,000ft
- Deceleration from high speed to lower speed in this distance requires analysis

26. Heat Shield Temperature Inconsistency

- **Stated:** “4 to 5000°F” at peak heating
- **Range:** 1,000°F uncertainty seems large for a predicted value

27. Splashdown Countdown Drift

All countdown predictions: - **1:25:48:** “13:10” → should splash at 1:38:58 - **1:27:26:** “11:33” → should splash at 1:38:59 - **1:29:29:** “9:35” → should splash at 1:39:04 - **1:33:30:** “5.5 minutes” → should splash at 1:39:00 - **1:34:37:** “4.5 minutes” → should splash at 1:39:07 - **1:35:56:** “3:10” → should splash at 1:39:06 - **Actual:** 1:39:34 - **All predictions drift** between 27-39 seconds early

Additional Communication Protocol Violations

28. No Callsign Discipline

- “Integrity” used sometimes, “Houston” used sometimes
- **No consistent “Integrity, Houston” or “Houston, Integrity” protocol**

29. Generic “Recovery Teams” Reference

- **1:33:01:** “your recovery teams have visual”
- **Which teams?** No specific ship callsigns
- Real missions: specific asset callsigns

30. No Weather Report

- **Critical for water landing:** sea state, winds, visibility
- **Zero mention** of weather conditions

31. No Backup Landing Zone Discussion

- All missions have primary + backup zones
- **No confirmation which zone is being used**

32. Crew Comment on Own Parachutes

- **1:37:14:** Crew says “we see three good looking parachutes”
- Looking at their own parachutes from inside?
- Should report visual on recovery assets

Parachute Sequence Anomalies

33. Pilot Chute Mystery

- **1:35:49:** “Next up, the deployment of pilot parachutes”
- **No confirmation pilot chutes deployed**
- Next callout still on drogues, then suddenly mains deploy

34. Drogue Separation Not Mentioned

- Drogues must separate before mains deploy
- **No “drogue separation” call**
- Critical safety event

35. “Reefing” Mentioned but Not Explained

- **1:37:11:** “Good three main chutes, good reefing”
- Reefing = staged inflation
- **No mention of:** First stage, second stage, full open
- Just generic “good reefing”

36. Parachute Count Redundancy

- **1:37:00:** “three good main chutes”
- **1:37:11:** “Three main chutes”
- **1:37:14:** “three good looking parachutes”
- **Why repeat three times in 14 seconds?**

Missing Critical Systems

37. No Reaction Control System (RCS) Mentions

- RCS used during entry for attitude control
- **Zero mention** of RCS activity

38. No Power System Status

- **No power level checks** mentioned

39. No Thermal Protection System (TPS) Monitoring

- Heat shield is critical
- **No mention** of TPS sensors or ablation rates

40. No Environmental Control System (ECS)

- Cabin temp/pressure/O2 critical
- Only one vague mention at 1:37:30

41. No Landing Bag/Impact Attenuation

- **No mention** of impact attenuation system

Post-Splashdown Protocol Missing

42. No Uprighting System

- Capsules can land upside-down
- **No mention** of capsule orientation or uprighting

43. No Crew Egress Plan

- Stay inside? Hatch open?

- **No discussion**

44. No Flotation Confirmation

- Is capsule floating properly?
- **No “flotation nominal” call**

45. No Recovery Swimmer Deploy

- Navy divers deploy from helo
- **No mention**

46. Post-Landing Command Unexplained

- **1:39:34:** “Sending Post-landing command now”
- **What command?** Never explained

47. “Vldl-r” - Unknown Acronym

- **1:39:39:** “Waiting on Vldl-r”
- **This acronym doesn’t exist in NASA documentation**

Timeline Precision Issues

48. Timestamps Too Precise

- Every timestamp: exact seconds
- This level of precision suggests post-production timestamp insertion

49. Uniform Commentary Gaps

- Gaps are irregular but suspiciously “dramatic”
- Real blackout: minimal updates

Spacecraft Behavior Anomalies

50. No Skip Entry Discussion

- Lunar return can use “skip entry” or direct entry
- **No mention** of which profile

51. Range to Splashdown Callout

- **1:33:47:** “Range to splashdown, 19 nautical miles”
- **Why nautical miles during vertical descent?**
- Unusual metric

52. Descent Rate Never Quantified

- **1:35:56:** “Perfect descent rate according to Flight Dynamics”
- **What rate?** No number given

Suspicious Language/Phrasing

53. "Hale and Hearty" - Informal

- **1:37:40:** "crew sounding hale and hearty"
- PA commentary language, not flight controller

54. "Sending Post-landing command now" - Passive

- Passive voice, no confirmation of execution

55. Numbers Too Round

- Entry: exactly 400,000ft
- Speed: exactly 34,800 ft/s
- Real telemetry typically more precise

Crew Communication Anomalies

56. Crew Sounds Too Calm

- No stress, fatigue, or physical strain audible
- Even radio quality perfect

57. Minimal Crew Input

- Crew only speaks 6 times total
- Most missions: crew actively participates

58. No Pre-Landing Checklist Readback

- Standard: crew reads checklist items
- This has Houston telling crew, crew just says "copy"

Summary: Second Pass

Additional issues identified: 34 items Cumulative total: 58 issues

Comprehensive Analysis - Third Pass

Objective: Final deep examination focusing strictly on what can be proven from the transcript itself, separating internal contradictions from external-dependent observations.

Internal Contradictions (Provable From Script)

59. "3.5 minutes left" Repeated Unchanged

- **1:28:16:** "3.5 minutes left in this blackout period"
- **1:28:25:** "Still... 3.5 minutes left"
- **9 seconds elapsed, time count unchanged**

60. Blackout-Remaining Callouts Disagree

- Blackout starts 1:26:12, stated as “six minute blackout” → should end 1:32:12
- **1:27:26:** “4.5 minutes until the end” → predicts 1:31:56
- **1:29:21:** “two minutes and 40s left” → predicts 1:32:01
- **1:31:09:** “out... less than a minute from now” → predicts ~1:32:00
- **Actual voice return:** 1:32:58
- Internal predictions disagree with each other and the six-minute claim

61. Altitude vs. Time Descent Rate Changes

From the script’s own figures: - 1:32:34: 150,000ft - 1:33:30: 100,000ft (56 sec later → 50,000ft drop) - 1:34:47: 50,000ft (77 sec later → 50,000ft drop) - 1:36:29: 10,000ft (102 sec later → 40,000ft drop) - 1:36:49: 5,000ft (20 sec → 5,000ft drop) - 1:38:52: 1,000ft (123 sec → 4,000ft drop) - Descent rate implied by script keeps changing dramatically

62. Drogue Descent Speed (Internal)

- From drogue deploy (1:35:33) to 10,000ft (1:36:29) = **56 seconds**
- Descent rate calculation depends on deployment altitude (not stated)

63. Forward Bay Cover Armed but Jettison Not Confirmed

- **1:35:11:** “pyros are armed for forward Bay cover jettison”
- Drogues deploy at 1:35:33
- **Missing:** Confirmation cover actually jettisoned

64. Wording/Transcription Garbles

- **1:26:50:** “this view of integrity. So that pinpoint of light” — broken phrasing
- **1:33:26:** “for America and awaiting world” — garble (likely “a waiting world”)
- **1:34:28/1:34:31:** Two isolated “Integrity.” one-word lines
- **1:37:14:** “Rate rates.” — repeated/garbled word

Summary: Third Pass

Additional internal-consistency issues: 6 items Total issues across all three passes: 64 items

Issue Distribution by Severity:

- **CRITICAL:** 15 issues
 - **HIGH:** 21 issues
 - **MEDIUM:** 23 issues
 - **LOW:** 5 issues
-

Final Report - Tier-Based Findings

Method: Separate findings by verification method to maintain objectivity and eliminate bias.

Understanding the Tier System

To ensure complete honesty and avoid presenting assumptions as facts, every finding has been categorized:

- **Tier 1 — Provable from the script alone:** The transcript contradicts itself, repeats information inconsistently, or contains internal logic errors. These can be verified by anyone reading the transcript with no outside knowledge required.
 - **Tier 2 — Wording, transcription, and clarity problems:** Garbled text, unclear phrasing, or ambiguous statements visible directly in the transcript.
 - **Tier 3 — Requires outside/domain assumptions:** Observations that depend on comparing the script to real-world spaceflight norms, physics, or NASA protocols. These are documented for transparency but are NOT presented as proven errors because they cannot be verified from the script alone.
-

TIER 1 — Provable From the Script Alone

These are internal contradictions and inconsistencies anyone can confirm just by reading the transcript.

1.1 “No voice, no data” — but data is processed during the blackout

- **1:26:12** — “we’ve entered our communications blackout... No voice, no data from the crew.”
- **1:31:35** — “We are now processing data from integrity.”
- Voice communication is not re-established until **1:32:58**.
- **Contradiction:** Data is reported as being processed at 1:31:35, which is still inside the blackout the script itself defined as “no voice, no data.”

1.2 All splashdown countdowns disagree with the actual splashdown time

Using only the timestamps and “time to splashdown” callouts in the script:

Time called	"Time to splashdown"	Implied splashdown
1:25:48	13 min 10 sec	~1:38:58
1:27:26	11 min 33 sec	~1:38:59
1:29:21	9 min 35 sec	~1:38:56
1:33:26	5.5 min	~1:38:56
1:34:37	4.5 min	~1:39:07
1:35:49	3 min 10 sec	~1:38:59
1:37:40	1 min 15 sec	~1:38:55

- **Actual splashdown: 1:39:34** (stated in script)
- **Every** internal prediction lands between ~1:38:55 and ~1:39:07 — all **27 to 39 seconds earlier** than the transcript's own splashdown time

1.3 "3.5 minutes left" stated twice, unchanged, 9 seconds apart

- **1:28:16** — "3.5 minutes left in this blackout period."
- **1:28:25** — "Still... 3.5 minutes left."
- Nine seconds pass, but the remaining time does not change.

1.4 Blackout-remaining callouts disagree with the stated six-minute duration

- Blackout begins at **1:26:12** and is stated to be "a six minute blackout period" → would end ~**1:32:12**
- **1:27:26** — "4.5 minutes until the end" → implies end ~1:31:56
- **1:29:21** — "two minutes and 40s left" → implies end ~1:32:01
- **1:31:09** — "out... less than a minute from now" → implies end ~1:32:00
- Voice actually returns at **1:32:58** — later than every estimate

1.5 Visual acquisition escalates to "all assets," then downgrades to "intermittent"

- **1:28:11** — "P three has acquisition on integrity"
- **1:29:13** — "airborne assets... do have a visual"
- **1:29:45** — "Airborne assets... all have visuals"
- **1:30:07** — "WB 57... also has a visual... Navy Helos also have visuals"
- **1:32:39** — "We're getting **intermittent** views"
- Reporting builds to full multi-asset visual, then downgrades to intermittent

1.6 Cabin pressure linked to hydrazine checks

- **1:37:30** — "Integrity cabin pressure indicates no need for hydrazine checks"

- As written, cabin pressure is tied to hydrazine (propellant) checks — the script does not explain this logic

1.7 Camera controller failure stated twice, never resolved

- **1:33:11** — “No action for the enabled internal camera controller. Fail.”
- **1:34:18** — “camera controller. Fail is no cab one views of the chutes”
- The failure is raised, restated, never addressed again

1.8 Forward bay cover “armed” but jettison never confirmed

- **1:35:11** — “The pyros are armed for forward Bay cover jettison”
- Drogue chutes deploy 22 seconds later at 1:35:33
- The transcript never states the cover actually jettisoned

1.9 Undefined term “Vldl-r”

- **1:39:39** — “Copy. Splashdown. Waiting on Vldl-r.”
- The term appears once, is never defined, used nowhere else

1.10 Repeated / redundant confirmations

- **Drogues confirmed four times:** 1:35:33, 1:35:40, 1:35:44, 1:36:10
- **Main chutes confirmed three times in 14 seconds:** 1:37:00, 1:37:11, 1:37:14
- **Splashdown confirmed multiple times:** 1:39:34, 1:39:39, 1:39:41

1.11 Parachute sequence gaps within the script

- **1:35:49** — “Next up, the deployment of pilot parachutes”
 - Pilot chutes are announced but never confirmed as deployed
 - No confirmation of drogue separation before main deployment at 1:36:49
-

TIER 2 — Wording, Transcription, and Clarity Problems

Visible directly in the text; quality/garble issues.

- **1:26:50-1:27:00** — “this view of integrity. So that pinpoint of light...” — broken phrasing
- **1:33:26** — “for America and awaiting world” — garble (likely “a waiting world”)
- **1:34:28 / 1:34:31** — Two isolated one-word lines: “Integrity.” with no content
- **1:37:14** — “Rate rates.” — repeated/garbled word
- **1:25:44** — “400,000ft, traveling 34,800ft per second” — units split awkwardly
- **1:33:11 / 1:34:18** — Camera controller phrasing unclear

TIER 3 — Observations Requiring Outside Assumptions

Critical honesty note: Earlier analysis raised many “issues” comparing the transcript to real-world spaceflight norms (expected entry velocity for lunar return, typical drogue descent rates, standard NASA polling/callsign protocol, G-force callouts, total mission distance comparisons, GPS acquisition timing, etc.).

These observations cannot be confirmed from the transcript alone. They depend on external reference data and assumptions about what “should” happen.

For transparency, categories of such external-dependent observations are listed here **without asserting them as confirmed errors**:

- Entry velocity, peak-heating temperature, and total mileage figures cannot be validated within this scope
- Absence of specific standard callouts (flight-director polls, callsign discipline, G-forces, bank angles, weather, recovery protocols) may reflect edited/commentary-style transcript rather than actual omission
- Descent-rate and deceleration “too fast/too slow” judgments require external performance specs
- Launch date (April 1), mission designation, and astronaut name cannot be evaluated as “wrong” without mission records

These are documented so nothing is hidden, but are explicitly **not** counted as proven issues.

Summary Table (Provable Findings Only)

#	Finding	Location	Type
1.1	“No data” during blackout, yet data processed	1:26:12 vs 1:31:35	Contradiction
1.2	All splashdown countdowns 27–39s early vs actual	multiple vs 1:39:34	Inconsistency
1.3	“3.5 minutes left” repeated unchanged	1:28:16 & 1:28:25	Inconsistency
1.4	Blackout-remaining calls disagree with 6-min	1:26:12–1:32:58	Inconsistency
1.5	Visual “all assets”	1:29:45 vs 1:32:39	Contradiction

#	Finding	Location	Type
	then “intermittent”		
1.6	Cabin pressure tied to hydrazine checks	1:37:30	Logic error
1.7	Camera failure raised twice, unresolved	1:33:11 & 1:34:18	Loose end
1.8	Bay cover armed, jettison never confirmed	1:35:11	Gap
1.9	Undefined term “Vldl-r”	1:39:39	Undefined
1.10	Redundant confirmations	multiple	Redundancy
1.11	Pilot-chute & drogue separation not confirmed	1:35:49–1:36:49	Gap

Tier 1 (provable) findings: 11 distinct items

Tier 2 (wording/garble) findings: 6 items

Tier 3 (external-dependent, documented but not asserted): multiple categories

Conclusion

What Can Be Proven

Reading the transcript strictly on its own terms, the most defensible problems are:

1. **Internal contradictions in communications/data timeline** — “no voice, no data” violated at 1:31:35
2. **Splashdown countdown inconsistencies** — all seven predictions 27–39 seconds early
3. **Unresolved loose ends** — camera failure mentioned twice, never addressed; “Vldl-r” undefined; bay cover jettison not confirmed
4. **Repeated/garbled wording** — parachute confirmations redundant, text garbles present
5. **Time-count errors** — “3.5 minutes left” repeated unchanged 9 seconds apart

These issues are verifiable by anyone reading the transcript with no outside knowledge required.

What Cannot Be Proven From This Transcript Alone

Many observations raised in earlier analysis passes depend on: - Comparing stated values to expected norms for lunar-return missions - Assuming standard NASA communication protocols should be present - Evaluating technical systems mentioned/not mentioned against typical spaceflight operations

Without external reference data, these cannot be confirmed as errors. Presenting them as established faults would introduce bias.

Possible Explanations

The internal contradictions and loose ends identified in Tier 1 could indicate:

1. **Edited/redacted transcript** — public-release version with technical details removed
2. **Training simulation transcript** — using placeholder terms and simplified procedures
3. **Commentary-style transcript** — public affairs overlay on actual mission comms
4. **Transcription errors** — mistakes in converting audio to text
5. **Fictional/fabricated scenario** — screenplay or narrative rather than actual mission
6. **Real mission with unreported anomalies** — actual events that diverged from nominal

The YouTube source and context would provide additional information for determining which explanation is most likely.

Research Compiled By

TrueSiddiqui

August 23, 2026

Repository: <https://github.com/TrueSiddiqui/NASA-Caught>

Related Research: - AI Deception & Bias Documentation:
<https://github.com/TrueSiddiqui/AbacusAICaught>

License: Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0) -  Free to share, adapt, and build upon -  Must credit TrueSiddiqui as original researcher -  No commercial use — companies may use but not monetize -  Original authorship may never be replaced or removed

This analysis examines the transcript for internal consistency and documents all findings transparently. Claims are separated by verification method to maintain objectivity. The strongest findings are those provable from the script's own text without requiring external assumptions.