

## CEPOTX site visit — 07 September 2026

This document establishes the record for FSVP compliance requirements of our site visit to the CEPOTX member farm and bean-to-bar processing facility at **La do Sitio** (site code **V-06-29**), operated by Paulo Barbosa do Nascimento and family, on 7 September 2026. The visit documented the farm post-harvest facilities and the **new bean-to-bar facility** (roasting, cracking/winnowing and cold-hold) under construction for chocolate-bar production. Evidence: six geo-located photographs captured at the time of the visit (five with embedded GPS).

### Supplier and visit dates

- ✓ **Supplier name visited:** CEPOTX — Cooperativa Central de Produção Orgânica da Transamazônica e Xingu (Altamira/PA). FSVP registration VALID (FFR 14674182470)
- ✓ **Site name:** La do Sitio (Paulo Barbosa do Nascimento property)
- ✓ **Site code:** V-06-29
- ✓ **Registered owner / operator:** Paulo Barbosa do Nascimento and wife (family-operated)
- ✓ **Date:** 7 September 2026 (media records 16:14–17:28 local)
- ✓ **Facility status:** existing farm post-harvest facilities + **new bean-to-bar line in build-out** (roaster, cracker/winnowing, cold-hold installed; melanger / tempering / moulding / packing **not yet installed**)

### Facilities visited

- ✓ 1 cacao farm / post-harvest area (fermentation shed, sun-drying station, raw-bean storage)
- ✓ 1 fermentation facility (wooden barrel fermentation)
- ✓ 1 drying facility (open sun-drying floor)
- ✓ 1 new bean-to-bar facility: cacao roaster, cracker/winnowing, cold-hold refrigerator (bar-making) — stage 1 of the line

## Farm post-harvest facilities (existing, re-verified 07-Sep-2026)

These facilities were first documented on the 25-June-2024 Paulo farm site visit (20240625\_CEPOTX\_site\_visit\_to\_paulo\_farm.pdf, site V-06-29) and are re-verified here as the inbound stage of the bean-to-bar line.

### Facility A – Fermentation facility (wooden-barrel fermentation shed)

#### Geo location:

**Latitude:** -3.388417

**Longitude:** -51.852633

**Google Map location:** <https://www.google.com/maps?q=-3.388417,-51.852633> (fermentation shed; IMG fermentation\_facility.HEIC EXIF)

#### Observations

| Visual Observation                                          | Remarks                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Undesirable fermentation                                    | Dedicated fermentation shed on a concrete plinth with stave-wood ~200 L barrels. One barrel was observed lying on bare soil beside the plinth at the time of the visit — noted for correction (barrels should be kept on the plinth / off soil) and recommended as a preventive-control follow-up. Fermentation practice detail (duration, turning) to be confirmed at first purchase. |
| Inclusion of non-cacao materials in fermentation containers | Shed is a dedicated fermentation area enclosed by wire; no non-cacao material observed inside the fermentation barrels.                                                                                                                                                                                                                                                                |
| Contamination from pesticides or chemicals                  | Farm is a CEPOTX organic-network member; no pesticide or artificial-chemical inputs observed at the shed or surrounds.                                                                                                                                                                                                                                                                 |



Fermentation shed, La do Sitio – 07-Sep-2026 16:14 local, GPS -3.388417, -51.852633 (alt 179 m).

## Facility B – Drying facility (open sun-drying floor)

### Geo location:

**Latitude:** -3.3864

**Longitude:** -51.8513

**Google Map location:** <https://www.google.com/maps?q=-3.3864,-51.8513> (new-facility area; drying photo carries no GPS — same La do Sitio premises, adjacent to the new build)

### Observations

| Visual Observation                                     | Remarks                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mold growth due to improper drying practices           | Open-air roofed sun-drying floor with beans spread directly on a concrete slab framed by timber curbs, surrounded by chicken-wire animal exclusion. Drying surface swept; no mold observed in the captured media at the time of the visit. Drying practice (turning schedule, target moisture) to be confirmed at first purchase. |
| Inclusion of foreign objects during drying and sorting | Beans are handled on the drying surface only; the area is enclosed against animals. No debris or foreign objects observed in the captured media.                                                                                                                                                                                  |
| Residues from cleaning agents or pesticides            | No cleaning-agent or pesticide-residue source observed at the drying floor or premises.                                                                                                                                                                                                                                           |



Sun-drying floor, La do Sitio – 07-Sep-2026 17:24 local (photo without GPS; same premises, adjacent to new facility area).



## Facility C – Raw-bean storage shed

### Geo location:

**Latitude:** -3.388622

**Longitude:** -51.852669

**Google Map location:** <https://www.google.com/maps?q=-3.388622,-51.852669> (raw-bean storage; storage\_facility.HEIC EXIF)

### Observations

| Visual Observation                             | Remarks                                                                                                                                                                                                                                                                                          |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mold growth due to improper storage / moisture | Raw beans stored in PP sacks stacked on pallets in a dedicated shed. Shed was dry and under cover; one torn sack was noted (beans exposed) — flagged for repair/re-bagging. Dust/cobwebs present but no mold observed in the captured media. Storage practice to be confirmed at first purchase. |
| Foreign objects / contamination during storage | Sacks are stored on pallets (off the floor); shed is enclosed. A torn sack is a foreign-object / moisture entry risk — noted as a preventive-control follow-up.                                                                                                                                  |
| Pest / insect ingress                          | Shed is enclosed but not pest-proofed; bags stored on pallets. No active infestation observed at the time of visit.                                                                                                                                                                              |



Raw-bean storage shed, La do Sitio – 07-Sep-2026 16:16 local, GPS -3.388622, -51.852669 (alt 163 m).

**New bean-to-bar facility (stage 1 — installed equipment)**

The new facility is a dedicated building at La do Sitio housing the first stage of a bean-to-bar chocolate line. On 07-Sep-2026 the following equipment was installed and photographed: a stainless cacao roaster (ATF Máquinas FPR-20N PLUS), a compact cracker/winnowing, and a cold-hold refrigerator for bar making. **Not yet installed / not yet verified:** melanger (grind/refine), tempering, moulding and packing — these stages were not present at the time of the visit and will be verified on a subsequent visit before any chocolate-bar FSVP claim. The line currently produces roasted / cracked cacao nibs; bar production equipment is the next stage of the build-out.

## Facility D – Cacao roaster (bean-to-bar stage 1)

**Machine:** ATF Máquinas stainless-steel cacao roaster, model **FPR-20N PLUS** (electric drum roaster; NR12 machine-safety label present; protective film still fitted — recently installed). **Rated batch capacity: to be confirmed from manufacturer nameplate / data sheet** (model code suggests the “20” class, i.e. approx. 20 kg per batch; not yet verified). Roast temperature / time profile run on the day: **not recorded** — no instrument readout was photographed during the visit; the roaster is not yet commissioned for production.

### Geo location:

**Latitude:** -3.386436

**Longitude:** -51.851325

**Google Map location:** <https://www.google.com/maps?q=-3.386436,-51.851325> (roasting station; roasting\_station.HEIC EXIF)

### Observations

| Visual Observation                   | Preventive Control                                                                                                                                   | Examined                                                                                                                                                      | Remarks                                                                                                               |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Microbial contamination (salmonella) | The roasting process itself will kill off microbial growth; internal bean temperature must reach the validated kill-step profile (time/temperature). | Roaster model ATF FPR-20N PLUS observed installed and in clean, tiled room; not yet commissioned — kill-step profile to be validated at first production run. | Equipment new (protective film fitted). Roast time/temperature profile to be confirmed and recorded at commissioning. |
| Equipment hygiene / maintenance      | Daily cleaning to ensure properly functioning equipment; required maintenance performed when malfunction is observed before cacao is processed.      | Machine observed in clean condition, recently installed in a dedicated tiled room.                                                                            | Roaster is new; maintenance schedule to be established at commissioning.                                              |
| Foreign-object contamination         | Implement visual inspections / sieving to remove foreign materials; keep the roaster area clean.                                                     | Roasting room clean and tiled; window onto cacao trees. No foreign-object source observed.                                                                    | Sacks of dry beans stored adjacent to roaster — keep covered between batches.                                         |



ATF Máquinas FPR-20N PLUS cacao roaster, La do Sitio new facility – 07-Sep-2026 17:26 local, GPS -3.386436, -51.851325 (alt 140 m).



## Facility E – Cracker / winnower (beneficiadora de cacau)

**Machine:** compact farm-scale cracker/winnower — royal-blue painted cabinet, stainless-steel top hopper, bottom-front discharge, no visible brand plate. Form factor matches the farm/craft class of cacao “beneficiadora de cacau nibs” machines (e.g. the FATOMQA class referenced in Agroverse’s bean-to-bar equipment research, 17–23 kg/h). **Brand and rated capacity: to be confirmed from nameplate** — no nameplate was visible in the photograph.

### Geo location:

**Latitude:** -3.386556

**Longitude:** -51.851233

**Google Map location:** <https://www.google.com/maps?q=-3.386556,-51.851233> (cracking & winnowing station; cracking\_and\_winnowing.HEIC EXIF)

### Observations

| Visual Observation                            | Preventive Control                                                                                                                             | Examined                                                                               | Remarks                                                                                |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Shell-fragment / foreign-object contamination | Use proper cracking and winnowing equipment to minimize shell fragments; implement visual inspections and sieving to remove foreign materials. | Cracker/winnower installed in a tiled alcove, clean. Compact machine with hopper feed. | Unit appears new and unused in production; throughput to be confirmed at first run.    |
| Microbial growth / hygiene                    | Clean and sanitize winnowing equipment between batches; keep machine openings sealed between uses.                                             | Machine clean at time of visit; discharge chute open and clean.                        | No brand plate visible in the photograph — nameplate read to be captured on follow-up. |
| Cross-contact / allergens                     | The facility processes cacao only; no other material observed on the premises.                                                                 | No non-cacao material observed in the facility.                                        | Keep line cacao-only as bar production begins.                                         |



Compact cracker/winnower, La do Sitio new facility – 07-Sep-2026 17:27 local, GPS -3.386556, -51.851233 (alt 136 m).

## Facility F – Cold-hold refrigerator (bar-making cold storage)

**Equipment:** domestic-grade Consul refrigerator/freezer in the bar-making utility room — intended cold storage for finished-bar / tempering hold. Domestic-grade cold storage is suitable for short-hold finished product only; temperature monitoring to be established before finished-bar storage begins.

### Geo location:

**Latitude:** -3.386494

**Longitude:** -51.851272

**Google Map location:** <https://www.google.com/maps?q=-3.386494,-51.851272> (fridge for making bar; fridge\_for\_making\_bar.HEIC EXIF)

### Observations

| Visual Observation              | Remarks                                                                                                                                                                                                                                                            |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Temperature control / cold-hold | Dedicated refrigerator for bar-making (filename “fridge_for_making_bar”). Domestic-grade unit — appropriate for short-hold / small-batch finished product with a temperature log; a continuous monitoring thermometer should be added before finished-bar storage. |
| Cross-contamination             | Refrigerator sits in a tiled utility room dedicated to bar-making. No non-cacao food observed stored with the unit at the time of the visit; keep bar cold-hold cacao-only.                                                                                        |
| Hygiene / cleaning              | Unit and surrounds clean at the time of the visit. Domestic refrigerator interiors are non-commercial grade — cleaning schedule to be maintained.                                                                                                                  |



Cold-hold refrigerator for bar making, La do Sitio – 07-Sep-2026 17:28 local, GPS -3.386494, -51.851272 (alt 137 m).

## Declaration

I hereby attest that the information recorded in this report was verified during an on-site visit to La do Sitio (site code V-06-29), Paulo Barbosa do Nascimento property, Pará, Brazil, on **7 September 2026**. The site is a member farm of CEPOTX within the Agroverse organic cacao network. The visit documented the farm post-harvest facilities (fermentation, sun drying, raw-bean storage) and the new bean-to-bar facility stage 1 (ATF FPR-20N PLUS cacao roaster, compact cracker/winnowing, and bar-making cold-hold refrigerator). Melanger, tempering, moulding and packing equipment were **not yet installed** at the time of the visit and are recorded as not-yet-verified; they will be verified on a subsequent visit before any chocolate-bar supply claim. Photographic evidence with embedded GPS was captured at the time of the visit (five of six photographs geo-tagged; drying-floor photograph carries no GPS and is referenced to the same premises).

Sincerely,

A handwritten signature in black ink, consisting of a long, sweeping horizontal stroke followed by a small, stylized flourish.

**Zhiwen Teh**

President

TrueTech Inc · Importer of Record · EIN 88-3411514

admin@truesight.me · +1 415 300 0019