

Totally Collectibles OS Operator Manual

Copyright 2026 Dag Danky Holdings LLC. All rights reserved.

Authored by David Bakanas.

Software ownership: Dag Danky Holdings LLC.

Software platform: Totally Collectibles OS (TCOS).

Main TCOS website/domain: TotallyCollectibles.com.

Flagship store / Store #1: Truly Collectables.

Last updated: 2026-06-28

This is the working manual for Totally Collectibles OS (TCOS). It must stay current as features are added.

TCOS means Totally Collectibles OS. It is the multi-store software platform, admin system, order system, inventory engine, marketplace layer, and pricing/helper system. Truly Collectables is the flagship store inside TCOS, not a separate rebuild.

Ownership And Account Separation

David Bakanas is the owner of Dag Danky Holdings LLC.

Dag Danky Holdings LLC owns and administers the Totally Collectibles OS software platform.

David Bakanas is an admin/operator of Dag Danky Holdings LLC and TCOS.

Truly Collectables LLC is the collectables storefront operating company and should be treated as Store #1 inside TCOS. It should become its own platform seller/buyer account when seller, buyer, collection, wishlist, trade, or payout accounts are built.

Dag Danky Shoes is the footwear storefront/operator for the shoe and sneaker portion of the platform. It should be treated as its own storefront seller/buyer account when footwear seller, buyer, inventory, collection, wishlist, trade, or payout accounts are built.

David Bakanas is also the admin/operator of the Truly Collectables LLC account.

Dag Danky Holdings LLC platform revenue should come from:

- platform commission/rake from purchases completed through the TCOS website checkout
- the commission/rake is calculated from total sale amount, including item sale price plus buyer-paid shipping
- advertising revenue
- sponsorship revenue
- other platform-level service fees only after they are defined and disclosed

Truly Collectables LLC revenue and activity should stay separate from Dag Danky Holdings LLC platform revenue. Truly Collectables LLC is the storefront seller/buyer account for its own buying, selling, collecting, inventory, offers, trades, messages, payouts, and account history.

Truely Collectables LLC must have completely separate login credentials, account profile, seller settings, buyer settings, payout setup, and audit history from Dag Danky Holdings LLC platform-admin access.

Future account roles should stay separate:

- `platform_owner` : Dag Danky Holdings LLC
- `platform_admin_user` : David Bakanas and any future authorized TCOS admins
- `storefront_operator` : Truely Collectables LLC
- `storefront_seller_account` : Truely Collectables LLC selling inventory on TCOS
- `storefront_buyer_account` : Truely Collectables LLC buying/trading/collecting on TCOS when needed
- `footwear_storefront_operator` : Dag Danky Shoes
- `footwear_seller_account` : Dag Danky Shoes selling footwear inventory on TCOS
- `footwear_buyer_account` : Dag Danky Shoes buying/trading/collecting footwear on TCOS when needed
- `external_seller_account` : future third-party sellers
- `external_buyer_account` : future customers/collectors

Important rule:

Dag Danky Holdings LLC admin authority must not be mixed with Truely Collectables LLC seller/buyer activity. David may administer both, but the software should track platform-admin actions separately from seller/buyer actions so audits, payouts, disputes, chargebacks, taxes, and permissions stay clean.

Product North Star

TCOS should be built toward the ultimate collecting experience.

The collector should feel:

- confident they know exactly what the item is
- informed about rarity, demand, condition, and market value
- protected by clear policies, secure checkout, and honest evidence
- excited when the item arrives
- proud enough to share the pickup, collection, story, or mail day with the community

Every customer-facing item page should help answer:

- What exactly is this collectable?
- Why does it matter?
- How rare is it?
- What condition is it in?
- What data supports the price?
- What similar items have sold for?
- Is there population, certification, serial-number, autograph, patch, variant, or provenance information?
- What should a collector know before buying?
- What makes this item fun to own?
- What can the collector do with it after purchase, such as add it to a collection board or brag session?

Product data should be layered:

1. TCOS local inventory data
2. seller/admin-entered facts
3. AI extraction and description support
4. catalog/reference matching
5. sales comps
6. pricing guides
7. grading/certification data when available
8. rarity/population/print-run data when available
9. community context after moderation features exist

The tone should be collector-first: excited, knowledgeable, honest, and brand-safe. Public copy should invite collectors to celebrate their items without using sexual, hateful, private, or unsafe language.

Future: Collectable Megahub And Sneaker Expansion

TCOS should be designed to become a collectable megahub, not only a sports-card storefront.

Long-term ambition:

- become a premier destination for sneaker collectors
- support shoes, cards, memorabilia, comics, toys, TCG, autographs, graded items, sealed products, and other collectables
- help collectors research, find, request, buy, trade, show off, and track what they care about
- make AI search, collection tracking, and wish lists the best collector discovery experience possible
- turn Truly Collectables into a trusted place to understand collectables, not only transact on them

Sneaker marketplace goals:

- support sneaker brands such as Nike, Jordan, Adidas, New Balance, Puma, Reebok, Asics, Converse, Vans, and future brands
- support shoe model, colorway, SKU/style code, size, gender sizing, release date, condition, box status, authenticity status, defects, and provenance
- track deadstock, new with box, used, tried on, restored, custom, sample, player exclusive, collaboration, limited release, and graded/authenticated shoe states
- store multiple photos including box label, outsole, insole, size tag, heel, toe box, stitching, defects, and receipt/provenance when available
- support authentication workflow before high-value sneaker sales go public
- support size-specific pricing and comps because sneaker value changes heavily by size
- show comparable listings and sales only when the size/model/colorway match is close enough

AI collection and wish list goals:

- users can create a wish list for any collectable category
- users can describe what they want in natural language
- AI should translate wish-list language into structured search fields
- AI should match wish-list items against TCOS inventory, seller inventory, want ads, trades, auctions, and approved outside data sources

- AI should notify users only through consented notification channels
- users can mark items as grails, priority targets, set fillers, size targets, gift ideas, or research-only
- wish lists should support budget range, condition preference, grading preference, size, category, player, team, character, franchise, era, brand, colorway, and urgency

Set builder checklist goals:

- users can create checklists for complete sets, partial sets, team sets, player runs, character runs, release runs, parallel runs, graded runs, shoe colorway runs, or custom collector goals
- checklist templates should support year, brand, set, subset, card number, player, team, character, franchise, variant, parallel, serial number, autograph, relic/patch, grade target, condition target, and notes
- users can mark each checklist item as owned, needed, upgraded, incoming, watching, trade target, or not interested
- users can attach owned items from their collection to checklist slots
- users can add missing checklist items to wish lists or want ads
- AI should help build a checklist from natural language, uploaded lists, scans, set names, catalog sources, or manufacturer checklists when allowed
- TCOS should show checklist progress by percentage, count owned, count missing, estimated value when available, and highest-priority missing items
- set builders should be able to filter by missing cards, rookies, inserts, parallels, autographs, patches, graded targets, and price range

Checklist acquisition links:

- each missing checklist item should first search TCOS inventory
- if not in TCOS inventory, show approved outside lookup links
- outside links should include eBay sold/active search, ColIX research, COMC search, Sportlots search, 130point sales search, Google source search, PriceCharting/SportsCardsPro, PSA when relevant, and other approved category sources
- outside links should preserve the structured checklist query as much as possible, including year, set, card number, player, team, grade, variant, size, colorway, or brand
- TCOS should clearly label outside links as external research or external marketplace links
- TCOS should not imply outside marketplaces are partners unless a partnership exists
- users should be able to save outside finds back to a checklist as `watching`, `found externally`, or `research note`

Megahub information goals:

- product pages should become research pages
- category pages should explain brands, sets, releases, pop reports, size markets, rarity, and recent demand
- collector intelligence should apply to all categories, not only cards
- buyer decisions should be supported by sources, comps, photos, condition proof, authenticity data, and clear risk notes
- AI should help summarize the collectable's story while showing source links and confidence

Competitive standard:

- TCOS should compete on trust, depth of information, buyer confidence, seller tools, AI discovery, and collector experience
- TCOS should not copy another marketplace's user experience blindly
- TCOS should avoid fake scarcity, fake hype, fake sold data, hidden fees, or misleading authenticity claims
- every expansion category should have its own data model, condition standards, authenticity rules, pricing logic, and dispute rules

Future data tables should store:

- collectable_categories
- sneaker_products
- sneaker_sizes
- sneaker_condition_reports
- sneaker_authentication_events
- sneaker_release_data
- sneaker_price_snapshots
- user_collections
- user_collection_items
- user_wish_lists
- user_wish_list_items
- wish_list_matches
- wish_list_notifications
- set_builder_checklists
- set_builder_checklist_items
- set_builder_templates
- set_builder_item_matches
- set_builder_external_links
- set_builder_progress_snapshots
- collectable_reference_sources
- collectable_category_attributes

Downloadable PDF copy:

[docs/TCOS_OPERATOR_MANUAL.pdf](#)

Future mobile app manual:

- the mobile app must have its own separate operator manual and downloadable PDF
- shared TCOS rules, store policies, security requirements, checkout behavior, and account requirements must stay consistent with this main site manual
- mobile-only screens, app-store release steps, push notification behavior, device permissions, and mobile troubleshooting must live in the mobile manual instead of being mixed into the web manual

The PDF is regenerated with:

```
npm run manual:pdf
```

Links in this manual are clickable in both Markdown and PDF form. Use them for direct lookup, examples, API docs, and troubleshooting references.

Current V2 UI Baseline

The public storefront has been moved away from the default scaffold look.

Current UI baseline includes:

- sticky storefront navigation with TCOS/admin entry
- production metadata for Truly Collectables
- premium dark homepage hero with clear storefront positioning
- homepage feature blocks for Collector Intelligence, secure checkout, and fulfillment control
- shop page header, search/filter panel, active inventory count, and cleaner product cards
- product detail pages styled as collector research pages
- cart page with a structured order summary, shipping selector, TOS acceptance, and secure checkout action
- consistent neutral/off-white storefront background
- `/admin` now renders as a live TCOS command center with revenue metrics, fulfillment queues, offer desk, inventory watch, eBay sync policy decisions, blocked sync reasons, store settings status, evidence health, operator alerts, and fast links
- `/admin/launch-readiness` now resolves the active store primary domain, evidence email, and eBay sync settings from store settings before marking launch checks ready or warning
- `/admin/launch-readiness` now also checks `SUPABASE_SERVICE_ROLE_KEY`, and admin settings plus Stripe/order webhooks now prefer the service-role key for admin-only writes instead of relying only on anon-key access
- admin settings, admin eBay control surfaces, admin payout workflows, admin files downloads, order review case packet generation, brag weekly reports, and admin login audit paths now also prefer the service-role key for admin-side Supabase access
- checkout, offer, order-fulfillment, eBay sync, account-auth, and public rate-limit server paths now also prefer the service-role key so launch-critical writes and audits do not depend on public-key table permissions
- authenticated account dashboard/order APIs, collector binding offers, seller inventory/order/payout APIs, and seller marketplace connection routes now also prefer the service-role key for server-side account workflows
- collector profile, collection, wish-list, messaging, social, import, and export APIs now also prefer the service-role key for server-side collector workflows
- account login and signup now also use the shared server Supabase helper for consistency; those auth routes still use the normal anon-key auth flow because they are calling Supabase Auth directly rather than doing admin-only table writes
- shipment emails, offer emails, and admin packing slips now render the active store display name instead of a hardcoded storefront label

- shared public storefront surfaces now read brand/legal text from the centralized legal constants, including layout metadata, navbar, homepage eyebrow, buyer terms, seller terms, cart TOS copy, and success-page branding
- brag-share links, collector research guidance, seller marketplace messaging, and default inventory description text now also read shared store/platform branding constants instead of hardcoded storefront strings
- the remaining admin placeholder and explanatory copy now also read shared platform/store legal constants, including store email placeholders, eBay account label placeholder, admin platform heading, and launch-readiness platform/storefront separation text
- store-settings fallback contact addresses now derive from the active store primary domain when available, or from the TCOS platform domain, instead of falling back to a legacy single-store email domain

1. Quick Start

Daily operator path:

1. Open `/admin/login`.
2. Log in with the admin password.
3. Open `/admin/products` to manage cards.
4. Open `/admin/orders` to ship paid orders.
5. Open `/admin/offers` to handle customer offers.
6. Use product edit pages to check comps, apply suggested prices, update descriptions, and change inventory status.

Most day-to-day work starts at:

```
/admin
```

2. Routes

Public Storefront

Route	Purpose
/	Home page
/shop	Product grid with search and sport filtering
/product/[id]	Product detail page
/cart	Customer cart
/account	Customer account home
/account/login	Customer email/password login
/account/signup	Customer email/password signup
/success	Purchase confirmation page with rotating collector sayings
/terms	Customer Terms of Service
/seller-terms	Seller Terms of Service for future auction/seller accounts
/seller	Seller home redirect to marketplace connections
/seller/orders	Seller-owned order, payout, and hold activity workspace
/seller/orders/[id]	Seller-owned order detail drilldown
/seller/marketplaces	Seller marketplace connection dashboard for Store #1 sync foundation and future seller-safe connectors

Admin

Route	Purpose
/admin/login	Admin login
/admin	Admin dashboard
/admin/accounts	Customer account lookup and linked order/offer activity
/admin/products	Product list
/admin/products/new	Add product
/admin/products/[id]	Edit product and pricing tools
/admin/orders	Fulfillment center
/admin/settings	Store operations and marketplace integration controls for the active TCOS store
/admin/orders/[id]	Order detail and tracking
/admin/orders/[id]/packing-slip	Printable packing slip
/admin/order-review-cases	Global chargeback, return, authenticity, shipping, payment-risk, and seller-dispute case queue
/admin/files	Transaction evidence files
/admin/launch-readiness	Live payment and production readiness checklist
/admin/inventory/category-review	eBay import category confidence and review queue
/admin/ebay/sync-control	Controlled eBay batch sync launcher
/admin/offers	Offer review
/admin/security	Admin login audit and lockout review

API

Route	Purpose
/api/admin/login	Sets <code>admin_auth</code> cookie
/api/admin/logout	Clears admin cookie
/api/admin/files/[id]/download	Downloads transaction evidence PDF
/api/admin/order-review-cases	Opens and updates order review cases and writes case audit events
/api/admin/order-review-cases/[id]/packet	Downloads an order review case packet PDF
/api/admin/order-review-cases/[id]/payout-resolution	Resolves related seller payout rows after a case decision
/api/account/signup	Creates customer account through Supabase Auth
/api/account/login	Logs customer account in through Supabase Auth
/api/account/orders	Returns logged-in customer order history for the active store
/api/account/dashboard/preferences	Saves account sports/team and market watchlist preferences
/api/account/collector/profile	Loads and saves collector bio, social URLs, visibility, and message preference
/api/account/collector/items	Saves collection shelf items, wish list items, want ads, set needs, and trade targets
/api/account/collector/exports	Downloads the logged-in collector collection as CSV or full catalog JSON
/api/account/collector/messages	Creates and lists collector conversation records
/api/account/collector/binding-offers	Starts a card-required binding offer through Stripe setup checkout
/api/account/seller/payout-onboarding	Starts or checks Stripe-hosted seller payout/bank verification
/api/account/seller/payout-requests	Returns seller cash-out balance, request history, review-blocked context, and linked

Route	Purpose
	order routing summaries for the logged-in seller
<code>/api/account/seller/inventory</code>	Returns seller-owned inventory summary, full seller inventory workspace data, and recent promoted draft output for the active store
<code>/api/account/seller/inventory/bulk-status</code>	Runs seller-scoped bulk activation or archive actions across selected inventory rows using the same guardrails as single-item controls
<code>/api/account/seller/inventory/{inventoryItemId}</code>	Updates a seller-owned listing's title, price, quantity, and description without using the admin product screen
<code>/api/account/seller/inventory/{inventoryItemId}/activate</code>	Activates a seller-owned draft after readiness and payout verification checks pass
<code>/api/account/seller/inventory/{inventoryItemId}/archive</code>	Archives or pauses a seller-owned listing without deleting it from the active store records
<code>/api/account/seller/inventory/{inventoryItemId}/description</code>	Regenerates or AI-writes a seller-owned listing description through the shared inventory engine
<code>/api/account/seller/orders</code>	Returns seller-owned order activity, payout state, and hold context for the logged-in seller
<code>/api/account/seller/orders/{id}</code>	Returns seller-owned order detail for a single routed order
<code>/api/account/seller/marketplace-connections</code>	Loads or saves logged-in seller marketplace connection records for the active store
<code>/api/account/seller/marketplace-connections/ebay/auth</code>	Starts seller-safe eBay OAuth and returns the authorization URL
<code>/api/account/seller/marketplace-connections/ebay/status</code>	Refreshes the logged-in seller's eBay token status and updates connection health
<code>/api/checkout</code>	Creates Stripe checkout session

Route	Purpose
<code>/api/webhook</code>	Main Stripe webhook handler
<code>/api/stripe/webhook</code>	Alternate Stripe webhook handler
<code>/api/offers/create</code>	Customer offer submission
<code>/api/offers/update-status</code>	Accept/decline offer
<code>/api/offers/counter</code>	Send counter offer
<code>/api/orders/update-tracking</code>	Save carrier/tracking
<code>/api/orders/mark-shipped</code>	Mark shipped and send email if configured
<code>/api/ebay/auth</code>	Start eBay OAuth
<code>/api/ebay/callback</code>	Store eBay refresh token
<code>/api/ebay/import-listings</code>	Import one eBay inventory page
<code>/api/ebay/full-sync</code>	Batch import eBay inventory

3. Admin Login

Admin login uses:

```
ADMIN_PASSWORD=
```

Successful login sets a cookie:

```
admin_auth=<issued_timestamp>.<signature>
```

Cookie behavior:

- HTTP-only
- Secure
- Same-site lax
- Max age: 24 hours

Protected admin routes redirect to `/admin/login` if the cookie is missing.

Admin sessions are signed by `ADMIN_SESSION_SECRET` when configured. If `ADMIN_SESSION_SECRET` is missing, TCOS falls back to `ADMIN_PASSWORD` for signing. Production should use a separate strong `ADMIN_SESSION_SECRET`.

Admin login hardening:

- password verification uses fixed-length hashed comparison instead of plain string equality
- every login attempt is evaluated through `src/lib/admin-login-security.ts`
- failed and successful attempts are written to `admin_login_attempts` when the table is available

- login attempts store store ID, IP address, user agent, result, failure reason, identity risk, header evidence, and lockout timestamp when applicable
- five failed attempts from the same IP inside 15 minutes triggers a 15-minute lockout
- locked-out login attempts return HTTP 429
- masked or blocked identity attempts return HTTP 403
- if the audit table has not been migrated yet, login still works but audit/lockout storage is unavailable

Admin login policy:

Setting	Value
Failed-attempt window	15 minutes
Failed-attempt limit	5
Lockout duration	15 minutes

Admin security page:

`/admin/security`

This page shows recent admin login attempts, successful logins, failed logins, active lockouts, unique IP count, identity risk, failure reason, lockout expiration, and user agent. If the audit table has not been migrated yet, the page shows an unavailable warning instead of crashing.

Launch readiness also checks whether `admin_login_attempts` is available. If the table is missing or unavailable, `/admin/launch-readiness` marks Admin Login Audit as blocked.

The same `/admin/security` page also shows public money-path rate-limit events from `public_endpoint_rate_limit_events`, including checkout attempts, public offer attempts, collector binding-offer setup, seller payout onboarding, blocked status, endpoint, IP address, subject key, identity risk, block reason, policy window, and header evidence summary.

Launch readiness checks whether `public_endpoint_rate_limit_events` is available. If the table is missing or unavailable, `/admin/launch-readiness` marks Public Endpoint Rate Limits as blocked.

The same `/admin/security` page also lists saved IP investigations from `security_ip_investigations`. These cases show the IP address, status, severity, updated/reviewed/resolved timestamps, and internal notes.

Launch readiness checks whether `security_ip_investigations` is available. If the table is missing or unavailable, `/admin/launch-readiness` marks Security IP Investigations as blocked.

Suspicious IP drilldown:

`/admin/security/ip/[ip]`

IP addresses on `/admin/security` link to a focused IP dossier. The dossier combines admin login attempts, public money-path rate-limit events, TOS acceptance evidence, orders, offers, and transaction evidence reports tied to that server-observed IP. Use it when reviewing blocked checkout attempts, offer spam, suspicious account behavior, chargebacks, or repeat abuse.

The IP dossier includes an investigation form. Admins can mark the IP as `watch`, `review`, or `resolved`, set severity as `low`, `medium`, `high`, or `critical`, and save internal notes. Saving the form updates `last_reviewed_at`; resolving the case stores `resolved_at`.

4. Product And Inventory Basics

TCOS currently keeps two inventory layers in sync:

1. Legacy `products`
2. TCOS V2 `inventory_items`

The legacy `products` table still supports older screens and relations. The V2 `inventory_items` table is the newer inventory authority for status, price, and quantity.

The sync layer is:

```
src/modules/inventory/engine.ts
```

Do not bypass the engine for normal admin inventory changes.

Inventory V2 bridge screen:

```
/admin/inventory
```

Use this screen to verify that every legacy storefront product has a matching TCOS V2 `inventory_items` record. The page shows total legacy products, V2 bridged items, missing inventory rows, mismatch counts, active items, sold-out items, and eBay-linked items.

The `Backfill V2 Inventory` button runs an idempotent backfill. It can be run more than once. It scans Store #1 products, creates missing `inventory_items`, updates existing inventory rows by legacy product ID or SKU, mirrors quantity/price/title/description/status, and adds product images into `inventory_images` when they are not already present.

Reconciliation labels:

Label	Meaning
<code>OK</code>	Legacy product and V2 inventory row are aligned
<code>MISSING INVENTORY ITEM</code>	Product exists but no V2 inventory row exists yet
<code>SKU LINK ONLY</code>	V2 row matched by SKU but still needs the legacy product bridge filled
<code>QUANTITY MISMATCH</code>	Legacy quantity and V2 quantity differ
<code>PRICE MISMATCH</code>	Legacy price and V2 price differ
<code>SOLD OUT</code>	Product quantity is zero; not a failure by itself

eBay import safety:

The eBay import path is store-scoped. It first updates by Store #1 eBay listing ID, then by Store #1 SKU, then inserts a new product if no store-scoped match exists. It does not perform a global SKU upsert across all stores.

4A. Multi-Store Platform Foundation

TCOS is being converted from a single-store Truely Collectables app into a multi-store Totally Collectibles OS platform without breaking Store #1.

Current Store #1:

```
Truely Collectables
Truely Collectables LLC
store_id: 00000000-0000-4000-8000-000000000001
```

Foundation migration:

```
supabase/migrations/20260628110000_create_tcos_stores.sql
supabase/migrations/20260628113000_create_store_settings.sql
```

The migration:

1. Creates `stores`.
2. Inserts Store #1 = Truely Collectables.
3. Adds defaulted `store_id` columns to current core tables.
4. Backfills existing rows to Store #1.
5. Adds store indexes for future filtering.

Tables prepared with `store_id`:

- `products`
- `inventory_items`
- `orders`
- `order_items`
- `offers`
- `ebay_tokens`
- `sales_comp_snapshots`
- `tos_acceptance_events`
- `transaction_evidence_reports`
- `account_collector_profiles`
- `account_conversations`
- `account_conversation_messages`
- `account_binding_offers`
- `account_collection_export_jobs`

Safety rule:

Current Store #1 constants live in:

```
src/lib/stores.ts
```

Current active store context is resolved through `src/lib/stores.ts`. Store #1 is still the only active store, but app code now calls active-store helpers instead of importing the Store #1 ID across the app.

Current write paths pass the active store ID when creating products, inventory items, orders, order items, offers, eBay tokens, sales comp snapshots, TOS acceptance events, and transaction evidence reports. Current inventory, eBay token, sales comp, fulfillment, offer, evidence, admin, and success-page read/update paths are also scoped to the active store. The database default still points new rows to Store #1 as a safety net.

The inventory repository and inventory engine now carry store context internally. Future multi-store work should replace the current Store #1 resolver with request/account/domain-selected store context.

Store operational settings live in:

```
src/lib/store-settings.ts
```

The `store_settings` table stores per-store support, sales, offer, evidence, order email, Stripe mode, eBay environment, eBay account label, and seller commission settings. If the table is missing or empty, TCOS falls back to current environment variables and Store #1 defaults so production behavior does not break.

`/admin/launch-readiness` shows the active store settings and whether they came from the database or fallback defaults.

5. Inventory Status Values

Allowed status values:

Status	Meaning	Checkout allowed?
<code>draft</code>	Not ready to sell	No
<code>active</code>	Ready to sell	Yes, if quantity is enough
<code>reserved</code>	Held back	No
<code>sold</code>	Sold out	No
<code>archived</code>	Removed from active workflow	No

Checkout requires:

- status is `active`
- quantity is greater than or equal to cart quantity
- price is greater than zero

6. Add A Product

Open:

```
/admin/products/new
```

Fields:

- Title
- Player
- Sport
- Price
- Quantity
- Image URL
- Description

Description can be left blank. If blank, TCOS generates a description from product data.

When saved, TCOS:

1. Creates a row in `products`.
2. Creates a row in `inventory_items`.
3. Creates an `inventory_images` primary image row if image URL exists.
4. Redirects to `/admin/products`.

7. Edit A Product

Open:

```
/admin/products
```

Click `Edit`.

Edit page:

```
/admin/products/[id]
```

Fields editable:

- Title
- Player
- Sport
- Price
- Quantity
- Status
- Image URL
- Description

Click `Save Product`.

Save behavior:

1. Updates legacy `products`.
2. Ensures V2 `inventory_items` exists.
3. Updates V2 title/description/category/status/quantity/price.
4. If image URL changed, adds a new primary `inventory_images` row.
5. Publishes an in-memory inventory event.

8. Quick Status Buttons

On `/admin/products/[id]`:

- `Set Active`
- `Reserve`
- `Mark Sold`
- `Archive`

`Mark Sold` sets quantity to `0`.

Status changes update through `inventoryEngine.setStatus`.

9. Product Description Tools

On `/admin/products/[id]`, the Description panel has:

- `Auto-Fill Description`
- `AI Write Description`

Auto-Fill Description

Uses only local TCOS product data.

Generated from:

- title
- player
- sport
- price
- quantity
- status
- SKU
- eBay listing ID

This is deterministic and does not call outside APIs.

AI Write Description

Uses [OpenAI API docs](#) if configured:

```
OPENAI_API_KEY=  
OPENAI_DESCRIPTION_MODEL=
```

Default model:

```
gpt-5.5
```

If OpenAI is not configured or the request fails, TCOS falls back to local auto-fill.

The AI prompt forbids inventing:

- year
- set
- grade
- condition
- autograph
- patch
- serial number
- rookie status
- scarcity

Product Detail Collector Intelligence

Product pages currently show a Collector Intelligence panel on:

```
/product/[id]
```

Implementation files:

```
src/app/product/[id]/page.tsx  
src/lib/collector-intelligence.ts
```

Current behavior:

- lays out `/product/[id]` as a collector research page with image, status badge, price, purchase actions, description, and a collector snapshot
- the collector snapshot shows category, player/subject, availability, status, SKU, and eBay linkage when available
- shows an honest trend badge
- defaults to `Not Enough Verified Data`
- creates market research links for eBay sold search and 130point
- creates acquisition/research links for TCOS search, eBay active search, COMC, Sportlots, ColIX, PriceCharting, SportsCardsPro, PSA Auction Prices, and Google marketplace search
- creates news/source links for Google News and official-source searches
- creates an X search link for the player, item, team, character, or franchise query

- shows a `Complete The Set Or Run` helper with TCOS, eBay, COMC, Sportlots, ColIX, manufacturer-checklist, and 130point research links
- shows an `Exact Match Signals` panel using deterministic title extraction
- detects title-level serial numbering, card number, parallel/finish words, autograph, relic/patch, rookie, grading company, and grade signals when present
- marks title-level variant/parallel evidence as needing checklist/source confirmation before TCOS claims an exact rare variation
- detects PSA, SGC, CGC, Beckett, or BGS names in the title when present
- detects grade-like title text when present
- detects cert-number-like title text when present
- links to official grading lookup pages
- gives a watch list of things collectors should check before treating the item as hot or rare

TCOS does not currently store live trend snapshots or verified grading population counts for storefront display. Until those sources are saved and verified, the public trend state remains `Not Enough Verified Data`.

10. Sales Comps

Sales comps live on:

```
/admin/products/[id]
```

Click:

```
Check eBay Sold Comps
```

The page reloads with:

```
?comps=true
```

TCOS tries these sources:

1. [eBay Marketplace Insights API](#)
2. [eBay completed-items fallback](#)
3. [Google Programmable Search JSON API](#), if configured
4. [PriceCharting](#) / [SportsCardsPro](#) API, if configured

TCOS also gives research links for:

- [ColIX](#)
- [130point sales search](#)
- [Google sold search example](#)
- [PriceCharting example search](#)
- [SportsCardsPro](#)
- [PSA Auction Prices](#)

- [Card Ladder](#)
- [ALT](#)
- [COMC](#)
- [eBay sold search example](#)

Lookup Examples

Use the product title, player, year, set, card number, grade, and autograph/patch terms when known.

Example searches:

- [eBay sold: Michael Jordan 1991 Fleer](#)
- [Google sold-card search: Michael Jordan 1991 Fleer](#)
- [PriceCharting: Michael Jordan 1991 Fleer](#)
- [PSA Auction Prices](#)
- [130point sales search](#)

When checking comps, ignore listings that are not the same card or same grade. A raw card, PSA 10, BGS 9.5, autographed card, patch card, serial-numbered parallel, and base card are different markets.

11. Suggested Price

Suggested price uses a CollX-style method:

1. Average of up to 10 recent sold comps from the last six months.
2. If unavailable, use the last known sold comp.
3. If unavailable, use median of available comps.
4. If no comps exist, no suggested price is shown.

Displayed values:

- Suggested
- Count
- Median
- Average
- Range
- Recent comps used
- Source status

12. Apply Suggested Price

Click:

Apply Suggested Price

TCOS does not trust stale browser data. It recalculates comps server-side, saves a new snapshot, then updates the product price.

Flow:

1. Load current product from `inventoryEngine`.
2. Run `getSalesComps`.
3. Save a `sales_comp_snapshots` row if table exists.
4. If suggested price exists, update product through `inventoryEngine.updateProduct`.
5. Redirect back to product edit page with comps loaded.

13. Comps History

Comps history shows on product edit pages.

Table:

```
sales_comp_snapshots
```

Migration:

```
supabase/migrations/20260627160000_create_sales_comp_snapshots.sql
```

If this table is missing, the page still works but history will show a Supabase error. Apply the migration to enable saving.

14. eBay Sync

Connect eBay

Start OAuth:

```
/api/ebay/auth
```

Callback stores refresh token into:

```
ebay_tokens
```

Reference links:

- [eBay Developers Program](#)
- [eBay Sell Inventory API](#)
- [eBay Marketplace Insights API](#)

Import Listings

Single page:

```
/api/ebay/import-listings
```

Batch sync:

```
/api/ebay/full-sync
```

Controlled admin launcher:

```
/admin/ebay/sync-control
```

Import behavior:

1. Reads latest eBay refresh token.
2. Gets eBay access token.
3. Pulls eBay inventory items.
4. Fetches offer data per SKU.
5. If listing is active, updates `products` and `inventory_items`.
6. Maps the eBay title/aspects into a TCOS category.
7. Saves useful eBay aspects as generated inventory attributes.
8. If listing is not active, marks local quantity zero.

It does not delete eBay inventory.

Current eBay category mapper output:

- `sports_cards`
- `trading_cards`
- `shoes`
- `comics`
- `memorabilia`
- `toys`
- `sealed_wax`
- `autographs`
- `coins`
- `other_collectable`

The mapper stores category confidence in generated attributes. Low-confidence imports remain in inventory but receive `tcos_review_required = true` so admin review can identify listings that need better categorization instead of silently guessing wrong.

Admin review:

```
/admin/inventory/category-review
```

This page shows mapped eBay imports, TCOS category confidence, review-required flags, mapping evidence, and sample eBay aspects. Review-required, low-confidence, and `other_collectable` rows appear first and link back to the product edit screen.

Safe sync workflow:

1. Open `/admin/ebay/sync-control`.
2. Run a small batch, usually 10 or 25 listings.
3. Review imported categories on `/admin/inventory/category-review`.
4. Continue with the next offset if results look clean.
5. Use larger batch sizes only after the category mapper is behaving well.

The full-sync API accepts optional `limit` and `maxBatches` query parameters. Allowed batch sizes are 10, 25, 50, and 100. `maxBatches` is capped at 25.

Current sync implementation:

```
src/lib/ebay-sync.ts
src/lib/ebay-category-mapper.ts
```

Both single-page import and full sync use this shared server-side importer. Full sync calls the importer directly instead of calling TCOS through its own protected HTTP route, so it does not depend on an admin browser cookie or `NEXT_PUBLIC_SITE_URL` to keep running. This keeps Truly Collectables eBay sync more reliable when the toggle is enabled.

eBay Sync Policy Decisions

Open:

```
/admin/ebay/sync-control
```

The controlled sync page now shows public inventory totals, the last batch result, current-run policy decisions, and blocked policy summaries.

Inventory stats shown:

- public products
- in-stock products
- sold-out products
- eBay-linked products
- missing SKU products

Decision labels:

Decision	Meaning
ALLOWED	TCOS allowed the sync action
NEEDS REVIEW	TCOS imported the listing but flagged it for admin category/title review
BLOCKED BY TCOS POLICY	TCOS refused the local import/update because required listing evidence was unsafe or incomplete

Current blocked reasons:

- missing SKU

- missing eBay listing ID
- invalid listing price
- invalid listing quantity

Current review reasons:

- missing product title
- category review required
- low category confidence

Important rule:

Blocked sync decisions only protect TCOS local inventory. They do not delete, revise, or end eBay-side inventory.

Decision events are stored in:

```
ebay_sync_decision_events
```

Summary views:

```
tcos_ebay_snapshot_import_decision_summary  
tcos_ebay_missing_sync_decision_summary  
tcos_public_inventory_stats
```

eBay Health

Open:

```
/admin/ebay
```

This page is the local eBay reconciliation board. It does not call eBay on page load. It reads TCOS product and inventory data to show whether Store #1 inventory looks ready for eBay sync.

The page shows:

- total products
- eBay-linked products
- healthy linked products
- products needing attention
- missing SKU count
- never-synced count
- stale-sync count
- sold-out count
- latest eBay import timestamp

Health labels:

Label	Meaning
OK	Linked product has no local sync warning
MISSING SKU	Product cannot safely sync to eBay inventory without a SKU
NOT LINKED	Product is local-only and has no eBay listing ID
NEVER SYNCED	Product has an eBay listing ID but no <code>last_seen_at</code> import timestamp
STALE SYNC	Product has not been seen by eBay import in the configured stale window
SOLD OUT	Local TCOS quantity is zero

Current stale window:

12 hours

Buttons on the page:

Button	Purpose
Test Route	Confirms the eBay test route responds
Import Batch	Runs one import page from eBay
Full Sync	Runs the batch eBay import loop
Reconnect	Starts eBay OAuth again

Rule:

Use `/admin/ebay` before and after large imports. Missing SKU and stale sync warnings should be reviewed before assuming local inventory and eBay inventory agree.

eBay Sync Toggle

Open:

`/admin/settings`

- store operations now let admins update the active store primary domain, support/sales/offers/evidence emails, evidence/order sender labels, eBay environment, eBay account label, and seller commission rate
- those settings feed launch readiness, evidence delivery, support/contact display, and marketplace environment checks for the active store

The `Enable eBay Sync` toggle controls whether the active store can use eBay integration.

When eBay sync is enabled:

- `/api/ebay/import-listings` can import an eBay inventory page

- `/api/ebay/full-sync` can run the batch import loop
- `/api/ebay/auth` can reconnect the store's eBay OAuth token
- completed sales can push quantity changes back to eBay

When eBay sync is disabled:

- import is blocked
- full sync is blocked
- reconnect/OAuth is blocked
- post-sale eBay quantity updates are skipped
- `/admin/ebay` shows a disabled warning

Storage:

```
store_settings.metadata.ebay_sync_enabled
```

Default behavior:

```
enabled
```

This keeps Store #1 working unless an admin intentionally turns eBay sync off. For TCOS/future stores, turn this off when eBay sync should not help an outside seller or competitor.

15. Checkout

Checkout route:

```
/api/checkout
```

Customers must accept the Terms of Service before checkout can start.

Current Terms of Service:

```
/terms
```

Current TOS version:

```
2026-06-28
```

Checkout validates:

- cart is not empty
- duplicate cart lines are combined by product before quantity checks
- product IDs and quantities must be positive whole numbers
- shipping method is valid
- shipping is currently limited to United States addresses
- Terms of Service was accepted

- cart metadata fits inside Stripe metadata limits
- each product exists
- each product is `active`
- each product has enough quantity
- each product has a price greater than zero

Then it creates a Stripe checkout session.

Stripe checkout is configured with `shipping_address_collection.allowed_countries = ["US"]` for cart checkout, accepted offer checkout, and counter-offer checkout. Truly Collectables does not currently accept shipments outside the United States. Stripe webhooks also verify the collected shipping country before marking an order ready to ship; missing or non-US shipping evidence is stored as `paid_shipping_review` / `shipping_review`.

Successful cart checkout sends the buyer to:

```
/success?type=cart&session_id={CHECKOUT_SESSION_ID}
```

Stripe metadata includes:

- compact cart item/quantity metadata
- shipping method
- shipping name
- shipping amount
- subtotal
- item count
- TOS accepted flag
- TOS version
- TOS accepted timestamp

Reference:

- [Stripe Checkout docs](#)

16. Stripe Webhooks

Main webhook:

```
/api/webhook
```

Alternate webhook:

```
/api/stripe/webhook
```

On `checkout.session.completed`:

1. Verify Stripe signature.
2. Create or update order.
3. Insert order items if not already inserted.

4. Decrement inventory through `inventoryEngine`.
5. Sync eBay quantity after sale.
6. If accepted offer, mark offer paid.
7. Create or update transaction evidence report.
8. Email evidence PDF if evidence email is configured.

Accepted-offer sessions use `product_id` metadata if cart metadata is missing.

Safety rule:

Webhook cart metadata is normalized the same way checkout cart input is normalized. Duplicate product lines are combined before availability checks. Current cart checkout stores compact cart metadata in Stripe so large cart JSON cannot break checkout; webhooks still accept older JSON cart metadata for existing sessions.

Webhook order fulfillment status is also shipping-policy aware. If Stripe does not provide a US shipping country, TCOS still records the paid order and transaction evidence, but the order is held as `paid_shipping_review` / `shipping_review` instead of being released as `ready_to_ship`. Review-held orders appear in the admin Fulfillment Center under the Needs Review tab and cannot be marked shipped until the review status is resolved.

Inventory decrements run through the Supabase RPC `tcos_decrement_inventory_after_sale`, which locks the product row, refuses insufficient quantity, updates `products.quantity`, mirrors the result into `inventory_items`, and returns the before/after quantity. If inventory disappears between checkout creation and Stripe webhook completion, TCOS marks the paid order as `paid_inventory_review` / `inventory_review` instead of silently overselling the item.

Order webhooks store TOS/IP acceptance fields and create a transaction evidence report. The evidence report is intended for chargeback defense, fraud review, and legal dispute support.

Offer and counter-offer Stripe success URLs send buyers to:

```
/success?type=offer&session_id={CHECKOUT_SESSION_ID}
/success?type=counter&session_id={CHECKOUT_SESSION_ID}
```

The confirmation page uses the Stripe checkout session ID server-side to read checkout metadata, find the purchased product, and personalize the customer experience. When product data is available, it shows the purchased item image/title and themes the page with inferred team, character, franchise, or collectable colors. If product data is unavailable, it falls back to the Truly Collectables black/gold theme.

The confirmation page rotates short collector-focused sayings such as `Welcome to the family.` so the purchase feels like a meaningful addition to the customer's collection instead of a plain receipt page.

Reference:

- [Stripe webhooks docs](#)

Live Payment Readiness

Open:

```
/admin/launch-readiness
```

This page is server-rendered for admins only. It checks production configuration without exposing secret values.

It reports:

- public site URL
- Supabase configuration
- admin password/session secret configuration
- Stripe live/test/mixed key mode
- Stripe webhook secret
- IP intelligence/VPN blocking configuration
- transaction evidence email configuration
- eBay production sync configuration
- AI product helper configuration
- platform/storefront account separation status

Live buyer payments should stay closed until:

1. `NEXT_PUBLIC_SITE_URL` is the final HTTPS production domain.
2. Supabase production variables are set.
3. `ADMIN_PASSWORD` and `ADMIN_SESSION_SECRET` are set.
4. `STRIPE_SECRET_KEY` is a live key.
5. `NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY` is a matching live key.
6. `STRIPE_WEBHOOK_SECRET` is the live webhook signing secret for `/api/webhook`.
7. `IP_INTELLIGENCE_REQUIRED=true` and the IP intelligence provider is configured.
8. A real low-dollar checkout succeeds.
9. The order appears in admin.
10. The transaction evidence PDF is created.
11. eBay inventory quantity sync is confirmed.
12. The live test transaction is refunded in Stripe.

Platform/storefront account separation remains a readiness warning until real account roles exist. Before seller accounts, footwear operations, or third-party sellers go live, TCOS must enforce separate logins, roles, audit trails, payout profiles, and seller/buyer records for Dag Danky Holdings LLC, Truly Collectables LLC, Dag Danky Shoes, and outside sellers/customers.

17. Orders And Fulfillment

Open:

`/admin/orders`

Tabs:

- Ready to Ship
- Shipped
- All Orders

Order detail:

```
/admin/orders/[id]
```

Order detail shows:

- payment status
- fulfillment status
- customer name/email
- shipping address
- item list
- totals
- carrier/tracking
- packing slip link
- TOS/IP chargeback evidence
- evidence packet download if created

18. Transaction Evidence Files

Open:

```
/admin/files
```

Every completed Stripe transaction should create one evidence packet in:

```
transaction_evidence_reports
```

Evidence packets include:

- order ID
- order creation timestamp
- customer name and email
- shipping address
- carrier and tracking when saved
- shipped timestamp when marked shipped
- item list
- quantities and prices
- subtotal
- shipping paid
- total paid
- Stripe checkout session ID
- Stripe payment intent ID when available
- Stripe webhook event ID
- Stripe payment status

- accepted TOS version
- TOS accepted timestamp
- TOS acceptance audit event ID
- server-observed IP address
- user agent
- IP risk status
- IP block reason if applicable
- raw Stripe metadata saved with the transaction
- report generation timestamp

Admin actions:

- download PDF packet
- open related order
- download packet directly from the order detail page

Email behavior:

- if `RESEND_API_KEY` and `TRANSACTION_EVIDENCE_EMAIL` are set, TCOS emails the evidence PDF after the transaction report is created
- if email is not configured, the report is still saved in Admin Files
- if email fails, the error is saved on the report

Refresh behavior:

- saving tracking refreshes the saved evidence packet
- marking shipped refreshes the saved evidence packet
- the original transaction email is not resent during tracking/shipment refreshes
- the Admin Files PDF download uses the latest saved packet text

Evidence files:

```
src/lib/evidence-pdf.ts
src/lib/transaction-evidence.ts
src/app/admin/files/page.tsx
src/app/api/admin/files/[id]/download/route.ts
```

19. Tracking And Shipment

Tracking update API:

```
/api/orders/update-tracking
```

Required:

- order ID
- carrier
- tracking number

Mark shipped API:

```
/api/orders/mark-shipped
```

Requirements:

- order exists
- carrier exists
- tracking number exists

When marked shipped:

- fulfillment_status becomes shipped
- shipped_at is set
- the transaction evidence packet refreshes with shipment details if one exists
- email is sent if RESEND_API_KEY and customer email exist

Supported tracking links:

- USPS
- UPS
- FedEx

20. Packing Slips

Open:

```
/admin/orders/[id]/packing-slip
```

Use this when packing shipments.

21. Offers

Product pages include offer submission.

Customers must accept the Terms of Service before submitting an offer.

Offer creation route:

```
/api/offers/create
```

Admin page:

```
/admin/offers
```

Admin actions:

- accept
- decline

- counter

Accepted/counter creates a Stripe checkout link.

Offer checkout payment decrements inventory through TCOS V2.

Accepted and counter offers must pass `inventoryEngine.requireAvailableCartItems()` before TCOS creates the Stripe checkout session. That means the product must exist, be active, have enough quantity, and have a positive checkout price.

Accepted and counter offer Stripe sessions include Store #1 metadata, cart metadata, subtotal, item count, and zero-dollar offer-checkout shipping metadata so the webhook can create a normal order record.

Accepted and counter offer Stripe sessions carry the TOS acceptance metadata from the original customer offer when available.

Accepted and counter offer Stripe sessions are also limited to United States shipping addresses.

22. Seller Accounts And Auctions

Seller accounts and auctions are future-build features. Do not create placeholder seller tables or fake seller account workflows before the real account model is designed.

Account signup direction:

- TCOS accounts should use email and password as the baseline login method.
- Buyer/customer accounts, seller/store accounts, and platform-admin accounts must stay separate.
- Platform admin access for Dag Danky Holdings LLC must not be mixed with Truly Collectables LLC seller/buyer activity.
- Future seller accounts must have their own profile, verification status, payout-provider IDs, TOS acceptance, audit trail, and permissions.
- Future buyer accounts must have their own profile, order history, TOS acceptance, saved addresses, collection, wishlist, want ads, and communication preferences.

Current account foundation:

```
/account
/account/login
/account/signup
/api/account/login
/api/account/signup
/api/account/orders
/api/account/dashboard/preferences
/api/account/collector/profile
/api/account/collector/items
/api/account/collector/exports
/api/account/collector/messages
/api/account/collector/binding-offers
```

Current behavior:

- customer accounts use Supabase Auth email/password
- signup requires buyer Terms of Service acceptance
- signup requires Stripe card and billing address verification unless `ACCOUNT_CARD_VERIFICATION_REQUIRED=false`
- password must be at least 10 characters
- signup creates or updates `account_profiles` with `payment_verification_required` until Stripe setup verification completes
- signup assigns a Store #1 buyer membership in `account_store_memberships`; pending accounts use `payment_verification_required`
- pending card-verification accounts cannot log in or use authenticated account APIs as active customers
- signup/login writes `account_auth_events` when the migration exists
- signup may proceed through Stripe card and US billing address verification even when IP intelligence marks the request as VPN, proxy, Tor, relay, hosting, or anonymous; login and money-path activity remain subject to identity controls
- signup/login checks recent failed attempts by IP and email before calling Supabase Auth
- six failed signup or login attempts inside 15 minutes triggers a 15-minute account auth lockout
- account auth failures store `failure_reason` and `lockout_until` when the lockout migration exists
- logged-in checkout and offer flows attach the account ID to Stripe metadata
- completed Stripe webhooks save `orders.account_id` when account metadata is present
- customer-created offers save `offers.account_id` when the customer is logged in
- `/account` shows recent linked orders for the logged-in customer
- `/account` lets customers save a collector handle, bio, collecting focus, location label, social URLs, visibility, and message preference
- `/account` lets customers save owned collection items with category, condition, grade, estimated value, and notes
- `/account` lets customers save wish list items, 30-day want ads, set needs, and trade targets
- `/account` lets customers download their collection as CSV or a full catalog JSON backup
- `/account` lets customers save favorite teams/sports and market watchlist items
- sports dashboard preferences are stored locally first; live news, scores, schedules, and odds require approved data providers later
- market watchlist preferences support stocks, ETFs, indexes, crypto, NFTs, commodities, collectable indexes, and other assets
- `/admin/accounts` shows customer accounts, linked order counts, offer counts, TOS status, and linked revenue
- `/admin/orders` and `/admin/orders/[id]` show whether an order is linked to a TCOS account or was a guest checkout
- `/admin/offers` shows whether an offer is linked to a TCOS account or was a guest offer
- guest checkout still works and leaves `account_id` empty
- account sessions are browser-local and separate from admin login cookies
- admin login still uses `/admin/login` and `admin_auth`

Anti-fraud signup requirement:

- buyer/customer account creation requires a valid payment card and billing/address evidence through Stripe unless disabled by environment override
- the card is saved through a Stripe setup flow before the account becomes fully active
- TCOS activates the buyer account only when Stripe returns a card payment method with complete United States billing address evidence
- TCOS must not store raw card numbers, CVV, or payment credentials
- failed or canceled verification prevents account activation and login
- this requirement is intended to reduce scam accounts, chargeback risk, fake offers, and abusive collector/social activity

Migration:

```
supabase/migrations/20260628190000_create_tcos_accounts.sql
supabase/migrations/20260628193000_link_accounts_to_orders_offers.sql
supabase/migrations/20260628201500_add_account_auth_lockouts.sql
supabase/migrations/20260628213000_create_sports_dashboard_tables.sql
supabase/migrations/20260628220000_create_collector_dashboard_tables.sql
supabase/migrations/20260628223000_create_collector_profiles_messaging_exports.sql
supabase/migrations/20260630100000_add_account_card_verification.sql
supabase/migrations/20260701074500_add_account_billing_address_evidence.sql
```

Current: Collection Shelf, Wish List, And Want Ads

The collector dashboard now has the foundation for owned collections and hunting targets.

Collection Shelf supports:

- title
- category
- item type
- condition
- grade company
- grade value
- estimated value
- ownership status
- privacy/visibility
- favorite flag
- notes

Wish List and Want Ads support:

- wish list items
- 30-day want ads
- set needs
- trade targets
- category and item type

- player/character, team/franchise, brand, set, year, card number, and variant fields
- desired condition and grade
- budget range
- priority levels including grail
- status tracking
- future match records

Current behavior:

- collector records are account-scoped and store-scoped
- removing a collection item soft-archives it
- removing a wish list item cancels it
- want ads default to a 30-day expiration
- matching, AI identification, image uploads, alerts, and outside marketplace links are future layers on this foundation

Foundation tables:

```
account_collection_items
account_wish_list_items
account_wish_list_matches
```

Current: Collector Bio, Social, Messaging, Binding Offers, And Backups

Collector profiles support:

- collector handle
- bio
- collecting focus
- location label
- website URL
- social marketplace URLs for Instagram, Facebook, X, TikTok, YouTube, Whatnot, and eBay
- profile visibility
- message opt-in flag

Collector social supports:

- discovering public/community collector profiles
- following collectors
- sending friend requests
- accepting incoming friend requests
- showing a following/friends brag feed on the account dashboard
- posting a purchase brag directly from order history
- one-click default brag posting with an optional customize path
- brag visibility of private, friends, followers, community, or public
- generated share links under `/brag/[slug]`

- brag-link click tracking through `account_brag_post_clicks`
- source-tagged share actions for feed links, X, Facebook, and copied links
- weekly brag performance report foundation through `/api/admin/brag-weekly-report`

Brag post share links:

- redirect to `/shop?brag=[slug]`
- preserve `src` so traffic can be attributed to feed, X, Facebook, copied links, direct links, or future channels
- increment `account_brag_posts.click_count`
- save click audit data with source, referrer, user agent, observed IP, and timestamp
- display the TCOS/TotallyCollectibles.com link in the brag feed so shared posts can bring customers back to the marketplace

Weekly brag stats:

- configured by `BRAG_REPORT_EMAIL`
- uses `RESEND_API_KEY` when available
- falls back to saving the weekly report row if email is not configured or email fails
- stores report history in `account_brag_weekly_reports`
- includes tracked traffic by source so weekly email can show which social/link channel brought visitors back
- should be scheduled once per week by the deployment scheduler or admin automation

Collection exports:

- `/api/account/collector/exports?format=csv` downloads a spreadsheet-friendly collection backup
- `/api/account/collector/exports?format=catalog_json` downloads profile, collection items, wish list items, pricing fields, descriptions/notes, image URLs, and a media manifest
- each export writes an `account_collection_export_jobs` audit row when the migration is available

Collection imports:

- `/api/account/collector/imports` imports CSV rows into the logged-in collector's private collection shelf
- the account dashboard supports source-labeled CSV uploads for eBay, COMC, CollX, Sportlots, Whatnot, Shopify, generic CSV, and other outlets
- CSV import accepts common headers such as title, category, condition, grader, grade, certification number, image URL, listing URL, price/value, price paid/cost, source ID, SKU, and notes
- imports write only to `account_collection_items`
- imports do not create storefront products, sellable TCOS inventory, eBay listings, orders, offers, checkout rows, or Stripe activity
- duplicate checks use source marketplace plus source item ID when available, then title/category/certification fallback matching
- `account_collection_import_jobs` stores row, import, skip, and error counts when the migration is available

Messaging foundation:

- `account_conversations` stores account-to-account collector threads

- `account_conversation_messages` stores regular messages, binding-offer messages, and system messages
- the account page does not yet expose the full inbox UI; the API and schema foundation are in place

Binding offer rule:

- a binding offer starts in `payment_required`
- the buyer must accept buyer TOS
- masked identity checks still apply
- Stripe Checkout runs in setup mode before the offer is submitted
- after Stripe confirms the payment method, the webhook updates the offer to `submitted`
- the later seller-acceptance slice must charge the saved payment method, mark the offer paid or failed, and create/lock the order

Foundation tables:

```
account_collector_profiles
account_social_connections
account_brag_posts
account_brag_post_clicks
account_brag_weekly_reports
account_conversations
account_conversation_messages
account_binding_offers
account_collection_export_jobs
```

One Or Two Click Inventory Imports From Other Sales Outlets

Collectors and seller accounts should eventually import inventory from other sales outlets with as few steps as possible.

The first collector CSV import path is implemented for private collection shelves. Future connector work should extend this foundation to official APIs, OAuth flows, provider exports, and seller inventory import jobs.

Goal:

- connect or upload from an outside sales outlet
- preview detected items
- import into TCOS inventory or the collector's private collection
- preserve source IDs, source marketplace, listing URLs, images, descriptions, prices, condition, quantity, and category evidence
- map items through the same Universal Inventory Engine category and attribute system
- prevent duplicate imports by source listing ID, SKU, and normalized title

Candidate outlets:

- eBay seller inventory
- COMC
- ColIX

- Sportlots
- Whatnot
- Shopify or CSV export
- future shoe/collectable marketplaces where terms allow import

Implementation rule:

- use official APIs, OAuth, account export files, or user-uploaded CSV/templates where available
- do not scrape accounts or bypass marketplace terms
- each outlet needs its own connector status, last sync time, import job log, and duplicate-detection report

Future: Sports, Scores, Schedules, Odds, And Market Watchlists

The account dashboard now has the data foundation for favorite teams and market watchlists.

Sports dashboard goals:

- users can save favorite teams, leagues, and sports
- future provider jobs can populate news, scores, schedules, league links, and official-team references
- odds data must be provider-backed, jurisdiction-aware, age-gated where required, and display-only unless a future legal/compliance review approves anything more
- TCOS should prefer official league/team sites or licensed sports data providers instead of scraping

Market dashboard goals:

- users can save stocks, ETFs, indexes, crypto, NFTs, commodities, collectable indexes, and other assets
- future provider jobs can populate quotes, price history, news, NFT floor pricing, and alerts
- market data must be informational only and must not be presented as financial advice
- provider terms, licensing, freshness, and attribution must be reviewed before live display

Foundation tables:

```
account_sports_favorites
sports_data_sources
sports_event_snapshots
sports_news_snapshots
sports_odds_snapshots
account_market_watchlist_items
market_data_sources
market_price_snapshots
market_news_snapshots
```

Current seller legal page:

```
/seller-terms
```

Seller-account requirements:

- Truly Collectables LLC should be modeled as the storefront seller/buyer account

- David Bakanas can administer the Truely Collectables LLC account, but those seller/buyer actions must be recorded separately from Dag Danky Holdings LLC platform-admin actions
- Truely Collectables LLC must use separate login credentials and account information from Dag Danky Holdings LLC platform-admin access
- Dag Danky Shoes should be modeled as the footwear storefront seller/buyer account
- Dag Danky Shoes must use separate login credentials and account information from Dag Danky Holdings LLC platform-admin access and from Truely Collectables LLC
- sellers must accept the Seller Terms of Service before listing, auction submission, payout setup, or seller account use
- seller bank and payout information must be verified by an approved third-party payment, banking, or identity provider
- TCOS must not store raw bank credentials directly
- seller payout status must be gated by third-party verification status
- Dag Danky Holdings LLC charges an 8% platform commission/rake on purchases completed through the TCOS website checkout
- Dag Danky Holdings LLC does not earn the 8% platform commission/rake when an item uploaded from TCOS sells on eBay or another outside marketplace; outside marketplace sales follow that marketplace's own fees, payout rules, and seller obligations
- the 8% commission is calculated from total sale amount, including item sale price plus buyer-paid shipping
- seller acceptance should be stored with seller TOS version and timestamp when seller accounts are implemented
- seller payouts must follow the approved payment processor's timing, reserve, debit, chargeback, instant payout, bank-transfer, and recovery rules unless Dag Danky Holdings LLC approves a different processor or payout method
- sellers may list unverified autographs, in-person autographs, through-the-mail autographs, fan-club returns, or other provenance-supported items only if the listing clearly discloses the true verification status
- autograph listings must clearly label whether they are third-party certified, seller-pass-guaranteed, provenance-supported but unverified, or sold as-is and unverified
- if a seller relies on provenance evidence such as envelopes, letters, postmarks, signing photos, event tickets, or correspondence, that evidence must be clearly called out in the listing description and shown in listing photos when available
- if a seller claims or implies that an item will pass JSA, PSA DNA, Beckett, or another named third-party authenticator, that seller claim becomes part of the transaction record and refund/dispute evidence
- if an autograph or authenticity-sensitive item is sold as unverified, sold as-is, and not guaranteed to pass third-party authentication, the buyer assumes that disclosed authentication risk and a later failure alone does not force a refund unless the seller made a false or misleading authenticity representation
- seller inventory activation now blocks autograph-sensitive drafts when the listing still lacks an explicit authenticity status, required certification provider, required pass-guarantee authenticator, or required provenance evidence
- seller eBay staging now carries forward title/aspect autograph clues into draft authenticity defaults when possible, so certified or autograph-sensitive imports start closer to a compliant disclosure state before

activation

- seller marketplace preview rows and staged rows now show imported authenticity badges, cert clues, category hints, and disclosure notes directly in the seller UI before promotion into draft inventory
- seller marketplace staged rows now also include a review editor so the seller can correct category hint, authenticity status, autograph source, cert details, pass-guarantee names, provenance evidence, and disclosure notes before promoting the row into draft inventory
- seller marketplace staged rows now also show the projected draft activation outlook, including future activation blockers such as missing authenticity disclosure, missing cert provider, missing provenance evidence, missing SKU, missing image, or missing quantity before the seller promotes the row
- seller cash-out requests can only be made against payout ledger amounts marked eligible; held funds remain unavailable until fulfillment, dispute, fraud, and review rules release them
- seller payout ledger rows can be manually released to eligible, placed back on fulfillment hold, placed on dispute/review hold, reversed, or cancelled by admin review
- seller payout ledger rows tied to an active or paid cash-out request must not be destructively changed without resolving the cash-out request first
- admin payout review can mark seller cash-out requests requested, approved, processing, paid, rejected, or cancelled for audit tracking
- every admin payout ledger or cash-out request status change must write an append-only audit event with previous status, new status, admin note, IP, user agent evidence, and timestamp
- marking a cash-out request paid records TCOS status only; actual payout movement must be completed through the approved payout processor until automated transfers are explicitly built and tested
- marking a cash-out request paid must record the provider payout reference plus final processor fee and final seller net amount so TCOS can reconcile the cash-out against the payment processor
- seller cash-out or payout processor fees are separate from the Dag Danky Holdings LLC 8% platform rake and may reduce the seller's final net payout according to the payout provider's rules
- when a return, dispute, chargeback, authenticity case, or item-not-as-described claim is opened against a seller item, related seller funds must be held until the case and all available appeals are finally decided
- if the case is decided against the seller, TCOS policy should support recovery from held funds, future payouts, or the seller's verified payout/bank method according to payment processor rules, including recovery within three business days when supported by the provider and allowed by law
- a first confirmed counterfeit or authenticity-breach case may require refund, formal seller warning, payout hold, and case-history logging
- a repeat confirmed counterfeit or authenticity-breach case may trigger seller suspension, removal, or permanent ban review
- order review cases live on the admin order detail page and cover chargebacks, returns, authenticity issues, item-not-as-described claims, payment risk, shipping issues, seller disputes, and other order problems
- opening an order review case can automatically move related seller payout ledger rows into `hold_dispute_or_review`
- opening an order review case can optionally move an unshipped order into `shipping_review`
- order review case updates write append-only case events with previous status, new status, admin note, IP, user agent evidence, and timestamp

- closing a case records the outcome summary, but seller payout release or recovery must still follow the payout ledger controls and the approved payout processor's rules

Current seller payout verification foundation:

- `/account` includes a Seller Verification panel for logged-in, active accounts
- `/api/account/seller/payout-requests` now returns dispute-blocked request context so sellers can see when an open cash-out request is still tied to active review cases or held payout rows
- `/api/account/seller/payout-requests` now also returns linked order routing summaries for each request so sellers can jump straight into the exact routed orders tied to a cash-out
- the Seller Cash-Out panel now breaks held funds into pending-fulfillment holds, dispute holds, reserved open requests, and cancelled/reversed rows so sellers can see what is truly cash-out ready
- blocked seller cash-out requests now link into a seller-side Hold Context section on `/account` so the affected order numbers and hold reasons are easy to trace without admin access
- `/seller/payouts` now gives sellers a dedicated payout workspace with Stripe verification status, cash-out readiness metrics, request history, and blocked hold context links into seller orders
- `/seller/payouts` now also supports seller-side request filters for blocked, open, paid, and attention-needed cash-out requests plus text search across request IDs, order references, notes, provider status, and payout references
- `/seller/payouts` now surfaces linked order cards inside each seller cash-out request, including payment status, fulfillment status, request amount by order, active case counts, held payout row counts, and direct links into seller order detail
- `/seller` now acts as the seller command center with cross-workspace metrics for inventory readiness, payout pressure, seller order volume, recent seller signals, and operational radar panels for draft blockers, blocked cash-out requests, and action-required orders
- the seller command center now also deep-links each workspace card, pressure panel, and recent seller signal into the exact needs-work, blocked, action, shipping, or signal-focused view when a smarter handoff exists
- seller inventory, orders, and payout pages now honor incoming URL filter/search parameters so dashboard and workspace handoffs open the intended view immediately
- seller inventory, orders, and payout filters now also keep the browser URL in sync so the current view is refresh-safe, bookmarkable, and shareable after the seller changes filters
- seller order detail links now preserve originating seller order or payout context, and the detail page returns sellers to the right view instead of dumping them back into the generic order list
- seller order detail now also includes direct order and payout action cards plus timeline handoffs so one order can launch the seller back into the exact workflow view that needs attention
- seller order detail payout rows and review cases now also expose contextual order or payout links so the seller can jump straight from a specific issue into the matching workflow view
- seller order cash-out request links now open the payout workspace in the correct request view with the specific request pre-searched instead of relying on a loose anchor jump
- seller payout links into order detail now preserve the originating payout view, and order detail can return the seller back to that payout workspace instead of only the generic order list
- seller inventory handoff buttons now route into action-order, shipping, or blocked-payout views when the current listing state or bulk failure reason makes a more precise seller workflow jump available

- seller payout navigation and empty-state recovery now route into action-order, cash-out, or completed order views based on the active payout request view so sellers can jump into the matching order workspace without resetting context first
- seller order navigation and empty-state recovery now route into blocked, attention, open, or paid payout views based on the active order workspace so the seller can cross from order work into the matching payout view without losing workflow context
- the seller command-center header now routes Inventory, Payouts, and Orders into the hottest needs-work, blocked, open, action, or shipping view instead of dropping sellers at generic workspace roots
- the seller inventory header now routes Orders and Payouts into shipping, action, blocked, or open views based on active listing focus, draft cleanup pressure, and payout-verification fallout
- the seller order-detail header now routes Payouts into blocked, attention, open, paid, or general payout views based on the live payout pressure tied to that routed order
- blocked cash-out order chips and action-order cards on the seller command center now jump straight into seller order detail with the right order or payout return context
- payout-related seller signals on the command center now open the matching payout view directly, and their order-detail links return sellers back to blocked or open payout work instead of only the order workspace
- seller order workspace shortcut cards now include direct jumps into their matching blocked, attention, open, or paid payout view instead of making the seller open orders first and payouts second
- seller payout workspace shortcut cards now include direct jumps into their matching action-order, cash-out, or completed order view so sellers can pivot across workspace states without resetting context
- seller payout request cards and blocked-hold summaries now route directly into the matching action, shipping, cash-out, or completed order view based on the request's real order pressure instead of only linking into order detail
- seller order detail now routes cash-out claims into action, shipping, cash-out, or completed order views based on live request pressure, and seller-facing payout actions now use clearer cash-out wording
- seller home blocked cash-out cards now include direct jumps into action-order and blocked-payout request views, and seller payout summary labels now use clearer cash-out wording
- seller order workspace cash-out request cards now include direct jumps into action, shipping, cash-out, or completed order views based on live request pressure, and seller home payout summary labels stay aligned with the cash-out wording
- seller signal cards on the command center and seller order detail now label payout actions with the actual blocked or cash-out view they open instead of using generic payout wording
- seller marketplace import draft-output links now open the seller draft inventory workspace directly, and draft-output guidance now calls that handoff by name instead of sending sellers to a generic inventory root
- seller marketplace draft-output links now choose the most useful draft view, and recent promoted inventory cards can jump straight into the matching seller inventory workspace for that item
- seller home draft blockers now include direct seller-workspace jumps for each item, and seller-home inventory or order recovery buttons now name the exact needs-work or action view they open
- seller order cards now turn recent signal rows into direct order, payout, and seller-detail actions so sellers can react from the order list instead of opening the detail page first

- top-level seller order signals now include direct blocked-payout or cash-out-payout actions when the signal is payout-related, and their seller-detail label now matches the rest of the workspace
- seller cash-out request buttons inside order list and order detail now name the exact payout view they open, including blocked, cash-out, paid, or attention views
- seller home and top-level seller order signals now label action jumps with the exact action, shipping, cash-out, completed, or seller-order view they open, and seller-home signal detail links now use the same seller-detail wording as the rest of the workspace
- seller inventory order buttons now carry the current listing title into the target seller order workspace so shipping, action, or seller-order jumps land on the relevant collectible instead of a broad search
- remaining seller views that route into the open payout-request view now call it the cash-out payout view instead of the older generic open-payout wording
- seller inventory can now open marketplace review with staged-row search context from the current listing, and the marketplace workspace can initialize its filter/search state from those incoming query parameters
- seller inventory summary and toolbar marketplace shortcuts now carry readiness or search context into seller marketplace review so needs-work, ready-stage, and item-search jumps land in the right staged view
- the seller command center now reads the latest staged import summary and turns its marketplace card and header shortcut into direct blocked, needs-review, ready, mapped, or general marketplace links based on live sync pressure
- seller marketplace draft-output links now reuse the smart seller draft workspace target, and promotion-result controls now distinguish between showing promoted rows inside marketplace review versus opening the seller draft inventory workspace
- promotion-result rows now include direct seller draft-workspace links using the promoted title or SKU, so sellers can open the matching seller-owned inventory record without detouring through admin first
- blocked, failed, and already-promoted marketplace conflict matches now expose seller-workspace links whenever the duplicate belongs to the same seller or store-owned inventory, while keeping the admin product links for deeper review
- seller inventory bulk success and failure follow-up cards now include direct seller-workspace links for the affected listing, and remaining admin product links use the same open-in-admin wording as the rest of the seller workspace
- the seller inventory header marketplace shortcut now carries the current inventory search and readiness context into seller marketplace review, and marketplace admin-only exits now consistently use the same open-in-admin wording as the rest of the seller workspace
- seller orders and seller payouts now turn their inventory header shortcuts into context-aware seller inventory links, using the current order or payout filter plus usable search text to land on needs-work drafts, active inventory, or a focused seller inventory search
- the seller order detail header now routes its inventory shortcut into active or general seller inventory with single-item search context when available, instead of always dropping sellers at the inventory root
- seller orders, seller payouts, and seller order detail now turn their marketplace header shortcuts into search-aware seller marketplace links, carrying usable listing text or single-item context instead of always opening the generic marketplace root
- the seller order detail login gate now preserves the page's return order or payout context instead of always sending logged-out sellers back to the generic seller orders root

- seller command center action cards now reuse the same smart workspace routing as the header shortcuts, so idle states fall back to seller inventory, seller payouts, or seller orders instead of forcing empty ready, shipping, or cash-out views
- the seller marketplace page now uses its live store counts to steer inventory and payout shortcuts toward active inventory, seller drafts, or payout setup instead of treating every workspace jump as a generic root link
- the account page now routes seller payout entry points into blocked or cash-out payout views when pressure exists, and hold-context shortcuts now open the seller action-order workspace instead of the generic seller order root
- blocked payout request chips and hold-context cards on the account page now open seller order detail with the blocked-payout return view preserved, so the seller can inspect an order and still jump back into the right payout workspace
- seller payout request cards on the account page now include direct jumps into the matching blocked, cash-out, paid, or general payout view plus the corresponding seller order view, instead of only showing request status in place
- the account page seller-verification card now reads the latest staged import summary and routes its marketplace button into blocked, needs-review, ready, mapped, or general seller marketplace review instead of always opening the generic marketplace root
- seller orders and seller payouts now steer their marketplace header shortcut into needs-review marketplace cleanup when the seller is already working blocked or attention-heavy views, while clean views keep the broader marketplace search handoff
- seller order detail now uses live blocked payout and review pressure to send its marketplace shortcut into needs-review cleanup when that order is under active hold pressure, while clean order detail pages keep the broader marketplace search handoff
- seller command-center empty-state buttons for draft blockers, blocked cash-outs, and action orders now reuse the same smart workspace fallbacks as the header and action cards, instead of dropping sellers into views that may already be empty
- the account page seller payout shortcut now shows payout setup when seller verification is still incomplete, while still routing straight into blocked or cash-out payout views when live request pressure exists
- draft blockers on the seller command center now include direct needs-review marketplace search links for the affected collectible, so sellers can pivot from a blocked draft into marketplace cleanup without first opening seller inventory
- seller order detail item rows now include direct seller inventory and marketplace search links for each collectible, and blocked orders steer those marketplace item links into needs-review cleanup instead of a broad marketplace search
- seller order workspace item rows now include direct seller inventory and marketplace search links for each collectible, and review-heavy orders steer those marketplace item links into needs-review cleanup instead of a broad marketplace search
- seller order detail payout rows now include direct seller inventory and marketplace search links for the affected collectible, and blocked orders steer those marketplace row links into needs-review cleanup instead of a broad marketplace search
- review pressure cards on the seller order workspace now include direct action, blocked-payout, and order-detail links for each case, so sellers can jump from a live case summary into the exact workflow

without opening the order first

- action-order cards on the seller command center now include direct order-view, payout-view, and order-detail buttons, so homepage pressure can jump straight into action, shipping, cash-out, blocked payout, or order detail without forcing a single generic click path
- blocked seller payout request cards now turn their affected-order list into direct action-order and order-detail handoffs, preserving blocked payout return context instead of treating those orders as detail-only chips
- blocked cash-out cards on the seller command center now turn their linked-order list into direct action-order and order-detail handoffs, so homepage payout pressure can jump straight into the right order workflow without a generic detour
- blocked hold-context cards on the seller payout page now include direct blocked-payout view links with the specific order search context preserved, so held cash-out pressure can reopen the exact payout workspace instead of only relying on local focus state
- top blocker rows on the seller inventory page now act as direct focus controls, jumping sellers into draft needs-work inventory with the affected listings preselected instead of leaving blocker counts as passive summary text
- seller inventory item cards now include direct payout workspace handoffs, sending active listings into cash-out payouts and other listings into seller payouts with item search context preserved
- recent seller inventory cards on the marketplace page now also include direct seller-order and seller-payout workspace handoffs, so imported listings can pivot into shipping, action, seller orders, cash-out payouts, or seller payouts without leaving the marketplace workspace first
- recent seller inventory cards on the marketplace page now include direct marketplace-row search links using eBay item ID, SKU, or title, with blocked drafts steering into needs-review cleanup, ready drafts steering into the ready stage, and non-draft items keeping the broader marketplace search handoff
- seller inventory bulk success and failure follow-up cards now include direct marketplace review links for the affected listing, and draft items with blockers steer those links into needs-review cleanup instead of a broad marketplace search
- main seller inventory row actions now reuse the same smart marketplace routing as the follow-up cards, so blocked drafts open needs-review cleanup, ready drafts open the ready stage, and non-draft listings keep the broader marketplace search handoff
- seller payout linked-order cards now include direct workspace handoffs for the specific order, steering into action, shipping, cash-out, completed, or general seller-order views based on the live payout and fulfillment pressure already shown on the card
- `/seller/orders` now gives sellers a dedicated order and payout activity workspace scoped to their own routed items, including payout statuses, active case pressure, tracking state, open cash-out claim counts, and a fresh seller signals feed that summarizes recent order, payout, shipping, and review movement
- `/seller/orders` now also supports seller-side order filters for action-required orders, shipping-needed orders, cash-out-linked orders, completed orders, cash-out request summaries with payout deep links, and text search across order IDs, item titles, case titles, carriers, tracking numbers, and request references
- the seller order workspace now also includes shortcut cards plus recent-signal focus actions that can jump straight into action-required, shipping, cash-out, or completed order views
- recent activity cards on seller order detail now name the exact order view they open, so shipment, cash-out, completed, and action signals match the explicit order wording already used on seller home and the

order workspace

- the seller home payout-pressure card now reuses the same live payout workspace shortcut logic as the rest of the dashboard, so its CTA opens blocked payouts, cash-out payouts, or the general seller payout workspace based on real request pressure instead of a stale two-branch shortcut
- the seller home inventory-pulse card now reuses the same live inventory workspace shortcut logic as the rest of the dashboard, so its CTA opens needs-work drafts, ready drafts, or the general seller inventory workspace based on real listing pressure instead of a stale two-branch shortcut
- seller home and seller order signal cards now consistently label their drilldowns as order detail links, matching the rest of the seller workspace instead of mixing in older seller-detail wording
- draft blocker cards on the seller command center now also include direct action-order handoffs scoped by listing title, so seller cleanup can pivot from a blocked draft into the surrounding order view without stopping at inventory first
- seller order and seller payout shortcut cards now label their primary buttons with the exact order or payout view they open instead of generic shortcut wording, matching the explicit handoff style used everywhere else in the seller workspace
- blocked hold-context cards on the seller payout page now use the same Open Order Detail wording as the rest of the seller workspace instead of keeping a shorter one-off order label
- seller inventory bulk follow-up controls now use explicit inventory workspace labels such as Open Seller Inventory instead of vaguer fallback wording, keeping bulk recovery actions aligned with the naming used across the seller workspace
- seller home section footer links now use the same Open wording as the rest of the seller workspace, replacing older Review labels on needs-work drafts, blocked payouts, and action orders
- seller inventory and seller marketplace cleanup panels now name their failed follow-up actions directly as failed inventory or failed promotions instead of sharing vague fallback wording
- marketplace diagnostics now label their view buttons with explicit Open wording, so ready, review, blocked, and mapped jump actions match the rest of the seller workspace instead of using shorter stage-only labels
- seller payout filters and empty-state recovery buttons now refer to blocked, cash-out, paid, and attention requests directly instead of calling those request views generic buckets
- blocked hold-context cards on the seller payout page now refer to focusing blocked requests in the plural, matching the summary card's multi-request hold context instead of implying only one blocked request exists
- the seller home inventory workspace shortcut now uses the fuller Needs Work Drafts label, so dashboard calls-to-action match the rest of the seller inventory language instead of shortening that workspace name
- the seller inventory sidebar now uses Open Action Orders alongside its other explicit footer actions, instead of leaving the order handoff as the shorter Action Orders label
- failed-promotion cleanup controls now use ready, review, and conflict view wording directly, so marketplace recovery buttons match the same language used by the rest of the staging diagnostics
- seller home and seller payout action buttons now render with explicit Open wording for order and payout handoffs, so direct workspace jumps read like actions instead of unlabeled stage names
- seller order list and order detail actions now use Action Orders, Shipping Orders, Cash-Out Orders, and Completed Orders wording instead of the older workflow phrasing, so order handoffs read the same way as the rest of the seller workspace

- seller inventory item cards now use explicit Open Shipping Orders, Open Action Orders, Open Seller Orders, and payout handoff wording, so item-level jumps match the action language used throughout the rest of the seller workspace
- seller workspace header shortcuts now render inventory, payout, order, and marketplace destinations with explicit Open wording unless they are already search or return actions, so the top navigation chips read like actions across the whole seller surface
- seller order, payout, and marketplace handoff controls now also prefix their remaining visible workspace jump buttons with Open wording, removing the last raw Seller Orders and payout workspace labels from seller-facing controls
- seller marketplace inventory preview cards now use explicit Open Shipping Orders, Open Action Orders, Open Seller Orders, and Open Seller Payouts wording, so preview-card jumps match the rest of the seller workspace action language
- seller inventory and marketplace cards now use Open Seller Inventory and Open Admin Product wording for product-level handoffs, so item drilldowns read more clearly than the older Open In Seller Workspace and Open In Admin labels
- generic seller marketplace jumps now use Marketplace Rows wording across seller home, inventory, orders, payout, and order-detail surfaces, so the unscoped marketplace destination keeps one clear name while stage-specific review and ready labels stay intact
- the seller marketplace dashboard now uses Seller Payout Setup as its payout fallback label, so that header shortcut reads like a proper seller workspace destination instead of the shorter Open Payout Setup phrasing
- seller inventory and marketplace section headings now use Seller Inventory Workspace and Seller-Safe Build Progress wording, so those surface titles match the rest of the seller UI instead of keeping older workflow phrasing
- seller home marketplace workspace labels now use Blocked Marketplace Rows, Ready Marketplace Rows, and Mapped Marketplace Rows, so the stage-specific seller-home chips stay aligned with the broader Marketplace Rows naming
- `/seller/orders/[id]` now gives sellers a scoped drilldown with their item rows, payout ledger rows, deduplicated cash-out request summaries, cross-order payout request links, shipping/tracking state, linked seller-visible review cases, and a recent activity timeline for that order
- `/seller/marketplaces` shows the seller marketplace connection dashboard with live Store #1 inventory/eBay stats and the seller-safe connector build progress panel
- `/admin/order-review-cases` shows the global admin case queue across chargebacks, returns, authenticity issues, payment risk, shipping issues, and seller disputes
- `/admin/orders/[id]` shows order review cases and can open chargeback, return, authenticity, payment-risk, shipping, and seller-dispute case files against an order, download case packet PDFs, and apply seller payout release/reversal/appeal resolution directly from the order screen
- case packet PDF downloads compile order details, TOS/IP evidence, shipping evidence, order items, case notes, case event history, seller payout hold context, Dag Danky Holdings LLC fee rows, and transaction evidence report references
- downloading a case packet saves or refreshes an `order_review_case_packets` record so the packet appears under `/admin/files`
- `/api/admin/order-review-cases/[id]/payout-resolution` can release held seller payout rows to eligible after a seller-favorable decision, reverse/cancel held rows after a buyer-favorable decision, or keep

related rows held for appeal

- `/api/admin/seller-payouts/requests` now blocks approve, processing, and paid transitions whenever the request is tied to active order review cases or held/cancelled payout rows
- `/api/account/seller/payout-onboarding` starts or resumes Stripe-hosted Express onboarding
- the seller payout workspace now also includes request-view shortcut cards, stronger empty-state recovery, and hold-context focus actions that jump straight into blocked request cleanup
- `/api/account/seller/marketplace-connections` returns seller-scoped marketplace connection records and saves seller connection requests for the logged-in account
- `/api/account/seller/marketplace-connections/ebay/auth` starts seller-safe eBay OAuth for the logged-in account
- `/api/account/seller/marketplace-connections/ebay/status` refreshes the seller eBay token and updates connection health without touching the Store #1 `ebay_tokens` path
- `/api/admin/order-review-cases` opens and updates admin order review cases, logs identity evidence, and can hold related seller payout rows
- the seller must accept Seller Terms before payout onboarding starts
- seller TOS acceptance is recorded through `tos_acceptance_events`
- Stripe collects and verifies bank/payout details; TCOS does not collect raw checking account or routing numbers
- `seller_payout_accounts` stores Stripe Connect account ID, onboarding status, payout flags, due requirements, disabled reason, and seller TOS evidence
- `seller_marketplace_connections` stores marketplace provider, seller account label, connection status, sync status, token reference/expiry metadata, last sync timing, and sync error state; it does not store raw OAuth secrets in this first foundation slice
- seller eBay OAuth reuses `/api/ebay/callback` through signed state so the existing Store #1 eBay app redirect can support seller-safe connections without touching the global `ebay_tokens` path
- encrypted seller marketplace tokens are stored separately from `ebay_tokens`
- seller eBay staging now supports a seller-side review view with readiness counts, stage-status filters, staged-row search, warning badges such as missing SKU/listing ID, and direct admin links to already promoted draft products
- staged seller rows are loaded through `/api/account/seller/marketplace-connections/ebay/staged-items?limit=100`, keeping review work seller-scoped without writing directly into live store inventory
- the staged-items API and seller marketplace page now also surface recent seller import job history so the seller can review row counts, staged counts, skipped counts, error counts, and latest run timing without needing admin access
- recent seller import jobs now also store diagnostic metadata, including skip-reason rollups, quality-signal counts, request limits, and returned eBay totals so cleanup pressure is visible right on `/seller/marketplaces`
- each recent import run can now also focus the staging table to that specific job, making it easier to inspect only the rows touched by that run and then clear back to all staged rows
- focused import-run review now reloads staged rows by `import_job_id` from the API, so large seller imports are not limited to the default staged-row fetch window during cleanup
- each recent seller import run now also shows a live outcome snapshot with ready, review, blocked, mapped, promoted, and skipped counts so the seller can see where that run stands after cleanup begins

- those run snapshots now also include one-click shortcuts into the exact ready, review, blocked, or mapped view for that specific import job
- those run view shortcuts now also preselect the matching rows from that import job so seller bulk actions can start without another selection pass
- import run outcome cards now also show cleanup state and resolved progress so sellers can scan which import batches are complete, in progress, or still waiting on work
- import run controls now also include a one-click remaining-work selection that gathers the unresolved rows for that exact run into the active bulk selection
- the staged-row bulk action bar now shows how the current selection is split across ready, review, blocked, mapped, and skipped rows before the seller runs a bulk action
- the staged-row bulk bar now also explains the safest next move for the current selection, especially when a run-level shortcut loads a mixed selection of ready, review, and blocked rows
- when that mixed-selection guidance appears, the seller can now trim the current selection down to just ready, review, or blocked rows without rebuilding the selection manually
- if a selection mixes active work with already completed mapped/skipped rows, the guidance panel can now reduce it to active work only or completed rows only in one click
- bulk action buttons now show the exact number of rows they will touch and skip rows that are already in the requested status, so the seller gets cleaner feedback on mixed queues
- bulk promotion now clears only the rows that actually promoted into draft inventory, leaving failed or still-needed rows selected for the next seller cleanup action
- if some rows fail during bulk promotion, the seller now gets a follow-up panel with error snippets and a one-click way to keep only the failed rows selected
- that failed-promotion follow-up panel can now also move failed rows directly into `needs_review`, making it easier to park problem rows for cleanup right away
- when a promotion failure is caused by an existing product conflict, the follow-up panel now shows the conflict reason and direct admin product links for faster cleanup
- that same follow-up panel now also summarizes how many failed rows are conflicts, review rows, or still-ready rows, and can isolate conflict-only failures in one click
- conflict-only failures can now jump directly into the blocked staging view with those failed rows preselected for faster duplicate cleanup
- failed promotion rows can now also jump directly into ready-retry or review views, so the seller can move each failure type into the right workflow without rebuilding selections
- if some failed rows are still clean enough to promote, the follow-up panel can now retry just those ready failures directly from the panel
- the same follow-up panel can now reopen the entire failed subset in the staged workspace before the seller splits it into ready, review, or conflict cleanup groups
- successful promotions now also surface a seller-side results panel with promoted draft links, mapped-row handoff, and a direct jump into `/seller/inventory`
- the seller marketplace page now also includes a post-import action board with one-click focus for ready rows, needs-review rows, blocked conflicts, and promoted draft output so the seller can move straight from import results into cleanup or promotion work
- staged seller rows now include pre-promotion conflict guards that check for existing store products by `ebay_item_id` and `sku`, so sellers can see duplicate blockers and jump straight to the conflicting admin

product before promotion

- seller draft promotion now requires the staged row status to be `staged` ; `needs_review` , `mapped` , and `skipped` rows must be intentionally moved back into `staged` before promotion is allowed
- staged seller review now supports bulk selection with batch moves to `staged` , `needs_review` , or `skipped` , making large seller import cleanup faster without touching live store inventory
- staged seller review now also supports bulk promotion of selected ready rows, using the same single-item promotion safeguards for each row and refreshing the staged board after the batch completes
- the seller marketplace page now includes a conflict review dashboard that groups blocked reasons, lists recent blocked rows, and links straight to conflicting admin products for faster duplicate cleanup
- `/api/account/seller/inventory` and the seller marketplace page now show draft-output metrics plus recent seller-owned inventory created through staged promotion, so sellers can see what the import workflow actually produced
- `/seller/inventory` gives sellers a dedicated inventory workspace with readiness filters, blocker rollups, and quick links back to marketplace review and seller orders
- `/seller/inventory` can now activate a ready seller draft directly into live inventory after payout verification is active and readiness blockers are clear
- `/seller/inventory` can now also pause live listings, archive seller drafts, and reactivate archived listings without deleting the linked product record
- `/seller/inventory` now includes a seller-safe editor for title, price, quantity, and description, plus shared regenerate and AI description tools without requiring admin access
- `/seller/inventory` now supports bulk row selection, select-visible shortcuts, bulk activation for ready listings, and bulk archive controls for faster seller cleanup
- seller inventory bulk actions now keep failed rows selected after partial success, surface row-level failure details, and offer one-click follow-up into active, archived, needs-work, or seller payout views
- the seller inventory workspace now also summarizes mixed selections, offers one-click trimming to ready, needs-work, draft, active, or archived rows, and only sends eligible listings into each bulk action
- seller inventory listing editor now captures authenticity status, autograph source, certification provider/number, seller pass-guarantee authenticators, provenance evidence, and buyer-facing authenticity notes
- admin product editing now stores the same authenticity/provenance disclosure fields, and product pages render those disclosures as storefront trust badges plus a buyer-facing authenticity callout
- seller draft output now highlights draft activation readiness, including blockers such as missing SKU, missing price, missing quantity, or missing primary image before a seller tries to move a draft toward live inventory
- Stripe `account.updated` webhooks refresh seller payout status
- `account_store_memberships` gets a `seller` role with `payout_verification_required` until Stripe reports the seller payout account active

Seller constants live in:

```
src/lib/legal.ts
```

Future: AI Collectable Scan Assist

This is a future-build feature. It must support all collectables, not only sports cards.

Goal:

- scan or upload front/back images
- use AI to identify visible details
- match the item against outside catalog/reference sources
- show confidence and possible matches
- help estimate rarity, demand, and value
- create an educated product draft only after admin approval

The system must not rely on AI guessing alone. AI detection should propose candidates, then TCOS should compare those candidates against trusted reference and marketplace sources.

Collectable categories to support over time:

- sports cards
- trading card games
- comics
- coins
- currency
- stamps
- autographs
- memorabilia
- sealed wax/product
- toys
- graded collectables
- limited edition collectables
- other cataloged collectables

Data-source research checklist:

- find official APIs first
- confirm licensing and allowed use before storing or displaying data
- prefer catalog IDs, cert numbers, set names, card numbers, issue years, print runs, population data, and verified images
- separate catalog identity data from pricing data
- record source names, source URLs, lookup timestamps, confidence scores, and raw evidence
- never auto-list a collectable from AI recognition without admin confirmation

Candidate source categories to evaluate:

- eBay sold/active marketplace data
- PriceCharting/SportsCardsPro pricing data
- PSA certification, population, CardFacts, and auction data
- TCGplayer catalog/pricing data for trading card games

- COMC card marketplace/catalog data
- Beckett/card checklist references
- customer-authorized PSAcard.com account linking so collectors can import owned PSA-graded cards, cert data, population/card facts when permitted, and any supported account collection data
- customer-authorized Beckett.com account/subscription linking so collectors can use permitted Beckett pricing/checklist data inside their own TCOS collection dashboard
- manufacturer checklists when available
- grading-company certification lookups
- comic, coin, stamp, toy, and memorabilia catalog databases
- broad collectable catalog/reference sites such as Colnect-style catalogs
- Google Programmable Search as a fallback discovery layer

Future linked-provider portal requirements:

- build a secure connected-accounts page for collector-owned provider logins, tokens, or authorized import sessions
- never store raw third-party passwords when OAuth, API tokens, or import files are available
- encrypt any provider access tokens and separate them from public profile data
- log provider name, account owner, scopes, sync status, last sync time, and revocation status
- let collectors disconnect a provider and stop future syncs
- keep provider data source labels visible anywhere pricing or collection data is displayed
- respect each provider's licensing, subscription, caching, and redistribution rules

Future collection analytics goals:

- import PSA-owned card data into the user's collection shelf when permitted
- use Beckett subscription pricing/checklist data for the user's own dashboard when permitted
- track what the collector paid, current estimated value, realized sale price, and date sold
- show collection profit/loss, unrealized gain/loss, realized gain/loss, cost basis, current value, and performance over time
- chart collection value by category, player/character, team/franchise, set, grader, grade, and acquisition source
- support CSV/catalog exports that include provider source, paid price, current value, sold price, and profit/loss fields

Scan Assist output should include:

- likely collectable title
- category
- manufacturer/brand
- year or era
- set or series
- card/comic/coin/stamp/catalog number when available
- player/character/person/franchise
- condition clues visible from scan
- grade and cert number when visible

- serial number, autograph, patch, variant, parallel, or limited mark when visible
- rarity notes
- value range with source breakdown
- confidence score
- missing information warnings
- recommended next action

Autograph, certification, and provenance disclosure policy:

- use plain, buyer-facing labels such as `Verified Cert`, `Seller Pass Guarantee`, `Provenance Evidence Included`, and `Unverified Autograph - Sold As-Is`
- require autograph source disclosure when relevant, such as in-person, through-the-mail (TTM), fan club return, private signing, inherited, estate-sourced, or acquired secondhand
- if a seller includes provenance evidence without third-party certification, the listing must not imply that the item is third-party authenticated
- if a seller has an envelope, letter, event ticket, signing photo, receipt, or other provenance support, the listing should identify that evidence near the top of the description and show it in listing photos when available
- if a seller offers a pass guarantee, the named authenticator(s), claim basis, and refund consequence must be stored with the listing and transaction
- if the listing is unverified and sold as-is, that risk warning must be shown as a badge, a seller-side required field, and a product-page warning instead of being buried in long description text
- provenance evidence can help the buyer make an informed decision, but provenance is not equal to third-party certification unless the listing clearly says so
- buyers may purchase unverified autographs at their own disclosed risk, but sellers remain responsible for false, misleading, or unsupported authenticity claims

Variant and parallel resolver requirements:

- TCOS should identify the exact variation or parallel whenever visual evidence and checklist data support it
- do not show a long list of near-duplicate options when the evidence resolves the match
- if the card is a refractor, TCOS should not ask whether it is pink, blue, green, gold, base, wave, mojo, cracked ice, shimmer, lava, scope, x-fractor, atomic, numbered, or unnumbered unless the scan/checklist evidence cannot prove the answer
- use front/back scan evidence, border color, foil pattern, refractor effect, serial numbering, card number, set name, year, manufacturer, player, team, logo marks, autograph/relic markers, and visible checklist identifiers
- use online checklists and manufacturer/reference sources only where access is allowed by terms or official API
- compare visual/color clues against checklist variant names and numbering ranges
- use serial numbering to narrow parallels when the checklist defines print runs
- use back-of-card codes and fine print when visible
- collapse candidates into one selected match when confidence is high and source evidence agrees
- if multiple variants remain plausible, ask one targeted question instead of showing dozens of options

- show why TCOS picked the match, including visible clues and source evidence
- show `Needs Review` instead of guessing when evidence is incomplete
- admin approval is required before auto-listing, repricing, or publicly claiming an exact rare variant

Target identification flow:

1. Extract visible facts from images.
2. Normalize title/player/team/year/set/card number/manufactur.
3. Query approved checklist/catalog sources.
4. Compare variant names, colors, patterns, serial-number ranges, and card numbers.
5. Score candidates by evidence match.
6. Select the exact match if one candidate is clearly supported.
7. Ask one targeted follow-up if the remaining candidates differ by a detail the image cannot prove.
8. Save evidence, confidence score, source URLs, and reviewer decision.

Future data tables should store:

- scan event
- uploaded image references
- AI extracted fields
- matched catalog candidates
- selected catalog match
- source evidence
- value estimate snapshot
- admin approval decision
- variant_resolver_runs
- variant_resolver_candidates
- variant_resolver_evidence
- checklist_source_matches

Future: Expanded Product Detail Collector Intelligence

The first source-link version is implemented on product pages. The expanded version should make each collectable page feel alive by showing verified trend data, saved population-report snapshots, official social context, and current news without inventing hype or scraping restricted sources.

Target route:

```
/product/[id]
```

Goal:

- show trend signals for the player, character, franchise, team, brand, or exact collectable
- show grading population reports when a grade/cert/company is known
- link to official or approved social profiles such as X, Instagram, YouTube, team pages, manufacturer pages, or franchise pages
- show relevant news or milestones when available

- explain the item's current collector story in plain language
- help the buyer understand rarity, demand, timing, and context before purchase

Collector Intelligence panel should evaluate:

- sales velocity from TCOS/eBay/comps when available
- recent sold-price movement
- watch/search activity when available from allowed sources
- player/team news such as big games, awards, trades, records, injuries, call-ups, retirements, or playoff runs
- character/franchise news such as new movie, show, game, comic arc, anniversary, limited release, or manufacturer announcement
- grading population for the exact grade when cert/set/card details are known
- related social profiles and official links
- related collector content such as manufacturer checklist, league/team bio, player page, franchise page, or grading certification page

Trending labels must be evidence-based:

- **Trending Up** only when recent source data supports it
- **Steady Demand** when comps/activity are consistent
- **Cooling Off** when recent source data supports lower demand
- **Not Enough Data** when TCOS cannot prove a trend

TCOS must not show fake urgency, fake scarcity, fake endorsements, or unsourced claims.

Grading/population report requirements:

- support PSA, CGC, SGC, Beckett/BGS, and other grading companies only when lookup access is permitted
- prefer official cert lookup or official population data
- store grading company, grade, cert number, population count, lookup URL, lookup timestamp, and source confidence
- show **population unavailable** instead of guessing
- never imply a cert is verified unless the source confirms it

Social and news requirements:

- use official APIs, official embeds, RSS feeds, licensed news/search APIs, or manually approved links
- never bypass platform limits, scraping protections, login walls, or terms
- never imply a player, team, manufacturer, grading company, league, or franchise endorses TCOS unless there is a written sponsorship/partnership
- public social links should open to the source instead of copying restricted content into TCOS
- summarize news in TCOS language with source links and timestamps
- separate factual news from AI-generated collector commentary

AI collector commentary may help write:

- why this item is interesting

- what recently happened around the player, team, character, franchise, or brand
- what a pop report means in simple terms
- why collectors may care about the grade, parallel, serial number, autograph, patch, rookie status, set, or era

AI collector commentary must:

- cite stored sources
- say when data is missing
- avoid investment advice
- avoid guaranteed future value claims
- avoid medical, legal, or financial claims
- be reviewed or source-gated before public display

Product page display should include:

- trend badge
- short collector story
- latest relevant news link list
- official social/source links
- grading pop report card when grade/cert data exists
- last updated timestamp
- source list
- `Not Enough Data` state when sources are missing

Future data tables should store:

- collectable_intelligence_snapshots
- collectable_trend_signals
- collectable_news_links
- collectable_social_links
- collectable_grading_reports
- collectable_source_evidence
- collectable_intelligence_refresh_jobs
- collectable_intelligence_admin_reviews

Future: Brag Session And Collection Board

This is a future-build community feature. It should not copy eBay-style transactional feedback.

TCOS community ratings should use collector-style tiers:

- `Gold`
- `Silver`
- `Bronze`

These tiers should represent post-purchase collector satisfaction, community trust, and brag-session quality after moderation rules exist. They should not be implemented as a direct eBay positive/neutral/negative clone.

Goal:

- give buyers a fun way to show off what they received
- let collectors post collection photos, mail days, favorites, displays, and stories
- build community around collectables instead of only buyer/seller ratings
- keep transaction issues, chargebacks, and evidence packets separate from public community posts

Buyer post-purchase flow:

- after delivery, invite the buyer to create a **Brag Session**
- buyer can upload photos of the item or collection
- buyer can add title, story, category, tags, and optional order/item link
- buyer can choose public, private, or admin-review-only visibility
- public posts must go through moderation before appearing

Collection board:

- users can show collection shelves, slabs, binders, sealed product, memorabilia, or themed collections
- posts can be grouped by category, sport, franchise, player, set, era, or custom tags
- users can like/save/comment only after community safety controls are built
- admin can feature posts on storefront/community pages

Safety and moderation rules:

- no addresses, tracking labels, order numbers, phone numbers, payment details, or private customer information in public posts
- image uploads must be scanned/moderated before public display
- admin must be able to approve, hide, remove, or feature posts
- reporting tools should exist before public comments go live
- public community posts must not expose chargeback evidence, IP evidence, TOS audit records, or private order records
- community reputation must stay separate from seller compliance, payout, fraud, and transaction evidence workflows

Future data tables should store:

- community profile
- brag session post
- collection board post
- post images
- post moderation status
- tags/categories
- optional order item reference
- likes/saves/comments after moderation is ready
- abuse reports and admin actions

Future: Trades And Collector Swaps

This is a future-build marketplace/community feature. It should let collectors propose trades safely after buyer/seller accounts, identity controls, moderation, shipping evidence, and dispute rules exist.

Goal:

- let collectors mark items as open for trade
- let collectors build trade offers from their collection
- support one-for-one and multi-item trade proposals
- support cash difference only if payments, tax, and dispute rules are designed
- give each side a clear trade review screen before accepting
- protect both parties with identity, address, shipping, condition, and evidence controls
- keep trades separate from normal store inventory until a trade is accepted and locked

Trade section entry points to evaluate:

- `/trades` public trade browsing page
- product page `Open To Trade` signal when the owner allows it
- user collection item `Trade This` action
- want ad match to trade offer
- admin trade review queue
- post-purchase prompt to add an item to collection/trade board after delivery

Trade offer data should include:

- initiating user
- receiving user
- offered item list
- requested item list
- optional cash difference only if enabled
- item photos
- condition notes
- grade/cert details when available
- declared value from comps when available
- shipping method
- tracking numbers for both sides
- trade status
- timestamps for offer, counter, acceptance, shipment, delivery, dispute, and completion

Required safety rules:

- require user accounts before trades can exist
- require TOS acceptance for trade terms
- require verified email and recommended multi-factor authentication
- do not expose addresses until both sides accept and shipping flow requires it
- keep address and identity data private

- require item condition photos before acceptance
- record IP/user-agent evidence for trade acceptance events
- require tracking on both shipments
- allow admin freeze/review on suspicious trade activity
- prohibit off-platform payment pressure, scams, harassment, counterfeit claims, and unsafe meetups
- provide report/dispute tools before public trading goes live

Trade fulfillment models to evaluate:

- direct ship: both collectors ship to each other with tracking
- admin-mediated trade: both collectors ship to TCOS first, TCOS verifies, then forwards
- local meetup: future option only if safety, location privacy, and event rules are designed

Admin-mediated trade is safer but operationally heavier. Direct ship is easier but higher risk. TCOS should not enable public trades until the chosen model has clear rules, evidence packets, and dispute handling.

Trade evidence packets should store:

- accepted trade terms
- TOS version
- IP/user-agent evidence
- item photos at acceptance
- declared condition and value
- shipping labels/tracking
- delivery proof
- user messages related to the trade
- admin actions
- dispute notes

Future data tables should store:

- trade_profiles
- trade_items
- trade_offers
- trade_offer_items
- trade_offer_messages
- trade_acceptance_events
- trade_shipments
- trade_evidence_packets
- trade_disputes
- trade_admin_reviews
- trade_terms_acceptance

Future: Collector Map, Card Shows, And Shop Finder

This is a future-build discovery feature. It should help collectors find card shows, collectable shows, local card shops, hobby stores, trade nights, release events, grading events, and community meetups near them.

Goal:

- search by ZIP code, city, state, or current location with consent
- show nearby card shops and collectable shops on a map
- show upcoming card shows and collectable events by radius
- support geofenced regions for promoted local events
- use AI to help discover and normalize show/event information from permitted sources
- help collectors plan where to go, what to bring, and whether an event fits their collecting interests

Collector search should support:

- ZIP code
- city/state
- radius
- date range
- category, such as sports cards, TCG, comics, coins, toys, memorabilia, autographs, or mixed collectables
- event type, such as show, trade night, signing, release, grading submission event, shop event, or auction preview
- shop/event name
- free/paid admission
- family-friendly flag
- vendor/table information when available

Map and data-source candidates to evaluate:

- Google Maps Platform Places API for shop/place discovery
- Google Maps Geocoding API for ZIP/city lookup
- Mapbox or similar map provider as an alternate map/search provider
- Eventbrite or other event APIs where terms allow event discovery
- promoter-submitted event listings
- shop-owner submitted listings
- admin-entered shows and shops
- Google Programmable Search as a fallback discovery layer
- public show calendars where licensing/terms allow use
- social/event advertising sources only when access is permitted by their terms or an official API

AI event discovery should:

- parse event title, location, dates, times, promoter, admission, vendor tables, categories, and source URL
- deduplicate repeated listings for the same show
- assign confidence scores
- flag missing or conflicting details
- require admin approval before publishing uncertain events
- keep raw source evidence and lookup timestamps

Geofencing and promotion rules:

- geofenced promotions should use ZIP, city, radius, or coarse region targeting by default
- precise location should require clear user consent
- do not store exact user location unless the feature truly needs it and the user has opted in
- allow collectors to search by ZIP without enabling device location
- disclose when a result is sponsored or promoted
- keep sponsored placement separate from organic relevance
- never sell or expose private user location data

Collector-facing event pages should include:

- event/shop name
- address and map
- date/time
- distance from searched area
- event category
- admission cost
- promoter/shop contact link when available
- source link
- confidence/verification status
- last verified timestamp
- notes for collectors
- related nearby shops/events

Future data tables should store:

- shops
- shows/events
- event venues
- promoters
- event categories
- geofenced promotion campaigns
- source evidence
- verification status
- admin approvals
- user saved events
- opt-in location preferences

Future: AI Search, Want Ads, And Site Help

This is a future-build discovery and support feature.

Goal:

- help collectors find the exact item they want
- understand natural-language collector searches
- recommend matching products, categories, saved searches, shows, shops, and content

- create a Want Ad when TCOS does not have the item
- help users navigate the site and answer technical questions
- escalate support questions to a future technical support email inbox when AI cannot answer safely

AI search should support:

- player/person/character/franchise
- year, set, brand, card number, issue number, catalog number, cert number, or serial number
- sport/category
- grade, condition, raw/graded/sealed
- autograph, patch, parallel, variant, refractor, short print, rookie, insert, or limited mark
- price range
- seller-owned inventory when seller accounts exist
- active storefront products
- sold/reference/comps context when useful
- collector intent, such as buying, researching, completing a set, finding a gift, or valuing an item

Search behavior:

- return direct product matches first
- show close matches and explain why they match
- show confidence and missing details
- ask clarifying questions when the request is ambiguous
- do not invent facts or pretend an item is available
- offer to create a Want Ad if no suitable item is found

Want Ads:

- run for 30 days by default
- can be renewed by the user
- should expire automatically if not renewed
- should support status values such as active, matched, expired, renewed, canceled, and fulfilled
- should allow item details, category, desired condition/grade, budget, notes, and optional images
- should notify admin when a new Want Ad is created
- should notify the user when matching inventory appears
- should not publicly expose private email, phone, address, IP, payment, or account details
- should be moderated before public/community display if Want Ads become public

AI site help should:

- answer site navigation questions
- explain how checkout, offers, tracking, orders, TOS, evidence/security, and community features work
- guide collectors to product pages, cart, orders, Brag Sessions, Collection Board, shows/shops, and support
- avoid legal, tax, medical, financial, or authentication-sensitive claims beyond approved policy text
- avoid exposing private admin, customer, seller, payout, IP, or evidence data
- escalate unresolved technical issues to support

Technical support escalation:

- future env var should define the support inbox
- likely name: `TECHNICAL_SUPPORT_EMAIL`
- user should be able to submit name, email, issue type, order ID if relevant, and message
- AI conversation context should be summarized, not forwarded with private hidden data
- support submissions should be saved for admin review
- email forwarding should be added after the support mailbox is chosen

Future data tables should store:

- ai_search_sessions
- ai_search_messages
- want_ads
- want_ad_matches
- want_ad_renewals
- support_requests
- support_request_messages
- support_email_delivery_status

Future: Sponsorships, Advertising, And Partner Outreach

This is a future-build revenue feature. It should help TCOS sell advertising and sponsorship placements to collectable-related companies without creating spam, privacy risk, or low-quality ads.

Goal:

- create advertising inventory on TCOS
- sell logo placements, sponsored placements, newsletter spots, show/shop placements, and category sponsorships
- help collectable companies reach collectors through relevant pages
- create a compliant sponsor outreach workflow
- track leads, conversations, packages, contracts, payment status, creative assets, start/end dates, and performance

Potential sponsor categories:

- card shops
- card show promoters
- grading companies
- supplies companies
- storage/display companies
- auction houses
- breakers and stream sellers
- collectable insurance companies
- memorabilia companies
- comic, coin, toy, stamp, and TCG businesses

- local shops promoted by ZIP, city, state, radius, or event category

Ad inventory to evaluate:

- homepage sponsor block
- shop/category sponsor block
- product-page related sponsor block
- Collector Map sponsor pins
- card show/event sponsor placement
- Brag Session/Collection Board sponsor placements after moderation tools exist
- newsletter/email sponsor slot after subscriber consent tools exist
- admin-approved banner/logo placements

Sponsor packages should define:

- placement
- audience/category
- region or geofence
- price
- duration
- impressions/clicks when tracking is built
- creative/logo requirements
- prohibited content
- approval workflow
- renewal rules

Outreach rules:

- do not scrape or harvest email addresses in ways that violate laws, terms, or platform rules
- do not send deceptive mass email
- use truthful sender identity, subject lines, and offer language
- include Dag Danky Holdings LLC / Truly Collectables contact information
- include a valid physical mailing address when sending commercial outreach
- include a clear opt-out/unsubscribe method
- honor opt-out requests within 10 business days
- keep a suppression list and never email suppressed contacts again except as required for compliance
- separate one-to-one relationship outreach from marketing blasts
- prefer warm leads, opt-in lists, business cards, show contacts, inbound sponsor forms, and manually verified public business contacts

TCOS can help with:

- sponsor media kit copy
- rate card
- sponsorship package definitions
- compliant outreach email templates
- lead tracker

- outreach status pipeline
- follow-up reminders
- opt-out/suppression tracking
- sponsor asset uploads
- ad placement scheduling
- invoice/payment tracking
- performance reporting after analytics is built

TCOS should not send sponsor outreach until:

- `SPONSOR_OUTREACH_FROM_EMAIL` is configured
- `SPONSOR_OUTREACH_REPLY_TO_EMAIL` is configured
- `SPONSOR_OUTREACH_PHYSICAL_ADDRESS` is configured
- opt-out handling is built
- suppression list handling is built
- a reviewed outreach template is approved
- contacts are sourced and verified through allowed methods

Reference:

- [FTC CAN-SPAM Act Compliance Guide](#)

Future data tables should store:

- sponsors
- sponsor_contacts
- sponsor_leads
- sponsor_outreach_messages
- sponsor_outreach_suppression_list
- sponsor_packages
- ad_placements
- ad_creatives
- ad_campaigns
- ad_impressions
- ad_clicks
- sponsor_invoices
- sponsor_payments

Future: Marketing Campaigns, Social Posting, And Collectable Of The Day

This is a future-build promotion feature. It should help TCOS advertise the website, promote listings, and keep social channels active without spam, fake engagement, deceptive posting, or platform policy problems.

Goal:

- create organized advertising campaigns for TCOS
- schedule approved promotional posts across connected social channels

- automatically feature a Collectable of the Day
- generate platform-specific captions, hashtags, and safe tags
- promote store listings, card shows, sponsor campaigns, collection posts, want ads, and major inventory drops
- track campaign status, approvals, channels, post history, clicks, conversions, and engagement
- avoid repetitive posting, unwanted tagging, or random website posting that looks like spam

Supported campaign types to evaluate:

- Collectable of the Day
- new inventory drop
- featured category
- local card show or shop spotlight
- sponsor spotlight
- holiday/event promotion
- price drop
- buyer brag/collection highlight after customer permission
- want ad spotlight
- newsletter promotion after subscriber consent tools exist

Collectable of the Day automation should:

- select one eligible product per day from active inventory
- avoid sold, hidden, draft, or blocked products
- prefer items with strong photos, clean title, price, category, and description
- create a short caption for each connected platform
- generate hashtags from product title, category, brand, manufacturer, player, team, set, year, grade, sport, franchise, rarity, and condition
- tag manufacturers, teams, players, leagues, or brands only when the tag is accurate, relevant, and not excessive
- avoid tagging companies or public figures repeatedly just to force attention
- include the product link and clear call to action
- support admin preview and approval before publishing
- record exactly what was posted, where it was posted, and when it was posted

Posting controls should include:

- enabled channels
- posting calendar
- daily/weekly posting limits
- quiet hours
- duplicate detection
- campaign approval status
- link tracking
- image selection

- generated caption review
- generated hashtag review
- generated tag review
- failure/retry handling
- admin override

Web and community promotion rules:

- do not randomly post to unrelated websites
- do not bypass moderation, captchas, posting limits, or site rules
- do not use bots to create fake engagement, fake comments, or fake accounts
- post only where TCOS has permission, an account, an official integration, or clear allowed community participation
- respect each site's terms, community rules, rate limits, and promotional posting policies
- keep a record of where TCOS is allowed to post and what kind of promotion is allowed there
- prefer official APIs, approved social integrations, owned channels, paid advertising accounts, newsletters, and permission-based communities

Social channels to evaluate:

- Facebook page and groups where promotion is allowed
- Instagram business account
- TikTok business account
- X account
- YouTube Shorts
- Pinterest
- LinkedIn company page for sponsor/business updates
- Reddit only in communities where promotional posting is allowed by the subreddit rules
- Discord servers only where the server owner permits promotions
- email newsletter after subscriber consent tools exist

Campaign copy should be generated in the TCOS voice:

- collector-first
- accurate
- excited but not misleading
- no fake scarcity
- no fake endorsements
- no unsupported price claims
- no unauthorized claim that a player, manufacturer, team, league, or brand sponsors TCOS

TCOS should not publish automated posts until:

- at least one official social account is connected
- platform API access or posting method is approved
- admin approval workflow is built
- duplicate/spam controls are built

- channel-specific rules are saved
- link tracking is configured
- image/caption/tag review is enabled
- opt-in newsletter consent exists for email campaigns

Future data tables should store:

- marketing_campaigns
- marketing_campaign_channels
- marketing_campaign_posts
- marketing_campaign_assets
- marketing_campaign_post_approvals
- marketing_campaign_post_metrics
- collectable_of_the_day_candidates
- collectable_of_the_day_posts
- social_accounts
- social_channel_rules
- social_posting_limits
- social_post_failures
- campaign_link_clicks

23. Security And Data Protection

Security is required for owner, buyer, and seller data.

Current implemented protections:

- admin sessions use a signed HTTP-only cookie instead of a plain `true` cookie
- admin session cookies are secure, same-site lax, and expire after 24 hours
- site usage can be blocked when VPN, proxy, Tor, relay, hosting, or anonymous IP risk is detected
- blocked site users see: `Sorry, you must turn off your proxy or VPN to use this website.`
- admin pages are protected by `src/proxy.ts`
- sensitive admin-style API routes are protected by the same admin session
- security headers are applied globally from `src/proxy.ts`
- admin/API responses are marked `no-store`
- Stripe webhooks require Stripe signature verification
- customer TOS acceptance is required before checkout and offer submission
- customer TOS acceptance records the server-observed public IP, user agent, IP risk, and request header evidence
- checkout creates a `tos_acceptance_events` audit row before Stripe checkout is created
- completed transactions create `transaction_evidence_reports` for chargeback/legal packets
- offer submission stores TOS/IP evidence before the offer is accepted
- public offer submission validates product ID, customer name, customer email, offer amount, and current inventory availability before saving the offer

- public checkout is rate-limited to 12 attempts per 10 minutes per IP/account subject when `public_endpoint_rate_limit_events` is migrated
- public offer creation is rate-limited to 8 attempts per 15 minutes per IP/customer/product subject
- collector binding-offer payment setup is rate-limited to 6 attempts per hour per IP/account subject
- seller payout onboarding is rate-limited to 5 attempts per hour per IP/account subject
- `/admin/security` shows recent public money-path events, blocked events, watch events, unique IPs, endpoint counts, identity risk, and header evidence summary
- `/admin/security/ip/[ip]` shows a focused dossier for one IP across login attempts, money-path attempts, TOS events, orders, offers, and transaction evidence reports
- `/admin/security/ip/[ip]` lets admins save a persistent investigation status, severity, and internal notes
- `/admin/launch-readiness` checks whether the public endpoint rate-limit audit table is available
- `/admin/launch-readiness` checks whether the security IP investigation table is available
- buyer account signup starts accounts in `payment_verification_required` status when card verification is required
- Stripe Checkout setup mode collects the buyer card and billing address before TCOS activates the account
- signed Stripe webhook completion marks the account active only when Stripe returns a card payment method with complete United States billing address evidence; otherwise the account stays pending
- TCOS stores Stripe-safe card proof, such as customer ID, setup intent ID, payment method ID, card brand, last 4, expiry, funding type, billing name, billing address fields, billing country, billing postal code, verification check timestamp, and failure reason when applicable
- pending card-verification accounts cannot log in or use authenticated account APIs as active customers
- buyer account signup can proceed to Stripe verification when configured identity checks detect VPN, proxy, Tor, relay, hosting, or anonymous IP use; buyer login and money-path routes remain subject to identity controls
- buyer account signup/login locks out repeated failures after six failed attempts inside 15 minutes
- bank credentials are not stored in TCOS

Buyer-account anti-fraud requirement:

- buyer/customer account signup requires a valid payment card and billing/address evidence through Stripe unless `ACCOUNT_CARD_VERIFICATION_REQUIRED=false`
- card verification requires complete United States billing address evidence before account activation
- failed or canceled card verification prevents account activation and login
- TCOS must never store raw card numbers, CVV, or payment credentials

Important IP rule:

TCOS can log and enforce the server-observed public client IP. If a customer hides behind a VPN, proxy, Tor, relay, or hosting network, TCOS cannot discover the hidden residential IP by itself. Production masking detection requires a third-party IP intelligence provider configured through environment variables.

Routes currently protected by admin session:

- `/admin/*`
- `/ebay/*`

- `/api/admin/*` except `/api/admin/login`
- `/api/ebay/*`
- `/api/orders/*`
- `/api/offers/update-status`
- `/api/offers/counter`

Public routes that must remain public:

- `/shop`
- `/product/[id]`
- `/cart`
- `/terms`
- `/seller-terms`
- `/api/checkout`
- `/api/offers/create`
- `/api/account/collector/binding-offers`
- `/api/account/seller/payout-onboarding`
- `/api/account/seller/marketplace-connections`
- `/api/webhook`
- `/api/stripe/webhook`

Webhook routes are exempt from the site-wide identity gate so Stripe can deliver signed webhook events.

Required future seller-account protections:

- use a real identity/auth provider for buyer and seller accounts
- require email verification before buying or selling account use
- require multi-factor authentication for sellers and admins
- use a third-party provider for bank verification and payouts
- store only provider IDs, verification status, timestamps, and non-sensitive payout metadata
- never store raw bank account numbers, routing numbers, SSNs, tax IDs, passwords, or payment card data in TCOS
- encrypt sensitive internal notes or documents if they are ever added
- restrict seller data so one seller cannot read another seller's account, payout, auction, or customer data
- audit seller-account changes, payout changes, bank verification changes, and admin overrides
- add fraud review and payout hold controls before seller payouts go live

Security files:

```
src/lib/admin-session.ts
src/lib/client-identity.ts
src/lib/public-endpoint-rate-limit.ts
src/lib/tos-acceptance.ts
src/proxy.ts
```


24. Clean Fake Orders

To clear fake local orders, run this in Supabase SQL Editor:

```
truncate table order_items, orders restart identity cascade;
```

This clears only local orders.

It does not delete:

- products
- inventory
- eBay listings
- eBay inventory
- offers
- eBay tokens

If fake orders reduced quantity, run eBay sync afterward.

25. Environment Variables

Core:

```
NEXT_PUBLIC_SUPABASE_URL=  
NEXT_PUBLIC_SUPABASE_ANON_KEY=  
NEXT_PUBLIC_SITE_URL=
```

Admin:

```
ADMIN_PASSWORD=  
ADMIN_SESSION_SECRET=
```

Stripe:

```
STRIPE_SECRET_KEY=  
STRIPE_WEBHOOK_SECRET=
```

eBay:

```
EBAY_CLIENT_ID=  
EBAY_CLIENT_SECRET=  
EBAY_ENVIRONMENT=production
```

Email:

```
RESEND_API_KEY=  
TRANSACTION_EVIDENCE_EMAIL=
```

```
TRANSACTION_EVIDENCE_FROM=  
TECHNICAL_SUPPORT_EMAIL=
```

`TRANSACTION_EVIDENCE_EMAIL` is the fallback destination address for transaction evidence PDFs when `store_settings.evidence_email` is not set. `TRANSACTION_EVIDENCE_FROM` is optional and defaults to the store evidence sender. `TECHNICAL_SUPPORT_EMAIL` is the fallback support inbox when `store_settings.support_email` is not set.

AI descriptions:

```
OPENAI_API_KEY=  
OPENAI_DESCRIPTION_MODEL=
```

Optional comps:

```
GOOGLE_SEARCH_API_KEY=  
GOOGLE_SEARCH_ENGINE_ID=  
PRICECHARTING_API_TOKEN=
```

IP intelligence and masked-identity blocking:

```
IP_INTELLIGENCE_API_URL=  
IP_INTELLIGENCE_API_KEY=  
IP_INTELLIGENCE_REQUIRED=true
```

`IP_INTELLIGENCE_API_URL` may contain `{ip}` as a placeholder. If `IP_INTELLIGENCE_REQUIRED=true`, TCOS blocks site/API usage when the provider is missing, unavailable, or reports VPN/proxy/Tor/hosting/anonymous risk.

Reference links:

- [Vercel environment variables](#)
- [Supabase project settings](#)
- [Stripe docs](#)
- [eBay developer keys](#)
- [Google Programmable Search JSON API](#)
- [OpenAI API docs](#)

26. Database Tables

Legacy compatibility:

- `products`
- `orders`
- `order_items`
- `offers`

- `ebay_tokens`

TCOS V2:

- `inventory_items`
- `inventory_images`
- `inventory_attributes`
- `ebay_sync_decision_events`
- `sales_comp_snapshots`
- `tos_acceptance_events`
- `transaction_evidence_reports`
- `security_ip_investigations`

See:

`docs/DATABASE_DOCUMENTATION.md`

27. Migrations

Migration directory:

`supabase/migrations`

Current migration:

```
20260701074500_add_account_billing_address_evidence.sql
20260630123000_create_ebay_sync_decision_events.sql
20260630120000_create_security_ip_investigations.sql
20260630113000_create_public_endpoint_rate_limit_events.sql
20260630110000_create_inventory_sale_decrement_rpc.sql
20260629083000_create_inventory_v2_app_policies.sql
20260629080000_grant_inventory_v2_table_access.sql
20260628223000_create_collector_profiles_messaging_exports.sql
20260628220000_create_collector_dashboard_tables.sql
20260628213000_create_sports_dashboard_tables.sql
20260628201500_add_account_auth_lockouts.sql
20260628193000_link_accounts_to_orders_offers.sql
20260628190000_create_tcos_accounts.sql
20260628180000_create_admin_login_attempts.sql
20260628114000_create_inventory_tables.sql
20260628113000_create_store_settings.sql
20260628110000_create_tcos_stores.sql
20260627160000_create_sales_comp_snapshots.sql
20260627170000_add_tos_acceptance_to_orders_offers.sql
```

```
20260627173000_add_tos_identity_evidence.sql
20260627180000_create_transaction_evidence_reports.sql
```

Apply migrations before using features that depend on new tables.

Reference:

- [Supabase database migrations](#)

28. Build And Verification

Run:

```
npm run build
```

Expected:

- compile succeeds
- TypeScript succeeds
- route generation succeeds

Use this before deploy or after feature changes.

Reference:

- [Next.js docs](#)

29. Safe Operating Rules

Do:

- use admin status buttons instead of deleting products
- use eBay sync to restore stock from eBay
- check comps before repricing important cards
- apply suggested price only after reviewing comps
- update tracking before marking shipped

Do not:

- delete eBay tokens casually
- delete inventory rows manually
- assume clearing orders restores quantity
- assume AI descriptions know card facts not entered in TCOS
- scrape pricing sites without permission/API

30. Troubleshooting

Admin redirects to login

Cookie is missing or expired. Log in again.

Checkout says not enough inventory

Check product status and quantity on `/admin/products/[id]`.

Product does not show in shop

Check:

- status is `active`
- quantity is above zero
- price is above zero

eBay sync fails

Check:

- `EBAY_CLIENT_ID`
- `EBAY_CLIENT_SECRET`
- `ebay_tokens` has a refresh token
- eBay API scopes are valid

Sales comps do not save

Apply:

```
supabase/migrations/20260627160000_create_sales_comp_snapshots.sql
```

Google comps show not configured

Set:

```
GOOGLE_SEARCH_API_KEY=  
GOOGLE_SEARCH_ENGINE_ID=
```

PriceCharting shows not configured

Set:

```
PRICECHARTING_API_TOKEN=
```

AI description falls back to local

Check:

```
OPENAI_API_KEY=  
OPENAI_DESCRIPTION_MODEL=
```

31. Developer Map

Inventory:

```
src/modules/inventory
```

eBay, comps, pricing:

```
src/lib/ebay.ts
```

Checkout:

```
src/app/api/checkout/route.ts
```

Terms of Service:

```
src/lib/legal.ts  
src/app/terms/page.tsx  
supabase/migrations/20260627170000_add_tos_acceptance_to_orders_offers.sql
```

Stripe webhooks:

```
src/app/api/webhook/route.ts  
src/app/api/stripe/webhook/route.ts
```

Transaction evidence:

```
src/lib/evidence-pdf.ts  
src/lib/transaction-evidence.ts  
src/lib/order-review-case-packet.ts  
src/app/admin/files/page.tsx  
src/app/api/admin/files/[id]/download/route.ts  
src/app/api/admin/order-review-cases/[id]/packet/route.ts  
supabase/migrations/20260627180000_create_transaction_evidence_reports.sql  
supabase/migrations/20260701220000_create_order_review_case_packets.sql
```

Admin product screens:

```
src/app/admin/products/page.tsx
src/app/admin/products/new/page.tsx
src/app/admin/products/[id]/page.tsx
```

Accounts:

```
src/app/admin/accounts/page.tsx
src/app/account
src/app/api/account
src/lib/account-auth.ts
src/lib/account-profiles.ts
supabase/migrations/20260628213000_create_sports_dashboard_tables.sql
```

Orders:

```
src/app/admin/orders
src/app/api/orders
```

Offers:

```
src/app/admin/offers
src/app/api/offers
```

32. Maintenance Rule

When a feature changes, update this manual in the same work session.

PDF generation can wait until the end of a completed module or slice so development can move faster. Keep the Markdown manual current during implementation, then run `npm run manual:pdf` at the module checkpoint.

Every generated manual PDF, including the future separate mobile app manual PDF, must watermark each page with `Property of Dag Danky Holdings LLC.`

Checklist for future changes:

1. Update feature behavior section.
2. Update route list if routes changed.
3. Update environment variables if new keys are added.
4. Update database docs if tables/fields change.
5. Update the mobile app manual when the change affects the mobile app.
6. Regenerate the correct PDF manual at the module checkpoint.
7. Run `npm run build`.

The app should not get ahead of the documentation.

Recent seller workspace wording cleanup:

- Seller order surface labels now use [Seller Order Workspace](#), [Search orders](#), [Order views](#), and [Reset Order View](#) wording instead of the older workflow phrasing.
- Seller dashboard order signal chips now read [Shipping Orders](#), [Cash-Out Orders](#), [Action Orders](#), and [Completed Orders](#).
- Seller payout shortcuts now use [Blocked Payouts](#), [Cash-Out Payouts](#), [Attention Payouts](#), and [Paid Payouts](#), and seller inventory order follow-up labels now use [Shipping Orders](#).
- The seller home payout-pressure card now uses [Open Payouts](#), [Blocked Payouts](#), and [Paid Payouts](#) summary labels so its totals match the seller payout workspace wording.
- The seller order workspace summary now uses [Open Payouts](#) for its cash-out pressure metric so order-level payout totals match the seller payout workspace wording.
- Seller marketplace connector actions now use [Open Seller Connections](#), and the future Shopify interest control now reads [Request Shopify](#).
- The seller marketplace page now titles the surface [Seller Connections](#) so the page heading matches the [Open Seller Connections](#) wording used across seller shortcuts and connector cards.
- Seller marketplace handoff buttons now use [Open Review Rows](#), [Search Review Rows](#), and [Search Marketplace Rows](#) wording so review-stage jumps match the marketplace row language already used by import-run controls and cross-workspace links.
- Seller marketplace handoff buttons now use [Open Ready Rows](#) and [Search Ready Rows](#) wording instead of the older [Ready Stage](#) labels, so ready-state marketplace jumps match the rest of the import-run controls.
- Seller inventory and marketplace recovery controls now use [Open Active Inventory](#), [Open Archived Inventory](#), [Open Seller Inventory](#), [Open Failed Inventory](#), and [Open Failed Promotions](#).
- Seller signal summaries now refer to the seller workspace, and seller order detail action cards now use [Return View](#), [Shipping Orders](#), and [Cash-Out Payouts](#).
- The seller order detail cash-out section now uses [Cash-Out Payouts](#) wording in both its section title and empty state so the order-detail surface matches the seller payout workspace language.
- Seller home action-order cards now label order-linked cash-out counts as [Open Payouts](#) instead of [Open Claims](#) so those pressure summaries match the rest of the seller payout workspace wording.
- The seller order workspace now labels per-order cash-out sections as [Cash-Out Payouts](#) so order-list payout panels match the seller payout workspace wording.
- The seller order detail payout action card now uses [Cash-Out Payouts](#) wording so its order-level handoff matches the rest of the seller payout workspace language.
- Seller order detail return links now use [Return To Seller Orders](#), [Return To Action Orders](#), and matching payout return wording instead of the older [Back To ...](#) labels.
- Account-level seller payout shortcuts now use [Seller Payout Setup](#), [Open Cash-Out Payouts](#), and [Open Seller Payouts](#) wording so account dashboard handoffs match the seller workspace language.
- Account-level seller marketplace shortcuts now use [Blocked Marketplace Rows](#), [Ready Marketplace Rows](#), [Mapped Marketplace Rows](#), and [Marketplace Rows](#) wording so account handoffs match the seller marketplace workspace language.
- Seller home payout signal buttons and seller payout shortcut actions now use [Open Cash-Out Payouts](#) wording instead of mixing request-based labels into the same payout workspace handoff.
- Seller inventory and marketplace bulk guidance now refer to cleanup work, current selections, seller draft inventory views, and ready, review, or conflict rows instead of older workflow and stage wording.

- Marketplace import-run buttons now use `Open Ready Rows` , `Open Review Rows` , `Open Blocked Rows` , and `Open Mapped Rows` .
- Seller signal, cash-out request, and fallback order or payout buttons now use full `Open Seller Payouts` , `Open Blocked Payouts` , `Open Cash-Out Payouts` , `Open Paid Payouts` , `Open Attention Payouts` , and `Open Seller Orders` wording.
- Blocked-payout order cards on seller home and seller payouts now also use `Open Order Detail` wording.
- Seller-home signal buttons plus seller order and payout shortcut cards now also use full `Open Shipping Orders` , `Open Action Orders` , `Open Cash-Out Orders` , `Open Completed Orders` , `Open Seller Orders` , `Open Attention Payouts` , `Open Blocked Payouts` , `Open Cash-Out Payouts` , `Open Paid Payouts` , and `Open Seller Payouts` wording when those labels render directly.