

Trusted Agentic Commerce — Installation Guide

Installation Guide — Trusted Agentic Commerce for Magento 2

Version 1.0.0 · Magento Open Source & Adobe Commerce 2.4.7 / 2.4.8 · PHP 8.2+

Table of Contents

1. [System Requirements](#)
 2. [Pre-Installation Checklist](#)
 3. [Installation via Composer](#)
 4. [Manual Installation](#)
 5. [Post-Installation Setup](#)
 6. [Connecting to Trusted](#)
 7. [Verifying the Installation](#)
 8. [Cron Configuration](#)
 9. [Upgrade Instructions](#)
 10. [Uninstallation](#)
 11. [Troubleshooting](#)
-

1. System Requirements

Component	Minimum	Recommended
Magento Open Source	2.4.7	2.4.8
Adobe Commerce	2.4.7	2.4.8
PHP	8.2	8.3
PHP extensions	<code>curl</code> , <code>json</code> , <code>openssl</code>	+ <code>ext-sodium</code>
MySQL / MariaDB	8.0 / 10.6	MySQL 8.0
Composer	2.x	2.7+
Cron	Required	—

`ext-sodium` is strongly recommended. The module ships a pure-PHP fallback (`paragonie/sodium_compat`) for Ed25519 agent token verification, but native `ext-sodium` is ~40× faster and is available in all PHP 8.2+ builds.

2. Pre-Installation Checklist

Before installing, confirm:

- ☐ You have a Trusteed account at app.trusteed.xyz
- ☐ Magento cron is running (`bin/magento cron:run` completes without errors)
- ☐ You have Magento Marketplace credentials (public key / private key) **or** you are installing manually
- ☐ Magento is in maintenance mode during initial installation on production:

```
bin/magento maintenance:enable
```
- ☐ A full database backup has been made

3. Installation via Composer

3.1 Configure Magento Marketplace authentication

If not already configured:

```
composer config http-basic.repo.magento.com <PUBLIC_KEY> <PRIVATE_KEY>
```

3.2 Require the package

```
composer require trusted/agentic-commerce-magento
```

3.3 Enable the module

```
bin/magento module:enable Trusted_AgenticCommerce
```

3.4 Run setup upgrade

```
bin/magento setup:upgrade
```

This creates the `trusted_webhook_outbox` database table and adds the `trusted_receipt_uri` / `trusted_receipt_status` columns to `sales_order`.

3.5 Compile dependency injection

```
bin/magento setup:di:compile
```

3.6 Deploy static content (production only)

```
bin/magento setup:static-content:deploy -f
```

3.7 Clear caches

```
bin/magento cache:flush  
bin/magento cache:clean
```

3.8 Disable maintenance mode

```
bin/magento maintenance:disable
```

4. Manual Installation

Use this method if you do not have Magento Marketplace credentials, or if you obtained the module as a `.zip` file from the Marketplace download page.

4.1 Extract the archive

```
unzip trusted-agentic-commerce-magento-1.0.0.zip -d /tmp/trusted-module
```

4.2 Copy files into Magento

```
mkdir -p <MAGENTO_ROOT>/app/code/Trusted/AgenticCommerce  
cp -r /tmp/trusted-module/* <MAGENTO_ROOT>/app/code/Trusted/AgenticCommerce/
```

4.3 Continue from step 3.3

Follow steps 3.3 through 3.8 above.

5. Post-Installation Setup

After installation the **Trusted** menu appears in the Magento admin sidebar (below **Stores**).

5.1 Open the Setup Wizard

Navigate to **Trusted** → **Configuración** (Setup Wizard).

The wizard presents three sections:

Section	Purpose
Internal HMAC Secret	Signs internal heartbeat calls to the Trusted API
Checkout Enforcement (CEL)	Configures fail-mode and enforcement rules
Conecta tu tienda con Trusted	API key entry and store connection

5.2 Generate the Internal HMAC Secret

The HMAC secret signs internal API calls (X-Internal-Auth header). It must match the value configured in the Trusted backend for your merchant account.

Trusted Operations provisions this value — copy it from your account dashboard at app.trusted.xyz/settings/integration.

Paste it into **Internal HMAC Secret** and click **Guardar**.

5.3 Configure Store Views

Under **¿Qué tiendas quieres activar?** select the store views you want to expose to AI agents. Agents can only browse and purchase in enabled store views.

6. Connecting to Trusteed

6.1 Get your API credentials

Log in to app.trusted.xyz and navigate to **Settings → Integrations → Magento**. You will find:

Credential	Where to find
Merchant ID	Settings → Account → Merchant ID
Integration Token	Settings → Integrations → Magento → Token
Webhook Secret	Settings → Integrations → Magento → Webhook Secret
Connection ID	Assigned automatically after connecting

6.2 Enter credentials in Magento

Navigate to **Stores → Configuration → Trusteed → Agentic Commerce**:

1. **API Base URL** — `https://api.trusted.xyz` (do not change unless instructed)
2. **Merchant ID** — paste from your Trusteed account
3. **Integration Token** — paste the integration token (stored encrypted)
4. **Webhook Secret** — paste the webhook secret (stored encrypted)

Click **Save Config**.

6.3 Click “Conectar con Trusteed”

In the Setup Wizard (**Trusteed → Configuración**) click the **Conectar con Trusteed →** button. This:

1. Validates connectivity to the Trusteed API
2. Registers your Magento instance as a connected store
3. Returns a **Connection ID** — saved automatically to config

A green **“Your store is connected”** banner will appear on the Dashboard (**Trusteed → Inicio**) once the connection is established.

7. Verifying the Installation

7.1 Check module status

```
bin/magento module:status Trusted_AgenticCommerce
# Expected: Module is enabled
```

7.2 Verify database tables

```
bin/magento doctrine:schema:validate
# Or directly:
mysql -u <user> -p <dbname> -e "DESCRIBE trusted_webhook_outbox;"
mysql -u <user> -p <dbname> -e "SHOW COLUMNS FROM sales_order LIKE 'trusted_%';"
```

7.3 Verify the MCP manifest endpoint

```
curl -sf https://<YOUR_STORE>/trusted/wellknown/mcpmanifest
# Should return a JSON manifest with store capabilities
```

7.4 Check the admin dashboard

Navigate to **Trusted** → **Inicio**. The dashboard should show: - Green "Your store is connected" banner - Store ID matching your Trusted account - Count of active store views

7.5 Verify cron jobs

```
bin/magento cron:run --group=default
# In system log: look for "trusted_webhook_drain" and "trusted_lag_heartbeat"
grep trusted var/log/cron.log
```

8. Cron Configuration

The module registers two cron jobs in the `default` group:

Job	Schedule	Purpose
<code>trusted_webhook_drain</code>	Every minute	Delivers pending webhooks from the outbox to the Trusted API with exponential backoff
<code>trusted_lag_heartbeat</code>	Every minute	Emits a lag metric so the Trusted dashboard can alert on delivery delays

Cron is required. Without it, order events (created, shipped, refunded) will accumulate in the `trusted_webhook_outbox` table and never be delivered.

Verify Magento cron is scheduled in your server's crontab:

```
* * * * * php /var/www/html/bin/magento cron:run 2>&1 | grep -v "^$" >> /var/www/html/var/log/magento.cron.log
```

For Magento Cloud (Adobe Commerce Cloud), cron is managed by the platform and requires no additional configuration.

9. Upgrade Instructions

From a previous 1.x version

```
composer update trusted/agentic-commerce-magento
bin/magento setup:upgrade
bin/magento setup:di:compile
bin/magento cache:flush
```

Check the Changelog in this package for any configuration changes required between versions.

10. Uninstallation

10.1 Disable the module

```
bin/magento module:disable Trusted_AgenticCommerce
bin/magento setup:upgrade
```

10.2 Remove the package

```
composer remove trusted/agentic-commerce-magento
```

10.3 Remove database objects (optional)

Only do this if you want to permanently remove all data:

```
-- Drop outbox table
DROP TABLE IF EXISTS trusted_webhook_outbox;

-- Remove columns from sales_order
ALTER TABLE sales_order
  DROP COLUMN IF EXISTS trusted_receipt_uri,
  DROP COLUMN IF EXISTS trusted_receipt_status;
```

10.4 Clean up configuration

```
bin/magento config:delete trusted_general/general
bin/magento config:delete trusted/enforcement
bin/magento cache:flush
```

11. Troubleshooting

Module is not visible in the admin menu

```
bin/magento module:status Trusted_AgenticCommerce
bin/magento setup:upgrade
bin/magento cache:flush
```

“Store is not connected” after entering credentials

1. Verify `API Base URL` is `https://api.trusted.xyz` (HTTPS required)
2. Check that your server can reach the Trusted API:

```
curl -sf https://api.trusted.xyz/health
```

3. Verify the Integration Token is correct (no trailing spaces)
4. Check `var/log/system.log` for `[trusted]` entries

Webhook outbox accumulating entries

```
# Check outbox depth
mysql -u <user> -p <dbname> -e "SELECT status, COUNT(*) FROM trusted_webhook_outbox GROUP BY status;"

# Confirm cron is running
bin/magento cron:run --group=default
grep trusted_webhook var/log/cron.log
```

`ext-sodium` not available

Install via your package manager:

```
# Ubuntu / Debian
sudo apt-get install php8.2-sodium

# CentOS / RHEL
sudo dnf install php-sodium

# After installing, restart PHP-FPM
sudo systemctl restart php8.2-fpm
```

The pure-PHP fallback activates automatically if `ext-sodium` is absent — no configuration change required.

Orders not appearing in the Trusted dashboard

Confirm the `sales_order_save_after` observer is registered:

```
bin/magento dev:di:info Trusted\\AgenticCommerce\\Observer\\SalesOrderSaveAfter
```

And check `var/log/system.log` for `[trusted] outbox enqueue` entries after placing a test order.