

Trusted Agentic Commerce: User Guide

User Guide: Trusted Agentic Commerce for Magento 2

Version 1.3.4

Table of contents

1. [Overview](#)
 2. [How AI agent commerce works](#)
 3. [Admin dashboard](#)
 4. [My sales \(Mis ventas\)](#)
 5. [Who I sell to \(A quién le vendo\)](#)
 6. [My Rules \(Mis Reglas\)](#)
 7. [Payment methods \(Métodos de pago\)](#)
 8. [Security \(Seguridad\)](#)
 9. [Settings \(Ajustes\)](#)
 10. [Trust Receipts](#)
 11. [Viewing agent orders in standard Magento](#)
 12. [Understanding the Trust Receipt badge](#)
 13. [HITL: human-in-the-loop approvals](#)
 14. [Frequently asked questions](#)
-

1. Overview

Trusted Agentic Commerce connects your Magento store to AI shopping assistants such as Claude, ChatGPT and other MCP-compatible agents. When a customer asks their AI assistant to "buy a blue widget from [your store]", the agent:

1. Discovers your store via the MCP manifest at `/.well-known/mcp.json`
2. Browses your catalog and adds items to a cart
3. Validates the order against your rules (price limits, allowed agents, manual approval)
4. Completes the purchase and receives a cryptographically signed Trust Receipt

Every step is logged and auditable, and you control it from the **Trusted** admin menu.

2. How AI agent commerce works

```
Customer → AI Agent → MCP Discovery → Your Magento Store
                        ↓
                    Trusted Rule Engine
                        ↓
                Order Created in Magento
                        ↓
                Trust Receipt (signed)
```

Key concepts:

Term	Meaning
Agent	An AI assistant (Claude, ChatGPT, etc.) acting on behalf of a customer
MCP	Model Context Protocol, the open standard agents use to interact with stores
Trust Receipt	A cryptographically signed record of each agent transaction (Ed25519)
Rule	A merchant-defined constraint (max order value, allowed agents, category blocklist)
HITL	Human-in-the-Loop: agent orders that wait for your manual approval before they complete
Enforcement mode	<code>observe</code> = log only; <code>enforce</code> = block orders that violate rules

3. Admin dashboard

Path: Trusted → Inicio

The dashboard is your starting point. It shows:

- Connection status: a green banner confirms your store is connected to Trusted
- Store ID: your unique identifier in the Trusted network
- Quick links: shortcuts to the four main sections

Connection banner states

Banner	Meaning
Green "Your store is connected"	Store is live and receiving agent traffic
Yellow "Connection pending"	Setup Wizard not completed. Go to Trusted → Configuración
Red "Store disconnected"	API credentials invalid or Trusted API unreachable

4. My sales (Mis ventas)

Path: Trusted → Mis ventas

This section shows all orders placed by AI agents in your store. It has four tabs:

My orders tab

Lists agent-placed orders with:

- Order number (links to standard Magento order view)
- Agent identity (AI platform + customer)
- Order total
- Trust Receipt, with a detail view
- Date

Orders placed by agents appear here **and** in the standard **Sales → Orders** list. They are normal Magento orders and go through your standard fulfillment workflow.

AI sales tab

Aggregate metrics: total revenue from agent orders, average order value, top products purchased by agents.

Keys tab

API keys issued to AI platforms for accessing your store's MCP endpoint. Each key is scoped to a specific agent platform and can be revoked individually.

Audit tab

A per-order audit trail showing every rule evaluation, token verification, and enforcement decision for each agent order.

5. Who I sell to (A quién le vendo)

Path: Trusteed → A quién le vendo

Manage which AI agents are allowed to purchase in your store.

Agent list

Shows all agents that have accessed your store, with:

- Agent DID (decentralized identifier)
- Platform (Claude, ChatGPT, etc.)
- First seen / last seen dates
- Status (Allowed / Blocked)
- Order count

Blocking an agent

Click on any agent row and toggle the **Status** switch to **Blocked**. The agent will receive a **BLOCK** decision on its next order attempt. Existing completed orders are not affected.

Agent identity levels

Level	Description
verified	Agent presented a valid cryptographic identity token
unverified	Agent identified itself but token could not be cryptographically verified
anonymous	No agent identity presented

You can configure minimum trust levels in **Mis Reglas**.

6. My Rules (Mis Reglas)

Path: Trusted → Mis Reglas

Rules define how agent orders are evaluated before they are placed. Each rule can be in `observe` mode (log only) or `enforce` mode (block violations).

Common rules

Rule Code	Name	Description
R001	Verified Agent Required	Requires a cryptographically identified buying agent; rejects anonymous agents
R005	Revoked Agent Block	Blocks agents that have been revoked or suspended
R007	Cross-Merchant Abuse Signal	Blocks agents carrying an abuse signal raised across merchants
R011	Repeat Failed Checkout	Blocks agents with too many recent failed checkout attempts
R022	Payment Rail Restriction	Restricts which payment methods or rails agent checkout may use
R030	Simple Controls	Basic max-amount and allowed-country controls in a single rule
R032	Category Blocklist	Blocks agent purchases in categories you list (alcohol, tobacco, weapons, adult)
R035	Max Order Value	Caps the total amount of an agent order
R042	Max Orders Per Agent Per Day	Caps successful orders per agent per 24 h. Complements R011, which counts failures
R043	Agent Checkout Approval Required	Requires your manual approval for every agent order via the HITL flow

Codes and names above are the canonical ones. A rule code means the same thing on every platform, so `R035` is the amount cap everywhere. Don't guess what a code does from its number. The engine ships 46 rules in total, and this table is the subset merchants configure most often.

Rule modes

In `observe` mode the rule evaluates and logs its verdict, but never blocks an order. Use it when you first deploy a rule, to see its impact before you enforce it. In `enforce` mode the rule blocks or escalates the orders that violate it.

Switching a rule to enforce mode

1. Navigate to **Trusted** → **Mis Reglas**
2. Click the rule you want to enforce
3. Toggle **Mode** from **observe** to **enforce**
4. Click **Save**

Tip: Start with all rules in **observe** mode for at least 7 days. Review the audit log in **Mis ventas** → **Audit** to understand how many orders would have been affected before switching to **enforce**.

7. Payment methods (Métodos de pago)

Path: Trusted → Métodos de pago

Configure the order in which Trusted attempts to charge agent orders:

1. Primary method: tried first (e.g., x402 micropayment protocol)
2. Fallback method: tried if the primary fails (e.g., stored card on file)

When an agent places an order, Trusted tries the primary method. If it fails, it falls back to the next method in sequence. If all methods fail, the order is not created.

To change your payment method order, contact Trusted support at support@trusted.xyz or access the main portal at trusted.xyz/dashboard.

8. Security (Seguridad)

Path: Trusted → Seguridad

The Security page gives you visibility and control over who accesses your store.

Audit log

A chronological record of every agent interaction:

- Timestamp
- Agent identity
- Action (browse / add-to-cart / checkout / payment)
- Rule evaluation outcome (ALLOW / BLOCK / ESCALATE)
- Trust Receipt ID (for completed orders)

Anomaly alerts

Trusted monitors agent behavior patterns and alerts you when:

- An agent attempts unusually high-value orders
- The same agent retries a blocked order multiple times
- An unknown agent platform attempts access

Webhook status

Shows the health of the webhook delivery pipeline:

- Outbox depth (pending deliveries)
- Last successful delivery timestamp
- Delivery error rate

9. Settings (Ajustes)

Path: Trusted → Ajustes

Enforcement system failure mode

Controls what happens when the Trusted API is temporarily unreachable.

First, the module checks the last rules snapshot it pulled against a small set of rules it can evaluate on its own: the country check of R014, R018, R019, R020, R025, R027, R028, R029 and R030. If one of them matches, the order is blocked whatever the mode. If none matches, the mode decides:

Mode	Behavior
<code>observe</code>	If the API is down, all orders are allowed through. Violations are logged retroactively. Use in low-risk environments.
<code>enforce</code>	If the API is down, all agent orders are blocked. Use in high-value or regulated environments.

When the API is unreachable this module falls back to its bundled offline evaluator (`Enforcement/OfflineSafetyValveEvaluator.php`), which decides nine rules on its own: R014 (country dimension only, because the cancellation-history dimension needs a backend lookup), R018, R019, R020, R025, R027, R028, R029 and R030. Those nine keep working under either mode above.

Every other rule needs the backend, including R001 and R007. Under `observe` they are skipped. Under `enforce` the order is blocked by the setting above rather than evaluated.

Payment method order

See [Payment Methods](#).

10. Trust Receipts

Path: Trust Receipts → Verify Receipt

Trust Receipts are cryptographically signed records of agent transactions. They use Ed25519 signatures (RFC 8037) and are issued by the Trusteed API after each successful agent order.

Separate module. The **Trust Receipts** menu (Verify Receipt, Self-Test and Audit Log) and the order badge described in section 12 belong to the Trusteed Trust Receipt Verifier module (Composer package `trusteed/trust-verifier-for-magento`, Magento module `Trusteed_TrustVerifier`). Install it alongside Trusteed Agentic Commerce to get them. Without it, the order still stores its receipt address in the `trusteed_receipt_uri` field.

What a Trust Receipt contains

- Order ID and amount
- Agent identity (DID)
- Merchant identity
- Timestamp
- Payment method used
- Cryptographic signature

Verifying a receipt

1. Navigate to **Trust Receipts → Verify Receipt**
2. Paste the JWS string from a customer's receipt
3. Click **Verify**

Verification returns one of three results. VERIFIED means the signature is valid and the receipt is authentic and unaltered. INVALID means the signature does not match, so the receipt may have been altered. INDETERMINATE means verification could not complete, for example because the JWKS endpoint is unreachable.

Self-Test

Trust Receipts → Self-Test runs the built-in conformance suite against your installation to confirm the verifier is working correctly with known test vectors.

Audit log

Trust Receipts → Audit Log shows every verification attempt with verdict, latency, and the admin user who performed the verification.

11. Viewing agent orders in standard Magento

Agent orders are normal Magento orders and appear in **Sales → Orders** alongside human-placed orders. They are distinguished by:

- The **Trusted** label in the order source column
- The `trusted_receipt_uri` field visible in the order detail page

Fulfill, invoice and ship agent orders exactly as you would any other order. When you ship an order, Trusted is automatically notified via the webhook outbox.

12. Understanding the Trust Receipt badge

This badge comes from the Trusted Trust Receipt Verifier module (see section 10).

On the order detail page (**Sales → Orders → [Order]**), the module adds a green badge to the page header when the order has a Trust Receipt address stored. The badge reads **VERIFIED · Order** followed by the order status: Completed, Refunded, Cancelled, On Hold or Processing.

The badge only tells you that the order has a receipt address. It does not check the signature. To check the signature, paste the receipt into **Trust Receipts → Verify Receipt**.

13. HITL: human-in-the-loop approvals

When rule **R043** is active in `enforce` mode and an agent order needs approval, the order is not created. Instead:

1. The module freezes the cart, so the shopper's intent is recorded as pending merchant approval
2. The agent receives the message "Your order is pending review and requires merchant approval before it can be completed"

The module only freezes the cart. The approval decision itself is handled through your Trusted dashboard, not through a screen in the Magento admin.

Configuring the HITL rule

R043 sends every agent order to manual approval. It has no amount threshold. The only setting is `tvlMinutes`, how long the approval window stays open (60 minutes by default). You set it in **Trusted → Mis Reglas**.

14. Frequently asked questions

Q: Do agent orders count toward my Magento analytics and reports?

Yes. Agent orders are standard Magento orders and appear in all standard reports (Sales → Reports, Business Intelligence, etc.).

Q: Can agents apply discount codes?

Agents can apply the discount codes your store accepts. Rule **R017** (`discount-anomaly-applied`) caps the number of discount codes on a cart and the total discount depth, so you can stop carts with unusual discounts.

Q: What happens to agent orders if Trusted is down?

The module first checks the local rules described in **Settings**. If none matches, your **Enforcement failure mode** setting decides. In `observe` mode, orders proceed normally. In `enforce` mode (the default), orders are blocked until connectivity is restored.

Q: Can I limit which products agents can purchase?

Yes. Configure rule **R032 (Category Blocklist)** in **Mis Reglas**. It blocks the categories you list. (`R007` is a different rule: it blocks agents carrying a cross-merchant abuse signal.)

Q: How are agent payments handled?

Agents pay using the methods configured in **Métodos de pago**. The most common method is the x402 micropayment protocol, which allows agents to pay on behalf of customers using pre-authorized payment credentials.

Q: Is my customer data shared with AI agents?

No. Agents receive product and pricing information but are never given customer PII. Order confirmation data is provided to the agent after a successful purchase, scoped to what is necessary for the customer to receive their purchase confirmation.

Q: How do I open a support case?

Email support@trusted.xyz with your Store ID (visible on **Trusted → Inicio**), the order ID or Trust Receipt URI, and a description of the issue.