Michał Nowaczyk 263971

Michał Bernacki-Janson 264021

Inżynieria oprogramowania – etapy 5-7 Program wystawiający rachunki

Spis treści

Diagram klas



Struktura klas

Application

```
public class Application {
       static Bill;
       private static int cashierID;
       Application(){}
        private int informQuantity(){return 0;}
        private void setCashierId(int id){}
        private boolean informpayed(){return false;}
        private boolean informInvoice(){return false;}
        private boolean informSending(){return false;}
        private String informEmail(){return null;}
         private void login(){}
        public static void main(String[] args){}
}
```

BarcodeScanner

```
public interface BarcodeScanner {
    public int scan();
}
```

VATBracket

```
public enum VATBracket {
   A(23),
   B(8),
   C(5),
   D(0);

   public final int value;
   private VATBracket(int label) {this.value = label;}
}
```

PrintingPosition

```
public class PrintingPosition {

   protected Product Product;
   protected int Quantity;

   public PrintingPosition(Product product, int quantity) {
      Product=product;
      Quantity=quantity;
   }
}
```

Product

```
public class Product {
   private String Name;
   private float Price;
   private VATBracket VAT;
   private int ProductID;

   Product(String Name, float Price, VATBracket VAT, int ProductID){
   }

   public Product(Product Product) {
```

```
    }

    public String getName() {
        return Name;
    }

    public float getPrice() {
        return Price;
    }

    public VATBracket getVAT() {
        return VAT;
    }

    public int getProductID() {
        return ProductID;
    }

    public void setProductID(int ProductID) {}

}
```

InternalPosition

```
public class InternalPosition extends PrintingPosition {

    public InternalPosition(Product product, int quantity) {
        super(product, quantity);
    }

    public void increment(int quantity) {}
    public void decrement(int quantity) {}
}
```

Database

```
public class Database {
    private static ArrayList<InternalPosition> Products;
    private ArrayList<Bill> bills;
    private ArrayList<Invoice> invoices;
    public static Product getProduct(int id){null;}
    public static int getQuantity(int id){return 0;}

    public void saveBill(Bill bill){}
    public void saveInvoice(Invoice invoice){}
    public boolean login(String login, String password){ return false;}

}
```

Invoice

```
public class Invoice{
    Bill Bill;
    int NIP;
    String CompanyName;

    public Invoice(Bill Bill,int NIP,String CompanyName){
        this.Bill=Bill;
        this.NIP = NIP;
        this.CompanyName = CompanyName;

    }
```

```
    public void printInvoice(int cashierID){}
    public void sendInvoice(String email){}

}
```

Bill

```
import java.text.SimpleDateFormat;
import java.util.ArrayList;
import java.util.Date;
public class Bill {

   private ArrayList<InternalPosition> products;
   private int billId;
   private Date Date;

   Bill(){}

   public void printHeader(int cashierID){}
   public void addPosition(Product product, int quantity) {}

   public void printPosition(PrintingPosition product) {}

   public void show() {}

   public void removePosition(Product product, int quantity) {}

   public void calculatingFinalSums(){}

   private float sum(){return 0.0f}
   private ArrayList<Float> taxes() {return null;}
   private void printSum(float sum){}
   private void printTaxes(ArrayList<Float> taxesSums){}
   public void printBill(){}

}
```

Diagramy sekwencji

Diagram PU adding/removing a product



Subdiagram getProduct()




```java
public static Product getProduct(int id){
    Product product;
    for (InternalPosition x:Products) {
        if(x.Product.getProductID()==id){
            product=x.Product;
            return product;
        }
    }
    return null;
}
```

Subdiagram addPosition()




```java
public void addPosition(Product product, int quantity) {

   for (var produt : products) {

      if(produt.Product.getProductID()==product.getProductID()){
         produt.increment(quantity);
         return;
      }
   }
   products.add(new InternalPosition(product,quantity));
}
```

```java
public void increment(int quantity) {
   this.Quantity+=quantity;
}
```

Subdiagram removePosition()




```
public void removePosition(Product product, int quantity) {
   for (var produt : products) {
      if (produt.Product.getProductID() == product.getProductID()) {
         if(quantity> produt.Quantity) return;
         else {
            if (produt.Quantity > quantity)
               produt.decrement(quantity);
            else {
               products.remove(produt);
            }
         }
         return;
      }
   }
}
```

Subdiagram printPosition()




```
public void printPosition(PrintingPosition product) {
System.out.println(product.Product.getName()+" "+product.Quantity+"
"+product.Product.getPrice()+" "+product.Product.getVAT());
}
```

Diagram PU Finalzaing the bill



```
public void calculatingFinalSums(){
   printSum(sum());;
   printTaxes(taxes());

}
private float sum(){
   float sum = 0;
   for (var product : products){
      sum += product.Product.getPrice() * product.Quantity;
   }
   return sum;
}


private void printSum(float sum){
   System.out.println("Suma: "+sum);
}
private void printTaxes(ArrayList<Float> taxesSums){

   for(int i=0;i<4;i++)
   System.out.println(VATBracket.getBracketForValue(i)+"
"+taxesSums.get(i));


}
public void printBill(){
   System.out.println("Dziekujemy za zakupy");
}
```

```
public void saveBill(Bill bill){
    bills.add(bill);
}
public void saveInvoice(Invoice invoice){
    invoices.add(invoice);
}
```

```
public void printInvoice(int cashierID){
    System.out.print("Data : ");
    Bill.printHeader(cashierID);
    System.out.println("NAZWA FIRMY : " + CompanyName);
    System.out.println("NIP : " + NIP);
    Bill.show();
    Bill.calculatingFinalSums();
}
public void sendInvoice(String email){
    System.out.println("Wysylanie faktury na adres email: " + email);
}
```

Subdiagram taxes()




```
private ArrayList<Float> taxes() {
   ArrayList<Float> taxesSums = new ArrayList<Float>();
   taxesSums.add(0.0f);
   taxesSums.add(0.0f);
   taxesSums.add(0.0f);
   taxesSums.add(0.0f);

   for (var product : products) {
      int index = switch (product.Product.getVAT()) {
         case A -> 0;
         case B -> 1;
         case C -> 2;
         case D -> 3;
      };

      taxesSums.set(index, taxesSums.get(index) +
product.Product.getPrice() * product.Quantity *
VATBracket.valueOf(product.Product.getVAT().name()).value / 100);
   }

   return taxesSums;
}
```

Uzyskany kod

BarcodeScanner

```
public interface BarcodeScanner {
    public int scan();
}
```

VATBracket

```
public enum VATBracket {
   A(23),
   B(8),
   C(5),
   D(0);
   public final int value;
   private VATBracket(int label) {this.value = label;}
}
```

Invoice

```
import java.util.ArrayList;
public class Invoice extends sklep.Bill {
    Bill Bill;
    int NIP;
    String CompanyName;

    public Invoice(Bill Bill,int NIP,String CompanyName){
        this.Bill=Bill;
        this.NIP = NIP;
        this.CompanyName = CompanyName;

    }
public void printInvoice(int cashierID){
    Bill.printHeader(cashierID);
    System.out.println("NAZWA FIRMY : " + CompanyName);
    System.out.println("NIP : " + NIP);
    Bill.show();
    Bill.calculatingFinalSums();
}

    public void sendInvoice(String email){
        System.out.println("Wysylanie faktury na adres email: " + email);
    }
}
```

PrintingPosition

```
public class PrintingPosition {

   protected Product Product;
   protected int Quantity;

   public PrintingPosition(Product product, int quantity) {

      Product=product;
      Quantity=quantity;
   }
}
```

Database

```
import java.util.ArrayList;
public class Database {
    private static ArrayList<InternalPosition> Products;
    static{
        Products=new ArrayList<InternalPosition>();
        Products.add(new InternalPosition(new Product("Chleb
pszenny",3.49f, VATBracket.B,1),36));
        Products.add(new InternalPosition(new Product("Mleko muuu",3.99f,
VATBracket.B,2),314));
        Products.add(new InternalPosition(new Product("Telewizor
32''",1299.99f, VATBracket.A,3),4));
        Products.add(new InternalPosition(new Product("Radioodbiornik
Rydzunio",333.33f, VATBracket.A,4),12));
    }
    private ArrayList<Bill> bills = new ArrayList<Bill>();
    private ArrayList<Invoice> invoices= new ArrayList<Invoice>();
    public static Product getProduct(int id){
        Product product;
        for (InternalPosition x:Products) {
            if(x.Product.getProductID()==id){
                product=x.Product;
                return product;
            }
        }
        return null;
    }
    public static int getQuantity(int id){

        int quantity = -1;
        for (InternalPosition x:Products) {
            if(x.Product.getProductID()==id){
                quantity=x.Quantity;
            }
        }
        return quantity;
    }

public void saveBill(Bill bill){
    bills.add(bill);
}
public void saveInvoice(Invoice invoice){
    invoices.add(invoice);
}

public boolean login(String login, String password){
    if(login.compareTo(Login) == 0 && password.compareTo(Passowrd)==0)
    return true;
    return false;
}


}
```

Bill

```
import java.text.SimpleDateFormat;
import java.util.ArrayList;
import java.util.Date;
public class Bill {

   private ArrayList<InternalPosition> products;
```

```
   private int billId;
   private Date Date;

   Bill(){
      products=new ArrayList<InternalPosition>();
      billId  = (int) new Date().getTime();
      Date = new Date();
   }

   public void printHeader(int cashierID){
      SimpleDateFormat f = new SimpleDateFormat("yyyy-MM-dd hh:mm");
   System.out.println("Sklep Fajny");
   System.out.println("NIP 328957834275");
   System.out.println("Kasjer : "+cashierID);
   System.out.println(f.format(Date));

   }
   public void addPosition(Product product, int quantity) {

      for (var produt : products) {

         if(produt.Product.getProductID()==product.getProductID() &&
produt.Quantity<quantity){
            produt.increment(quantity);
            return;
         }
      }
      products.add(new InternalPosition(product,quantity));
   }

   public void printPosition(PrintingPosition product) {
   System.out.println(product.Product.getName()+" "+product.Quantity+"
"+product.Product.getPrice()+" "+product.Product.getVAT());
   }

   public void show() {
      for (InternalPosition product:products) {
         System.out.println(product.Product.getName()+"
"+product.Quantity+"   "+product.Product.getPrice()+"
"+product.Product.getVAT());
      }
   }

   public void removePosition(Product product, int quantity) {
      for (var produt : products) {
         if (produt.Product.getProductID() == product.getProductID()) {
            if(quantity> produt.Quantity) return;
            else {
               if (produt.Quantity > quantity)
                  produt.decrement(quantity);
               else {
                  products.remove(produt);
               }
            }
            return;
         }
      }
   }

   public void calculatingFinalSums(){
      printSum(sum());;
```

```
        printTaxes(taxes());

    }

    private float sum(){
        float sum = 0;
        for (var product : products){
            sum += product.Product.getPrice() * product.Quantity;
        }
        return sum;
    }
    private ArrayList<Float> taxes() {
        ArrayList<Float> taxesSums = new ArrayList<Float>();
        taxesSums.add(0.0f);
        taxesSums.add(0.0f);
        taxesSums.add(0.0f);
        taxesSums.add(0.0f);

        for (var product : products) {
            int index = switch (product.Product.getVAT()) {
                case A -> 0;
                case B -> 1;
                case C -> 2;
                case D -> 3;
            };

            taxesSums.set(index, taxesSums.get(index) +
product.Product.getPrice() * product.Quantity *
VATBracket.valueOf(product.Product.getVAT().name()).value / 100);
        }

        return taxesSums;
    }

    private void printSum(float sum){
        System.out.println("Suma: "+sum);
    }
    private void printTaxes(ArrayList<Float> taxesSums){
        char v = 'A';
        for(int i=0;i<4;i++){
            System.out.println(v+" "+taxesSums.get(i));
            v++;
        }

    }

    public void printBill(){
        System.out.println("Dziekujemy za zakupy");
    }

}
```

InternalPosition

```
public class InternalPosition extends PrintingPosition {

   public InternalPosition(Product product, int quantity) {
      super(product, quantity);
   }

   public void increment(int quantity) {
      this.Quantity+=quantity;
   }
   public void decrement(int quantity) {
      this.Quantity-=quantity;
   }
}
```

Application

```
public class Application {
      private static Bill bill;
       private static int cashierID;
       Application(){ //ustawione dane do przetestowania
         bill = new Bill();
            setCashierId(32);
            bill.addPosition(Database.getProduct(2),2);
            bill.addPosition(Database.getProduct(2),2);
            bill.show();
            bill.calculatingFinalSums();
            System.out.println("\n\n\n");
            bill.addPosition(Database.getProduct(1),2);
            bill.removePosition(Database.getProduct(2),2);
            bill.show();
            bill.calculatingFinalSums();
            System.out.println("\n\n\n");
            Invoice x = new Invoice(bill,277277277,"Firma kox");
            x.printInvoice(cashierID);
       }
       private void setCashierId(int id){
            cashierID = id;
       }
    private int informQuantity(){return 0;}
    private boolean informPayed(){return false;}
    private boolean informInvoice(){return false;}
    private boolean informSending(){return false;}
    private String informEmail(){return null;}
    private void login(){}
    public static void main(String[] args){
          new Application();
    }

}
```

Product

```
public class Product {
    private String Name;
    private float Price;
    private VATBracket VAT;
    private int ProductID;

    Product(String Name, float Price, VATBracket VAT, int ProductID) {
        this.Name = Name;
        this.Price = Price;
        this.VAT = VAT;
        this.ProductID = ProductID;
    }

    public String getName() {
        return this.Name;
    }

    public float getPrice() {
        return this.Price;
    }

    public VATBracket getVAT() {
        return this.VAT;
    }

    public int getProductID() {
        return this.ProductID;
    }
}
```