
Michał Bernacki-Janson 264021

Inżynieria oprogramowania – etapy 5-7 Program wystawiający rachunki

Spis treści

Diagram klas	2
Struktura klas	3
Application	3
BarcodeScanner	3
VATBracket	3
PrintingPosition	3
Product	3
Internal Position	4
Database	4
Invoice	4
Bill	5
Diagramy sekwencji	6
Diagram PU adding/removing a product	6
Subdiagram getProduct()	7
Subdiagram addPosition()	8
Subdiagram removePosition()	9
Subdiagram printPosition()	10
Diagram PU Finalzaing the bill	11
Subdiagram taxes()	13
Uzyskany kod	14
BarcodeScanner	14
VATBracket	14
Invoice	14
PrintingPosition	14
Database	15
Bill	15
InternalPosition	18
Application	18
Product	19

Diagram klas



Struktura klas

Application

```
public class Application {
    static Bill;
    private static int cashierID;
    Application() {}
    private int informQuantity() {return 0;}
    private void setCashierId(int id) {}
    private boolean informpayed() {return false;}
    private boolean informInvoice() {return false;}
    private boolean informSending() {return false;}
    private String informEmail() {return null;}
    private void login() {}
    public static void main(String[] args) {}
}
```

BarcodeScanner

```
public interface BarcodeScanner {
    public int scan();
}
```

VATBracket

```
public enum VATBracket {
    A(23),
    B(8),
    C(5),
    D(0);

public final int value;
    private VATBracket(int label) {this.value = label;}
}
```

PrintingPosition

```
public class PrintingPosition {
   protected Product Product;
   protected int Quantity;

   public PrintingPosition(Product product, int quantity) {
        Product=product;
        Quantity=quantity;
   }
}
```

Product

```
public class Product {
  private String Name;
  private float Price;
  private VATBracket VAT;
  private int ProductID;

  Product(String Name, float Price, VATBracket VAT, int ProductID) {
  }

  public Product(Product Product) {
```

```
public String getName() {
    return Name;
}

public float getPrice() {
    return Price;
}

public VATBracket getVAT() {
    return VAT;
}

public int getProductID() {
    return ProductID;
}

public void setProductID(int ProductID) {}
}
```

InternalPosition

```
public class InternalPosition extends PrintingPosition {
   public InternalPosition(Product product, int quantity) {
      super(product, quantity);
   }
   public void increment(int quantity) {}
   public void decrement(int quantity) {}
}
```

Database

```
public class Database {
    private static ArrayList<InternalPosition> Products;
    private ArrayList<Bill> bills;
    private ArrayList<Invoice> invoices;
    public static Product getProduct(int id) {null;}
    public static int getQuantity(int id) {return 0;}

    public void saveBill(Bill bill) {}
    public void saveInvoice(Invoice invoice) {}
    public boolean login(String login, String password) { return false;}
}
```

Invoice

```
public class Invoice{
   Bill Bill;
   int NIP;
   String CompanyName;

public Invoice(Bill Bill,int NIP,String CompanyName) {
      this.Bill=Bill;
      this.NIP = NIP;
      this.CompanyName = CompanyName;
}
```

```
public void printInvoice(int cashierID){}
  public void sendInvoice(String email){}
}
```

Bill

```
import java.text.SimpleDateFormat;
import java.util.ArrayList;
import java.util.Date;
public class Bill {

    private ArrayList<InternalPosition> products;
    private int billId;
    private Date Date;

    Bill() {}

    public void printHeader(int cashierID) {}
    public void addPosition(Product product, int quantity) {}

    public void printPosition(PrintingPosition product) {}

    public void show() {}

    public void removePosition(Product product, int quantity) {}

    public void calculatingFinalSums() {}

    private float sum() {return 0.0f}
    private ArrayList<Float> taxes() {return null;}
    private void printSum(float sum) {}

    private void printSum(float sum) {}


    private void printTaxes(ArrayList<Float> taxesSums) {}

    public void printBill() {}

}
```


Diagramy sekwencji

Diagram PU adding/removing a product



Subdiagram getProduct()


sd [getProduct]



```
public static Product getProduct(int id) {
    Product product;
    for (InternalPosition x: Products) {
        if(x.Product.getProductID() == id) {
            product=x.Product;
            return product;
        }
    }
    return null;
}
```

Subdiagram addPosition()


sd [addPosition]



```
public void addPosition(Product product, int quantity) {
    for (var product : products) {
        if (produt.Product.getProductID() == product.getProductID()) {
            produt.increment (quantity);
            return;
        }
    }
    products.add(new InternalPosition(product, quantity));
}
```


```
public void increment(int quantity) {
    this.Quantity+=quantity;
}
```

Subdiagram removePosition()




Subdiagram printPosition()

sd [printPosition]



```
public void printPosition(PrintingPosition product) {
System.out.println(product.Product.getName()+" "+product.Quantity+"
"+product.Product.getPrice()+" "+product.Product.getVAT());
}
```

Diagram PU Finalzaing the bill



```
public void calculatingFinalSums() {
    printSum(sum());;
    printTaxes(taxes());
}

private float sum() {
    float sum = 0;
    for (var product : products) {
        sum += product.Product.getPrice() * product.Quantity;
    }
    return sum;
}

private void printSum(float sum) {
    System.out.println("Suma: "+sum);
}

private void printTaxes(ArrayList<Float> taxesSums) {
    for(int i=0;i<4;i++)
        System.out.println(VATBracket.getBracketForValue(i)+"
    "+taxesSums.get(i));
}

public void printBill() {
        System.out.println("Dziekujemy za zakupy");
}</pre>
```


```
public void saveBill(Bill bill) {
    bills.add(bill);
}
public void saveInvoice(Invoice invoice) {
    invoices.add(invoice);
}
```

```
public void printInvoice(int cashierID) {
    System.out.print("Data : ");
    Bill.printHeader(cashierID);
    System.out.println("NAZWA FIRMY : " + CompanyName);
    System.out.println("NIP : " + NIP);
    Bill.show();
    Bill.calculatingFinalSums();
}

public void sendInvoice(String email) {
    System.out.println("Wysylanie faktury na adres email: " + email);
}
```

Subdiagram taxes()

sd [taxes]



```
private ArrayList<Float> taxes() {
    ArrayList<Float> taxesSums = new ArrayList<Float>();
    taxesSums.add(0.0f);
    taxesSums.add(0.0f);
    taxesSums.add(0.0f);

    for (var product : products) {
        int index = switch (product.Product.getVAT()) {
            case A -> 0;
            case B -> 1;
            case C -> 2;
            case D -> 3;
        };

        taxesSums.set(index, taxesSums.get(index) +
        product.Product.getPrice() * product.Quantity *
        VATBracket.valueOf(product.Product.getVAT().name()).value / 100);
        }

    return taxesSums;
}
```

Uzyskany kod

BarcodeScanner

```
public interface BarcodeScanner {
    public int scan();
}
```

VATBracket

```
public enum VATBracket {
    A(23),
    B(8),
    C(5),
    D(0);
    public final int value;
    private VATBracket(int label) {this.value = label;}
}
```

Invoice

```
import java.util.ArrayList;
public class Invoice extends sklep.Bill {
    Bill Bill;
    int NIP;
    String CompanyName;

    public Invoice(Bill Bill,int NIP,String CompanyName) {
        this.Bill=Bill;
        this.NIP = NIP;
        this.CompanyName = CompanyName;

}

public void printInvoice(int cashierID) {
    Bill.printHeader(cashierID);
    System.out.println("NAZWA FIRMY: " + CompanyName);
    System.out.println("NIP: " + NIP);
    Bill.show();
    Bill.calculatingFinalSums();
}

public void sendInvoice(String email) {
        System.out.println("Wysylanie faktury na adres email: " + email);
    }
}
```

PrintingPosition

```
public class PrintingPosition {
   protected Product Product;
   protected int Quantity;

   public PrintingPosition(Product product, int quantity) {
        Product=product;
        Quantity=quantity;
    }
}
```

Database

```
private static ArrayList<InternalPosition> Products;
        Products=new ArrayList<InternalPosition>();
        Products.add(new Internal Position(new Product("Mleko muuu", 3.99f,
        Products.add(new InternalPosition(new Product("Telewizor
   public static Product getProduct(int id) {
   public static int getQuantity(int id){
        for (InternalPosition x:Products) {
           if (x.Product.getProductID() == id) {
public void saveBill(Bill bill) {
   bills.add(bill);
public void saveInvoice(Invoice invoice) {
   invoices.add(invoice);
public boolean login(String login, String password){
```

Bill

```
import java.text.SimpleDateFormat;
import java.util.ArrayList;
import java.util.Date;
public class Bill {
    private ArrayList<InternalPosition> products;
```

```
Bill(){
      Date = new Date();
   public void addPosition(Product product, int quantity) {
         if(produt.Product.getProductID() ==product.getProductID() &&
produt.Quantity<quantity) {</pre>
         if (produt.Product.getProductID() == product.getProductID()) {
   public void calculatingFinalSums() {
```

```
printTaxes(taxes());
product.Product.getPrice() * product.Quantity *
   public void printBill(){
```

InternalPosition

```
public class InternalPosition extends PrintingPosition {
   public InternalPosition(Product product, int quantity) {
      super(product, quantity);
   }
   public void increment(int quantity) {
      this.Quantity+=quantity;
   }
   public void decrement(int quantity) {
      this.Quantity-=quantity;
   }
}
```

Application

```
public class Application {
    private static Bill bill;
    private static int cashierID;
    Application(){ //ustawione dane do przetestowania
        bill = new Bill();
        setCashierId(32);
        bill.addPosition(Database.getProduct(2),2);
        bill.addPosition(Database.getProduct(2),2);
        bill.show();
        bill.addPosition(Database.getProduct(2),2);
        bill.show();
        bill.addPosition(Database.getProduct(1),2);
        bill.removePosition(Database.getProduct(2),2);
        bill.removePosition(Database.getProduct(2),2);
        bill.removePosition(Database.getProduct(2),2);
        bill.calculatingFinalSums();
        System.out.println("\n\n\n");
        Invoice x = new Invoice(bill,277277277,"Firma kox");
        x.printInvoice(cashierID);
    }
    private void setCashierId(int id){
        cashierID = id;
    }
    private int informQuantity(){return 0;}
    private boolean informPayed(){return false;}
    private boolean informSending(){return false;}
    private String informEmail(){return null;}
    private void login(){}
    public static void main(String[] args){
        new Application();
}
```

Product

```
public class Product {
    private String Name;
    private float Price;
    private VATBracket VAT;
    private int ProductID;

Product(String Name, float Price, VATBracket VAT, int ProductID) {
        this.Name = Name;
        this.Price = Price;
        this.VAT = VAT;
        this.ProductID = ProductID;
    }

public String getName() {
        return this.Name;
    }

public float getPrice() {
        return this.Price;
    }

public VATBracket getVAT() {
        return this.VAT;
    }

public int getProductID() {
        return this.ProductID;
    }
}
```