

Installation de Docker sur Windows, Ubuntu et MacOS

I. Installation de Docker sur Windows

1. Installer WSLv2

- WSL2 (Windows Subsystem for Linux version 2) est une version améliorée de WSL (Windows Subsystem for Linux), une fonctionnalité de Windows permettant d'exécuter un environnement Linux directement sous Windows sans avoir besoin d'une machine virtuelle ou d'un dual-boot.

- Cliquer sur le lien dans la documentation de Docker (<https://docs.microsoft.com/en-us/windows/wsl/install>)

Windows / Development environment / WSL /

Install Linux on Windows with WSL

Article • 04/28/2022 • 7 minutes to read • 7 contributors

This guide will show you how to install a Linux distribution (such as Ubuntu, OpenSUSE, Kali, Debian, Arch Linux, and more) using the Windows Subsystem for Linux. WSL enables you to use Linux tools, like Bash or Grep, completely integrated with Windows tools, like PowerShell or Visual Studio Code, with no need to dual-boot.

Prerequisites

You must be running Windows 10 version 2004 and higher (Build 19041 and higher) or Windows 11.

Note

To check your Windows version and build number, select **Windows logo key + R**, type **winver**, select **OK**. You can update to the latest Windows version by selecting **Start > Settings > Windows Update > Check for updates**.

If you're running an older build, or just prefer not to use the install command and would like step-by-step directions, see [WSL manual installation steps for older versions](#).

Install WSL command

You can now install everything you need to run Windows Subsystem for Linux (WSL) by entering this command in an **administrator** PowerShell or Windows Command Prompt and then restarting your machine.

```
PowerShell
wsl --install
```

This command will enable the required optional components, download the latest Linux kernel, set WSL 2 as your default, and install a Linux distribution for you (Ubuntu by default, see below to change this).

The first time you launch a newly installed Linux distribution, a console window will open and you'll be asked to wait for files to de-compress and be stored on your machine. All future launches should take less than a second.

- Ouvrir **Windows Powershell** en mode **Administrateur**


The image is a composite screenshot illustrating the steps to run Windows PowerShell as an administrator. On the left, a portion of the 'WSL Documentation' page is visible, showing a sidebar with 'Overview', 'Install', 'Manual install steps for older versions', 'Install on Windows Server', 'Tutorials', and 'Concepts'. The 'Install' section is expanded, and the 'Install WSL' link is highlighted. A 'Note' box on the documentation page states: 'To check your Windows version and build number, select Windows logo key + R, type winver, select OK. You can update to the latest Windows version by selecting Start > Settings > Windows Update > Check for updates.' Below this, it says: 'If you're running an older build, or just prefer not to use the install command and would like step-by-step directions, see WSL manual installation steps for older versions.'

In the center, a Windows Start menu search results window is shown. The search bar contains 'Powershell'. The 'Best match' section shows 'Windows PowerShell App'. Under the 'Apps' section, 'Windows PowerShell ISE' is listed. Under the 'Settings' section, 'PowerShell Developer Settings' is listed. The 'Search the web' section shows results for 'Powers - See web results', 'powerschool', and 'powershell'. The 'Run as administrator' option is highlighted with a red arrow.

On the right, a portion of the 'WSL Documentation' page is visible, showing the 'Install WSL command' section. It states: 'To run Windows Subsystem for Linux (WSL) by entering this command in an Command Prompt and then restarting your machine.' Below this, it says: 'Optional components, download the latest Linux kernel, set WSL 2 as your default, (by default, see below to change this).'. It then says: 'When you install a Linux distribution, a console window will open and you'll be asked to wait for machine. All future launches should take less than a second.' Below this, it says: 'If WSL is not installed at all, if you run `wsl --install` and see the WSL help text, to see a list of available distros and run `wsl --install -d <DistroName>` to install legacy version of WSL or unregister or uninstall a Linux distribution.'

At the bottom right, the 'Linux distribution installed' section is visible, stating: 'You will be Ubuntu. This can be changed using the `-d` flag.' Below this, it says: 'For: `wsl --install -d <Distribution Name>`. Replace `<Distribution Name>`'.


- Taper la commande « **wsl --install** »



The first time you launch a newly installed Linux distribution, a console window will open and you'll be asked to wait for files to de-compress and be stored on your machine. All future launches should take less than a second.


2. Télécharger le fichier d'installation de Docker Desktop

- Vous devez vous rendre sur <https://docs.docker.com/desktop/windows/install/> puis cliquer sur **Download Docker Desktop for Windows**




3. Installer Docker Desktop

- Après avoir lancé **Docker Desktop Installer.exe** laisser coché les deux cases




- Cliquer sur « **Close and log out** » pour déconnecter l'utilisateur courant




4. Lancer DockerDesktop


- Après avoir cliqué sur l'icône du bureau, acceptez les termes de la licence



- Après avoir cliqué sur l'icône du bureau, attendez que l'initialisation du moteur Docker se termine




- Cliquer sur « Skip Tutorial »



5. Tester son installation de Docker

- Une fois Docker installé, utilisez la barre de recherche de windows pour lancer **Windows Powershell**, attention à ne pas sélectionner *PowerShell ISE*.



- Dans votre fenêtre PowerShell, exécuter la commande :

```
> docker --version
```

- Vous devriez obtenir une réponse du type (la version peut différer)

```
Docker version 20.10.14, build a224086
```

II. Installer Docker sur Ubuntu

- Vous devez vous rendre sur le lien :

<https://docs.docker.com/desktop/install/ubuntu/>

III. Installer Docker sur MacOS

- Vous devez vous rendre sur le lien :

<https://docs.docker.com/desktop/install/mac-install/>