SQL Test - TSHABUSE LIVHUWANI

Date : 12/10/2026

--QUESTION 1

```
SELECT * FROM Customers;
SELECT * FROM Orders;
SELECT * FROM Suppliers;
```

--QUESTION 2

```
SELECT ContactName
FROM Customers
WHERE ContactTitle LIKE '%Manager%'
ORDER BY ContactName;
```

--QUESTION 3

```
SELECT *
FROM Orders
WHERE OrderDate = '1997-05-19';
```

--QUESTION 4

```
SELECT CompanyName, Fax, Phone, Country, HomePage
FROM Suppliers
ORDER BY Country DESC, CompanyName ASC;
```

--QUESTION 5

```
SELECT ProductName, UnitPrice, QuantityPerUnit
FROM Products
WHERE UnitsInStock = 0;
```

--QUESTION 6

```
SELECT ContactName, Address, City
FROM Customers
WHERE Country NOT IN ('Germany', 'Mexico', 'Spain');
```

--QUESTION 7

```
SELECT AVG(UnitPrice) AS AveragePrice,
    MIN(UnitPrice) AS MinimumPrice,
    MAX(UnitPrice) AS MaximumPrice
FROM Products;
```

--QUESTION 8

```
SELECT FirstName, LastName
FROM Employees
WHERE ReportsTo IS NULL;
```

--QUESTION 9

```
SELECT ShipPostalCode, OrderID, OrderDate,
      RequiredDate, ShippedDate, ShipAddress
FROM Orders
WHERE ShipPostalCode LIKE '98124%';
```

--QUESTION 10

```
SELECT LastName, FirstName, City
FROM Employees
WHERE City != 'Seattle';
```

--QUESTION 11

```
SELECT ContactName, ContactTitle, CompanyName
FROM Customers
WHERE ContactTitle NOT LIKE '%Sales%';
```

--QUESTION 12

```
SELECT CustomerID,
    SUM(Freight) AS TotalFreight
FROM Orders
GROUP BY CustomerID
HAVING SUM(Freight) > 200;
```

--QUESTION 13

```
SELECT S.SupplierID,
    S.CompanyName,
    C.CategoryName,
    P.ProductName,
    P.UnitPrice
FROM Products P, Suppliers S, Categories C
WHERE P.SupplierID = S.SupplierID
  AND P.CategoryID = C.CategoryID;
```

--QUESTION 14

```
SELECT O.OrderID,
    E.FirstName,
    E.LastName
```

```
FROM Orders O, Employees E
WHERE O.EmployeeID = E.EmployeeID
  AND O.ShippedDate > O.RequiredDate;
```

--QUESTION 15

```
SELECT ProductID,
      SUM(Quantity) AS TotalQuantity
FROM [Order Details]
GROUP BY ProductID
HAVING SUM(Quantity) < 200;
```

--QUESTION 16

```
SELECT CustomerID,
      COUNT(OrderID) AS TotalOrders
FROM Orders
WHERE OrderDate > '1996-12-31'
GROUP BY CustomerID
HAVING COUNT(OrderID) > 15;
```

--QUESTION 17

```
SELECT P.ProductName,
      P.UnitPrice,
```

```
    S.CompanyName
FROM Products P, Suppliers S
WHERE P.SupplierID = S.SupplierID;
```

--QUESTION 18

```
SELECT
   Products.ProductName,
   SUM([Order Details].UnitPrice * [Order Details].Quantity) AS [Total Costs]
FROM Products
INNER JOIN [Order Details]
   ON Products.ProductID = [Order Details].ProductID
GROUP BY Products.ProductName
HAVING SUM([Order Details].UnitPrice * [Order Details].Quantity) > 200;
```

--QUESTION 19

```
SELECT OrderID,
    COUNT(OrderID) AS NumberofOrders
FROM [Order Details]
GROUP BY OrderID
ORDER BY NumberofOrders DESC;
```

--QUESTION 20

```
SELECT S.SupplierID,
       P.ProductName,
       S.CompanyName
FROM Products P, Suppliers S
WHERE P.SupplierID = S.SupplierID
  AND S.CompanyName IN ('Exotic Liquids',
                        'Specialty Biscuits, Ltd.',
                        'Escargots Nouveaux')
ORDER BY S.SupplierID;
```