Exercise 2

1. SELECT DISTINCT(COUNT ID) AS total_num_of_employees
FROM workspace.default.employees;

Output

total_num_of_employees
10

2. SELECT
Sum(Salary) AS IT_total_salary
FROM workspace.default.employees
WHERE Department = 'IT';

Output

IT_total_Salary
220 000

3. SELECT AVG(Salary) AS Average_Salary_IN_HR
FROM workspace.default.employees
WHERE Department = 'HR';

Output

Average_Salary_IN_HR
49500

4. SELECT
MIN(Salary) AS minimum_salary,
MAX(Salary) AS maximum_salary
FROM workspace.default.employees;

Output

minimum_salary	maximum_salary
48000	62000

5. SELECT Department,
Sum(Salary) AS total_salary_per_Department
FROM workspace.default.employees
Group By Department;

Output

Department	total_salary_per_Department
IT	220000
HR	99000
Finance	119000
Marketing	105000

6. SELECT City,
COUNT(DISTINCT ID) AS Total-num-of-employees-per-City
FROM workspace.default.employees
Group By City;

Output

City	Total-num-of-employees-per-City
New York	2
Chicago	3
Los Angeles	2
San Francisco	2
Houston	1

7. SELECT
Department,
AVG(Salary) AS Avg-Salary-per-department
FROM workspace.default.employees
Group By Department
ORDER By Avg-Salary-per-department DESC;

Output

Department	Avg-Salary-per-department
Finance	59500
IT	55000
Marketing	525000
HR	49500

8. SELECT
    Department,
    Sum(salary) AS Total-salary-per-department
FROM workspace.default.employees
Group By Department
HAVING Total-salary-per-department > 100000;

Output

Department	Total-salary-per-department
IT	220000
Finance	119000
Marketing	105000

9. SELECT
    City,
    COUNT(DISTINCT ID) AS num-of-employees-per-City
FROM workspace.default.employees
Group By City
HAVING num-of-employees-per-City > 1
ORDER By num-of-employees-per-City DESC

Output

City	num-of-employees-per-City
Chicago	3
New York	2
Los Angeles	2
San Frasisco	2

10. SELECT
Department,
AVG(salary) As AVG-salary-per-department
FROM workspace.default.employees
Group By Depaarment
ORDER By AVG-salary-per-depaarmant DESC
limit 1;

Output

Department	Avg_salary_per_department
Finance	59500