

# paymentclicks API Documentation (1.0)

Last modification: 2013 / 04 / 24

## Transactions statuses

A transaction can be in one of the following statuses:

<b>Pending:</b>	Is waiting to be processed. It can change to any other status.
<b>Approved:</b>	It has been Approved by the processor. It cant change to other status
<b>Rejected:</b>	It has been Rejected by the processor. It can change to Pending.
<b>Cancelled:</b>	It has been Cancelled by the customer. It can change to Pending.

## Functions

### Request Name

This functions is used to reques a name from a Processor in order to start the Deposit process.

To call this function you need to send the following parameters by **POST** method to this URL:  
**[https://www.paymentclicks.net/api/request\\_name.php](https://www.paymentclicks.net/api/request_name.php)**

<b>user</b>	string	Customer API user. Ex: 9844	required
<b>password</b>	string	Customer API password Ex: Hsdf3234fsdfaf234ef23e2	required
<b>processor</b>	string	WU for Wester Union, MG for MoneyGram	required
<b>sender</b>	string	Sender Name Ex: Luis Arce Perez	required
<b>account</b>	string	Sender Account Ex: BO5001	optional
<b>amount</b>	decimal	Estimated amount of the deposit Ex: 400	required

When this function is executed successfully it returns the complete information of the requested name in **XML** format.

Example:

```
<?xml version="1.0" encoding="utf-8" ?>
```

```

<paymentclicks version="1.0">
  <name_id>17</name_id>
  <processor>Western Union</processor>
  <sender>Alberto Chan Lopez</sender>
  <account>SY777</account>
  <receiver_name>GERARDO VALVERDE ARAYA</receiver_name>
  <receiver_country>CRC</receiver_country>
  <receiver_city>Santa Barbara, Heredia</receiver_city>
</paymentclicks>

```

When an error ocure it returns the error message in **XML** format  
Example:

```

<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <status>1002</status>
  <error_message>Access Denied</error_message>
</paymentclicks>

```

## Submit Deposit

This functions is used complete the deposit process, customer send the transaction information.

To call this function you need to send the following parameters by **POST** method to this URL:  
**[https://www.paymentclicks.net/api/submit\\_deposit.php](https://www.paymentclicks.net/api/submit_deposit.php)**

<b>user</b>	string	Customer API user. Ex: 9844	required
<b>password</b>	string	Customer API password Ex: Hsdf3234fsdfaf234ef23e2	required
<b>name</b>	string	Name Id from the Request Name Function. Ex: 345	required
<b>sender_name</b>	string	Complete Name of the Sender. Ex: Raul Madrid Caballero	required
<b>sender_pin</b>	string	Sender Account Ex: BO5001	optional
<b>amount</b>	decimal	Transaction amount EX: 400	required
<b>control_number</b>	string	Control Number of the transaction Ex: 456432473	required
<b>sender_city</b>	string	Sender City Ex: Los Angeles	required
<b>sender_state</b>	string	Sender State Ex: California	required
<b>sender_country</b>	string	Sender Country Ex: USA	required

<b>comments</b>	string	Extra comments on the transaction Ex: This is a test	optional
-----------------	--------	---	----------

When this function is executed successfully it returns the complete information of the transaction in **XML** format.  
Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <id>2522</id>
  <type>Deposit</type>
  <status>Pending</status>
  <processor>Western Union</processor>
  <pin>HC765</pin>
  <amount>160</amount>
  <fee>0</fee>
  <charge>40</charge>
  <control_number>653282572</control_number>
  <transaction_date>2013-04-24 21:15:21</transaction_date>
  <processed_date>2013-04-24 21:15:21</processed_date>
  <sender_name>William Peterson</sender_name>
  <receiver_name>RUBEN FRANCISCO VIDAURRE LIZANO </receiver_name>
  <sender_city>San Blas</sender_city>
  <sender_state>Chicago</sender_state>
  <sender_country>usa</sender_country>
  <receiver_city>Santa Barbara, Heredia</receiver_city>
  <receiver_country>CRC</receiver_country>
  <comments>hola mundo</comments>
  <feedback></feedback>
</paymentclicks>
```

When an error ocure it returns the error message in **XML** format  
Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <status>1002</status>
  <error_message>Access Denied</error_message>
</paymentclicks>
```

## Submit Payout

This functions is used start the payout process.

To call this function you need to send the following parameters by **POST** method to this URL:  
[https://www.paymentclicks.net/api/submit\\_payout.php](https://www.paymentclicks.net/api/submit_payout.php)

<b>user</b>	string	Customer API user. Ex: 9844	required
<b>password</b>	string	Customer API password Ex: Hsdf3234fsdfaf234ef23e2	required
<b>amount</b>	decimal	Transaction amount EX: 400	required
<b>processor</b>	string	WU for Wester Union, MG for MoneyGram	required

<b>receiver_pin</b>	string	Receiver Account Ex: BO5001	optional
<b>receiver_name</b>	string	Receiver complete Name Ex: Raul Madrid Caballero	required
<b>receiver_city</b>	string	Receiver City Ex: Los Angeles	required
<b>receiver_state</b>	string	Receiver State Ex: California	required
<b>receiver_country</b>	string	Receiver Country Ex: USA	required
<b>comments</b>	string	Extra comments on the transaction Ex: This is a test	optional

When this function is executed successfully it returns the complete information of the transaction in **XML** format.  
Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <id>26</id>
  <type>Payout</type>
  <status>Pending</status>
  <processor>Western Union</processor>
  <pin>TR0099</pin>
  <amount>300</amount>
  <fee>0</fee>
  <charge>55</charge>
  <control_number></control_number>
  <transaction_date>2013-04-24 21:23:22</transaction_date>
  <processed_date>2013-04-24 21:23:22</processed_date>
  <sender_name></sender_name>
  <receiver_name>Maria Carey</receiver_name>
  <receiver_city>Chomoco</receiver_city>
  <receiver_state>florida</receiver_state>
  <receiver_country>USA</receiver_country>
  <sender_city>Santa Barbara, Heredia</sender_city>
  <sender_country>CRC</sender_country>
  <comments>hello you too!</comments>
  <feedback></feedback>
</paymentclicks>
```

When an error ocure it returns the error message in **XML** format  
Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <status>1002</status>
  <error_message>Access Denied</error_message>
</paymentclicks>
```

## Edit Deposit

This functions is used to edit a pending, cancelled or denied deposit, customer send the transaction information.

To call this function you need to send the following parameters by **POST** method to this URL:  
[https://www.paymentclicks.net/api/edit\\_deposit.php](https://www.paymentclicks.net/api/edit_deposit.php)

<b>user</b>	string	Customer API user. Ex: 9844	required
<b>password</b>	string	Customer API password Ex: Hsdf3234fsdfaf234ef23e2	required
<b>transaction</b>	integer	Transaction Id. Ex: 345	required
<b>sender_name</b>	string	Complete Name of the Sender. Ex: Raul Madrid Caballero	required
<b>sender_pin</b>	string	Sender Account Ex: BO5001	optional
<b>amount</b>	decimal	Transaction amount EX: 400	required
<b>control_number</b>	string	Control Number of the transaction Ex: 456432473	required
<b>sender_city</b>	string	Sender City Ex: Los Angeles	required
<b>sender_state</b>	string	Sender State Ex: California	required
<b>sender_country</b>	string	Sender Country Ex: USA	required
<b>comments</b>	string	Extra comments on the transaction Ex: This is a test	optional

When this function is executed successfully it returns the complete information of the transaction in **XML** format.  
 Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <id>2522</id>
  <type>Deposit</type>
  <status>Pending</status>
  <processor>Western Union</processor>
  <pin>HC765</pin>
  <amount>160</amount>
  <fee>0</fee>
  <charge>40</charge>
  <control_number>653282572</control_number>
  <transaction_date>2013-04-24 21:15:21</transaction_date>
  <processed_date>2013-04-24 21:15:21</processed_date>
  <sender_name>William Peterson</sender_name>
  <receiver_name>RUBEN FRANCISCO VIDAURRE LIZANO </receiver_name>
  <sender_city>San Blas</sender_city>
  <sender_state>Chicago</sender_state>
  <sender_country>usa</sender_country>
  <receiver_city>Santa Barbara, Heredia</receiver_city>
  <receiver_country>CRC</receiver_country>
```

```

    <comments>hola mundo</comments>
    <feedback></feedback>
</paymentclicks>

```

When an error ocure it returns the error message in **XML** format  
Example:

```

<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
    <status>1002</status>
    <error_message>Access Denied</error_message>
</paymentclicks>

```

## Edit Payout

This functions is used to edit a pending, cancelled or denied Payout.

To call this function you need to send the following parameters by **POST** method to this URL:  
**[https://www.paymentclicks.net/api/edit\\_payout.php](https://www.paymentclicks.net/api/edit_payout.php)**

<b>user</b>	string	Customer API user. Ex: 9844	required
<b>password</b>	string	Customer API password Ex: Hsdf3234fsdfaf234ef23e2	required
<b>transaction</b>	integer	Transaction Id. Ex: 345	required
<b>amount</b>	decimal	Transaction amount EX: 400	required
<b>processor</b>	string	WU for Wester Union, MG for MoneyGram	required
<b>receiver_pin</b>	string	Receiver Account Ex: BO5001	optional
<b>receiver_name</b>	string	Receiver complete Name Ex: Raul Madrid Caballero	required
<b>receiver_city</b>	string	Receiver City Ex: Los Angeles	required
<b>receiver_state</b>	string	Receiver State Ex: California	required
<b>receiver_country</b>	string	Receiver Country Ex: USA	required
<b>comments</b>	string	Extra comments on the transaction Ex: This is a test	optional

When this function is executed successfully it returns the complete information of the transaction in **XML** format.  
Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <id>26</id>
  <type>Payout</type>
  <status>Pending</status>
  <processor>Western Union</processor>
  <pin>TR0099</pin>
  <amount>300</amount>
  <fee>0</fee>
  <charge>55</charge>
  <control_number></control_number>
  <transaction_date>2013-04-24 21:23:22</transaction_date>
  <processed_date>2013-04-24 21:23:22</processed_date>
  <sender_name></sender_name>
  <receiver_name>Maria Carey</receiver_name>
  <receiver_city>Chomoco</receiver_city>
  <receiver_state>florida</receiver_state>
  <receiver_country>USA</receiver_country>
  <sender_city>Santa Barbara, Heredia</sender_city>
  <sender_country>CRC</sender_country>
  <comments>hello you too!</comments>
  <feedback></feedback>
</paymentclicks>
```

When an error ocure it returns the error message in **XML** format  
Example:

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <status>1002</status>
  <error_message>Access Denied</error_message>
</paymentclicks>
```

## Get Transaction

This functions return the complete information of a Transaction.

To call this function you need to send the following parameters by **POST** method to this URL:  
**[https://www.paymentclicks.net/api/get\\_transaction.php](https://www.paymentclicks.net/api/get_transaction.php)**

<b>user</b>	string	Customer API user. Ex: 9844	required
<b>password</b>	string	Customer API password Ex: Hsdf3234fsdfaf234ef23e2	required
<b>transaction_id</b>	integer	Transaction Id. Ex: 345	required

When this function is executed successfully it returns the complete information of the transaction in **XML** format.  
Example (Payout):

```
<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <id>26</id>
```

```

<type>Payout</type>
<status>Pending</status>
<processor>Western Union</processor>
<pin>TR0099</pin>
<amount>300</amount>
<fee>0</fee>
<charge>55</charge>
<control_number></control_number>
<transaction_date>2013-04-24 21:23:22</transaction_date>
<processed_date>2013-04-24 21:23:22</processed_date>
<sender_name></sender_name>
<receiver_name>Maria Carey</receiver_name>
<receiver_city>Chomoco</receiver_city>
<receiver_state>florida</receiver_state>
<receiver_country>USA</receiver_country>
<sender_city>Santa Barbara, Heredia</sender_city>
<sender_country>CRC</sender_country>
<comments>hello you too!</comments>
<feedback></feedback>
</paymentclicks>

```

Example (Deposit):

```

<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <id>2522</id>
  <type>Deposit</type>
  <status>Pending</status>
  <processor>Western Union</processor>
  <pin>HC765</pin>
  <amount>160</amount>
  <fee>0</fee>
  <charge>40</charge>
  <control_number>653282572</control_number>
  <transaction_date>2013-04-24 21:15:21</transaction_date>
  <processed_date>2013-04-24 21:15:21</processed_date>
  <sender_name>William Peterson</sender_name>
  <receiver_name>RUBEN FRANCISCO VIDAURRE LIZANO </receiver_name>
  <sender_city>San Blas</sender_city>
  <sender_state>Chicago</sender_state>
  <sender_country>usa</sender_country>
  <receiver_city>Santa Barbara, Heredia</receiver_city>
  <receiver_country>CRC</receiver_country>
  <comments>hola mundo</comments>
  <feedback></feedback>
</paymentclicks>

```

When an error ocure it returns the error message in **XML** format

Example:

```

<?xml version="1.0" encoding="utf-8" ?>
<paymentclicks version="1.0">
  <status>1002</status>
  <error_message>Access Denied</error_message>
</paymentclicks>

```