Question 1

- @author Student

*/ public class Question1 {

```
public static void main(String[] args) {
    String[] city={"Cape Town","Port Elizebeth","Pretoria"};
    int[][]
sales={{1000,2000,3000},{2000,3000,4000},{1500,1100,1200}};
    int[] totalSales=new int[city.length];



    System.out.println("----------------------");
    System.out.println("Gaming Console Report");
    System.out.println("----------------------");



    System.out.println("\t\t\t PS5"+"\t\t XBOX"+"\t\t SWITCH");

    //netsed loops which will make collumns and row to display the
city and how much each console sold for
    for (int i = 0; i < city.length; i++) {
        System.out.print(city[i]);
        for (int j = 0; j < sales[i].length; j++) {
            System.out.print("\t\t"+sales[i][j]);
            //calculates the total sales for each city
            totalSales[i]+=sales[i][j];
        }
        System.out.println("");

    }
    System.out.println("---------------------------------");
    System.out.println("CONSOLE SALES TOTAL FOR EACH CITY");
    System.out.println("---------------------------------");

    //will print the city alsonside its total console sales
    int max=0;
    for (int i = 0; i < city.length; i++) {
        System.out.println(city[i]+"   :"+totalSales[i]);
```

```
        //calclate the city with the highest total
        if(totalSales[max]<totalSales[i]){
           max=i;
        }


    }
    System.out.println("CITY WITH THE MOST SALES :"+city[max]);
}


}
```

Question 2

/*

- Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
- Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java to edit this template

*/ package com.mycompany.consolesale;

/** *

- @author Student

*/ public abstract class Console implements IConsole {

```
private String consoleDeviceType;
private String storeName;
private int totalAmountOfSales;

public Console(String consoleDeviceType,String storeName,int
totalAmountOfSales){
```

```
     this.consoleDeviceType=consoleDeviceType;
     this.storeName=storeName;
     this.totalAmountOfSales=totalAmountOfSales;
}

public String getConsoleDeviceType(){
    return this.consoleDeviceType;
}

public String getStoreName(){
    return this.storeName;
}

public int getTotalAmountOfSales(){
    return this.totalAmountOfSales;
}


public void PrintReport(){
    System.out.println("Enter Store Name");
}


}
```

/*

- Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
- Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Interface.java to edit this template

*/ package com.mycompany.consolesale;

/** *

- @author Student

*/ public interface IConsole {

```
String getConsoleType();
String getStore();
int getTotalSales();


}
```

/*

- Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
- Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java to edit this template

*/ package com.mycompany.consolesale;

/** *

- @author Student

*/ public class ConsoleSales extends Console{

```
public ConsoleSales(String consoleDeviceType,String storeName,int
totalAmountOfSales){
    super(consoleDeviceType,storeName,totalAmountOfSales);
}

@Override
public void PrintReport(){
    System.out.println("Console Sales Report");
    System.out.println("**********************");
    System.out.println("Console Type: "+getConsoleDeviceType());
    System.out.println("Store: "+getStoreName());
    System.out.println("Total Sales"+getTotalAmountOfSales());


}


}
```

/*

- Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license

*/

package com.mycompany.consolesale;

/** *

- @author Student

*/ import java.util.Scanner; public class RunApplication {

```
public static void main(String[] args) {
    Scanner input = new Scanner(System.in);



    System.out.println("Please select your console Type");

    System.out.println("1)PS5");

    System.out.println("2) XBOX");
    System.out.println("3) Switch");
    String consoletype = input.nextLine();

    System.out.println("Enter the Stores Name");
    String name= input.nextLine();


    System.out.println("Enter number of sales");
    int sales=input.nextInt();

    ConsoleSales console = new ConsoleSales(consoletype,name,sales);

   console.PrintReport();
}
```

```
}
```