

AltNav: Use Left Alt to Turn the Keyboard Center Area into Arrow Keys

AltNav is an arrow-key mapping script based on AutoHotkey2, inspired by Vim's arrow-key design. It uses the **Left Alt** key in combination with other keys to achieve cursor movement/jumping, so your hands never need to leave the center area of the keyboard.

1 | Mappings




Figure1: Keyboard layout

- When holding **Left Alt**, **J**, **K**, **L**, **;** keys map to **←**, **↓**, **↑**, **→** respectively.
- When holding **Left Alt**, **N**, **M**, **,**, **.** keys map to 4 consecutive presses of **←**, **↓**, **↑**, **→** respectively.
- When holding **Left Alt** and **Ctrl**, **N**, **M**, **,**, **.** keys map to 16 consecutive presses of **←**, **↓**, **↑**, **→** respectively.
- **Left Alt** + **I** → Move cursor to beginning of line
- **Left Alt** + **O** → Move cursor to end of line
- Move cursor to top of file

- ▶ `Ctrl + Left Alt + I` → `Ctrl + Home`
- Move cursor to bottom of file
 - ▶ `Ctrl + Left Alt + O` → `Ctrl + End`

All cursor movement mappings support holding `Shift` to select text, e.g., `Shift + Left Alt + J` moves the cursor left while selecting one character. Behavior is the same as the conventional `Shift` + arrow keys.

2 | Features

- Quick cursor jumps while editing text, without moving your hands away from the center area of the keyboard, and without relying on a mouse
- Triggered with the `Left Alt` key, no need to distinguish between read mode or edit mode, etc., and normal typing is not affected
- Key mappings are global, not limited to any specific application
- Movement step sizes are 1, 4, and 16, balancing precision and fast navigation

3 | Installation

- Windows platform

- Requires AutoHotkey2
- To input in programs with higher privileges, run this script as administrator.

4 | Design Philosophy

4.1 | Key Selection

JKL; follows Vim's arrow-key design. However, Vim's original arrow-key order is **H**, **J**, **K**, **L** corresponding to **Left**, **Down**, **Up**, **Right**. But when your fingers rest naturally on the keyboard, your right index finger is on the **J** key. If you want to keep your right index finger on **J** without moving, and place four fingers on the four keys simultaneously, then **JKL;** fits best.

When designing the **Home** / **End** mappings, there were two options. Option A is the one currently adopted, namely **Left Alt + I / O**; Option B is **Left Alt + H / ' .**

Option B is semantically better, **Home**, **←**, **↓**, **↑**, **→**, **End** form a straight line. But Option A was ultimately chosen. Because when your right index finger is on **J**, your middle and ring fingers naturally curl over **I / O**, making them more

comfortable to press; and **Home** / **End** are still frequently used in text editing, so the combination of middle/ring fingers provides more strength than index/pinky.

4.2 | Direction Order

Regarding the direction order, the reason for choosing

Left, Down, Up, Right is twofold:

1. The order is consistent with Vim (though in fact, before designing this mapping, I had not been exposed to Vim-style arrow keys, nor did I have any corresponding habits or muscle memory.)
2. The **Down** and **Up** keys are handled by the middle and ring fingers respectively. These two fingers have more pressing strength, making them suitable for frequent up/down scrolling through content.

There are also two drawbacks:

1. The **Right** arrow key is used more frequently but is handled by the weaker pinky
2. This order is a bit counterintuitive at first glance. Grouping by direction, the four arrow keys can be divided into two dimensions: horizontal and vertical. The **Left, Down, Up, Right** arrangement lacks a strong pattern. An order like

Left, Right, Up, Down — with horizontal and vertical pairs grouped together — seems more intuitive.

4.3 | Long-Distance Movement

For fast movement, the script provides three step sizes: 1, 4, and 16. Each level is 4 times the previous one, so one large move can replace 4 smaller moves. Any movement distance can be composed using combinations of ± 1 , ± 4 , ± 16 . This is equivalent to decomposing movement distances in base 4: each larger step reduces the total number of keystrokes while retaining the precision of single-step moves.

In terms of key placement, moving from **JKL;** to **NM, .** is essentially a vertical shift, with each column preserving the same direction. The top row handles single steps, the bottom row handles 4-step moves, and holding **Ctrl** further amplifies them to 16 steps.

5 | Known Issues

This script may not work properly under remote control software or in virtual machines.