

INTRODUCTION

TO XAMPP



What is XAMPP?

XAMPP is a free, open-source, cross-platform software package that provides a complete local web-server environment. It is mainly used by developers to build, test, and run PHP-based websites and applications on their own computer before publishing them online.





XAMPP

Server Setup

XAMPP can be downloaded through this official link: apachefriends.org
It supports different operating systems from WINDOWS, Linux, and MacOS.



The screenshot shows a web browser window with the address bar displaying 'apachefriends.org'. The page has a dark blue header with navigation links: 'Apache Friends', 'Download', 'Hosting', 'Community', and 'About'. A search bar is located on the right side of the header. The main content area features the XAMPP logo (an orange square with a white play button) and the text 'XAMPP Apache + MariaDB + PHP + Perl'. Below this, there is a section titled 'What is XAMPP?' with a description: 'XAMPP is the most popular PHP development environment'. It further states: 'XAMPP is a completely free, easy to install Apache distribution containing MariaDB, PHP, and Perl. The XAMPP open source package has been set up to be incredibly easy to install and to use.' To the right of this text is a large image of the XAMPP logo. At the bottom of the page, there is a green 'Download' button with the text 'Click here for other versions'. To the right of this button are three buttons for different operating systems: 'XAMPP for Windows 8.2.0 (PHP 8.2.0)', 'XAMPP for Linux 8.2.0 (PHP 8.2.0)', and 'XAMPP for OS X 8.2.0 (PHP 8.2.0)'. A mouse cursor is hovering over the Windows button.

XAMPP Installers and Downloads x +

← → ↻ 🔒 apachefriends.org

Apache Friends Download Hosting Community About


Search.. Search EN

XAMPP Apache + MariaDB + PHP + Perl

What is XAMPP?

XAMPP is the most popular PHP development environment

XAMPP is a completely free, easy to install Apache distribution containing MariaDB, PHP, and Perl. The XAMPP open source package has been set up to be incredibly easy to install and to use.



XAMPP

Download
Click here for other versions

 XAMPP for **Windows**
8.2.0 (PHP 8.2.0)


 XAMPP for **Linux**
8.2.0 (PHP 8.2.0)

 XAMPP for **OS X**
8.2.0 (PHP 8.2.0)


Once you have XAMPP installer, this is the first window you will see.




The most important components here are:
MySQL, phpMyAdmin, and PHP



Once you're in this window, remember this file directory. It contains all the XAMPP file.




Just click on **Next** until you reach this window and you are done.






phpMyAdmin
Environment

Start Apache & MySQL




2 ways to access *phpMyAdmin*

Once you start the necessary services, you can access **phpmyadmin** through **URL**:



another way is by clicking the **Admin** button for **MySQL** in the XAMPP Control Panel



phpMyAdmin User Interface

The screenshot displays the phpMyAdmin web interface for a MySQL server at 127.0.0.1. The top navigation bar includes links for Databases, SQL, Status, User accounts, Export, Import, Settings (active), Replication, Variables, Charsets, Engines, and Plugins. A left sidebar shows a tree view of databases and users, with 'New' and 'Favorites' buttons at the top. The main content area is divided into four panels: 'General settings' (Server connection collation: utf8mb4_unicode_ci), 'Appearance settings' (Language: English, Theme: pmahomme), 'Database server' (Server: 127.0.0.1 via TCP/IP, Server type: MariaDB, Server version: 10.4.32-MariaDB), and 'Web server' (Apache/2.4.58, PHP/8.2.12). A 'Console' tab is visible at the bottom left.

phpMyAdmin

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plugins

Recent Favorites

New

- dbsmati
- db_smati
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test
- users

General settings

Server connection collation: utf8mb4_unicode_ci

[More settings](#)

Appearance settings

Language: English

Theme: pmahomme [View all](#)

Database server

- Server: 127.0.0.1 via TCP/IP
- Server type: MariaDB
- Server connection: SSL is not being used
- Server version: 10.4.32-MariaDB - mariadb.org binary distribution
- Protocol version: 10
- User: root@localhost
- Server charset: UTF-8 Unicode (utf8mb4)

Web server

- Apache/2.4.58 (Win64) OpenSSL/3.1.3 PHP/8.2.12
- Database client version: libmysql - mysqlnd 8.2.12
- PHP extension: mysqli curl mbstring
- PHP version: 8.2.12

phpMyAdmin

- Version information: 5.2.1, latest stable version: 5.2.3
- [Documentation](#)
- [Official Homepage](#)
- [Contribute](#)
- [Get support](#)
- [List of changes](#)

Console

phpMyAdmin Interface

Database

shows your list of created databases and the necessary files for MySQL

SQL Tab


Lets you run custom SQL Commands, shows query results, useful for complex queries.

User Accounts

Manage users and Permissions

Import/Export

supports exporting in: SQL, XML, JSON, etc. and allows importing: .sql files, CSV, and ZIP files.







Creating Database & Adding Table

Create your Database

Create your database
by clicking **“New”**




Name your Database then click on **“Create”**




Adding tables and columns

After creating your Database, set your table name and the number of columns



The screenshot shows a 'Create new table' dialog box. At the top, there is a message: 'No tables found in database.' Below this, there is a 'Create new table' button. Underneath, there are two input fields: 'Table name' and 'Number of columns'. The 'Number of columns' field contains the value '4'. A 'Create' button is located to the right of the 'Number of columns' field.

set your column names and datatypes then click on **“Save”**




The screenshot shows the 'Structure' tab in a database management tool. The 'Table name' is 'users' and the 'Add' button is set to '1' column(s). The 'Structure' section shows a table with four columns. The first column is named 'id' and has a type of 'INT'. The other three columns are unnamed and also have a type of 'INT'. A dropdown menu is open for the first column's 'Default' field, showing options: 'None', 'As defined:', 'NULL', and 'CURRENT_TIMESTAMP'. The 'Collation' field for the first column is also visible.

Name	Type	Length/Values	Default	Collation
id	INT		None	
	INT		None	
	INT		None	
	INT		None	

Adding tables and columns

or create your table through **SQL Tab** using
SQL commands.



SQL Commands

- Insert data through **INSERT** Tab

Server: 127.0.0.1 » Database: test » Table: users

Browse Structure SQL Search Insert Export Import Privileges Operations

Column	Type	Function	Null	Value
id	int(11)		☐	
firstname	varchar(255)		☒	
lastname	varchar(255)		☒	

- or run SQL commands

Browse Structure SQL Search Insert

Run SQL query/queries on table test.users: ?

```
1 INSERT INTO `users`(`id`, `firstname`, `lastname`)
2 VALUES ('[value-1]', '[value-2]', '[value-3]')
```


SQL Commands

- UPDATE Query

```
Run SQL query/queries on table test.users: ?  
1 UPDATE `users`  
2 SET `id`='[value-1]', `firstname`='[value-2]', `lastname`='[value-3]'  
3 WHERE 1  
4  
5
```

- SELECT Query

```
Run SQL query/queries on table test.users: ?  
1 SELECT `id`, `firstname`, `lastname` FROM `users` WHERE 1
```

- DELETE Query

```
Run SQL query/queries on table test.users: ?  
1 DELETE FROM `users` WHERE 1  
2
```



Thank you!