

V 1.1

PKMN VORE MOD DOC



Mod by Tsunombe

Guide editing by
Yataro_Ibuza

Index

INFORMATION.....	1
Optional Dependencies.....	1
Installation.....	1
ADD YOUR OWN VORE POKEMON.....	2
Adding Pokémon.....	2
Abilities.....	7
Moves.....	8
Adding New Forms.....	11
Rules.....	12
Multiple Forms.....	14
Gameplay Explanation.....	15
Audio.....	17
Function Code for Moves.....	18
ALL VORE MOVES.....	19
ORAL MOVES.....	19
BREAST MOVES.....	20
PUSSY MOVES.....	20
COCK MOVES.....	20
ANAL MOVES.....	20
TAIL MOVES.....	21
NON-CONVENTIONAL MOVES.....	21
PRED MOVES.....	21
BELCHIES MOVES.....	22
PREY/GUTSLUT MOVES.....	22
ESSENTIAL VORE MOVES.....	22
ENDO MOVES.....	22
ALL FEEDERISM MOVES.....	22
ALL VORE ABILITIES.....	23

OTHER GOODIES.....	25
UNTESTED CONTENT.....	26
Player Pred.....	26
Player Edible.....	26
SETTINGS.....	27
Perma Digestion.....	27
Settings Toggle.....	28
BRAND NEW FEATURES.....	30
Major changes.....	30
Built in Scene Player.....	30
Minor Changes.....	33
BUG FIXES AND BALANCE CHANGES.....	35
v1.1.....	35
Bug Fixes.....	35
Changes / Reworks.....	35
Buffs.....	35
Nerfs.....	36

Image Index

Figure 1. Moves.txt in PBS folder.....	2
Figure 2. Example of NumOfForms.....	3
Figure 3. Example of Vore Form with different Base Stats.....	3
Figure 4. Example of multiple forms (Simplified).....	4
Figure 5. Sprite samples for VORETEST.....	5
Figure 6. Example to create VORESCOLIPEDE.....	6
Figure 7. Example of another Vore Move using "EatTarget".....	8
Figure 8. Example of a Vore Move with "EatTarget".....	8
Figure 9. Vore Dialogues in "EatTargetLogic" function.....	9
Figure 10. "MoveEffects_SwitchingAction" Display.....	9
Figure 11. "Battle_EndOfRoundPhase" Script.....	10
Figure 12. Example of DEVOURETTA with "NumOfForms_x".....	11
Figure 13. DEVOURRETA Sprites.....	12
Figure 14. Example of Wobuffet Gendered sprites.....	13
Figure 15. Code from FormHandlers handling Multipleforms for Meloetta.....	14
Figure 16. Essential move when eaten by a Pred: Struggle.....	15
Figure 17. Gardevore Burping an item after digesting their prey via OV.....	16
Figure 18. Sample of all available "BURP_x".....	17
Figure 19. Options In-Game.....	27
Figure 20. Glimorra Sample Vore Scene.....	31

INFORMATION

Essentials Vore Plugin. Programming by Tsunombe, Art by Allithemeal, Palafinthe24th, Whattheone, Despacito20

Special thanks to Rayquazanothere for helping me test and Yataro_Ibuza for helping format the guide.

Notes: currently not actually a plugin. For now, this will override your script file.

Optional Dependencies

None of these are necessary to running the game, but are encouraged

1. Following Pokémon EX
2. Generation 9 Pack
3. Minimized UI – included in mod

Installation

WHEN RUNNING IN PLAYTEST MODE WAIT FOR THE CONSOLE AND GAME WINDOWS TO POP UP, THEN HOLD CONTROL. THIS WILL MAKE SURE THAT CHANGED FILES GET COMPILED.

IF YOU WANT TO KEEP OLD IMAGES, RENAME THE ONES IN THE SPRITES FOLDERS SO THEY DON'T OVERWRITE


This is not a plugin. You will need to pick and choose what elements you will like to use for your game. This also isn't intended to be used with pre-existing games, since you will need to update the trainers and encounters to use Predmons manually. It is MANDATORY that you replace the Scripts.rxdta file located in the Data file with the one in this mod for the mod to work., Similarly, you will need to make sure that the moves, ribbons, and abilities I provide are copy and pasted to the ends of the respective text files in the PBS folder. Lastly, add the Vore_scenes.txt to PBS and install the minimized_ui plugin that comes with the mod. It was created by the spriter Parkijiolo with the purpose of marking what pokemon are preds in battle with a special icon, and takes up less space as to not cover the sprites with health bars.

ADD YOUR OWN VORE POKEMON

Adding Pokémon

To Add Vore to a Pokémon you need to:

1. Copy the original pokemon's information and paste it at the end of the Pokemon.txt with the ID changed from POKEMONNAME to VOREPOKEMONNAME
2. Assign "Pred" and "numofvorestages" flags to the Pokémon.
3. Assign them multiple forms in "pokemonforms.txt"
4. Assign them Vore moves from "moves.txt" (see Figure 1) to either "Moves =" (if they learn it by leveling up) or "TutorMoves =" (if they must learn it from a Tutor, TM, or HM).



```
9074 Target = NearOther
9075 FunctionCode = LowerTargetSpAtk2
9076 Flags = CanProtect,CanMirrorMove
9077 EffectChance = 100
9078 Description = God's light blinds you. This lowers the target's Sp. Atk stat by 2.
9079 #----- VORE MOVES -----
9080 #----- ORAL MOVES -----
9081 [DEVOUR]
9082 Name = Devour
9083 Type = NORMAL
9084 Category = Physical
9085 Power = 1
9086 Accuracy = 90
9087 TotalPP = 20
9088 Target = NearOther
9089 FunctionCode = EatTarget
9090 Flags = Contact,CanProtect,CannotMetronome
9091 Description = The user swallows the target whole, dealing damage and restricting moves.
9092 #-----
9093 [ROLEREVERSAL]
9094 Name = Role Reversal
9095 Type = FIGHTING
9096 Category = Status
9097 Accuracy = 0
9098 TotalPP = 10
9099 Target = User
9100 Priority = 4
9101 FunctionCode = ProtectUserRoleReversal
9102 Flags = CannotMetronome
9103 Description = Protects the user from attacks. Eats any prey that makes contact.
9104 #-----
```

From line 9,079 onwards are the VORE moves

Figure 1. Moves.txt in PBS folder

For Art, all Pokémon art is done at 96x96 then scaled up. Front facing sprites are scaled by 2x, while the back sprites are scaled by 3x

If you would like the Pokémon in-game to be preds, you will need to **give them the Pred flag** and the **number of weight stages** the pred will have. A weight stage consisting of each sprite made for the Pokémon; not including the starting sprite.

If your Pokémon has multiple forms; like Meloetta, include the number of forms the Pokémon will have in the **NumOfForms flag** (see Figure 2). You do not need to do this for gendered forms; they have their own rules on how to implement. If you have multiple forms, each form will need the same amount of Vore stages. This includes Pokémon with Megas. However, you only need to include the number of Vore stages that one of its forms will use.

```
#-----  
[DEVOURETTA]  
[...] //Removed for clarity  
Flags = NumOfVoreStages_13,Pred,NumOfForms_2  
WildItemCommon = STARPIECE  
WildItemUncommon = STARPIECE  
WildItemRare = STARPIECE  
#-----
```

Figure 2. Example of NumOfForms

In the above example, we have a Meloetta with a Pirouette and Aria form. Each form has 13 stages, with 26 in total plus the starting aria and pirouette form that are counted as form 0.

The last flags you may need are the “**Inedible**” (formally Apex_Pred) and “**MassVore**” flags. Inedible can make a Pokémon unable to be eaten and MassVore makes them only capable of moving up one weight stage at a time and changes digestion dialogue to better mimic mass Vore.

If you want to make a new Pokémon, you will need to add them in yourself, following the format listed above and the format listed in the Pokémon essentials wiki. It is also necessary to remake Pokémon if you do not wish to use some of its existing forms or Megas with the Vore mod.

The next step is to add your forms to “pokemon_forms.txt,” for the most part they do not really need to do much or even describe anything. You do have the option of modifying base stats, so it is a potential idea to make a Pokémon heavier but tankier as they gain weight (see Figure 3).

```
#-----  
[VORETEST,1]  
FormName = Stuffed Form  
BaseStats = 68,65,65,40,125,115  
#-----
```

Figure 3. Example of Vore Form with different Base Stats

The number of forms you will need depends on the number of weight stages you make (see Figure 4).

```
#-----  
[VORETEST,2]  
FormName = Weight Gain Empty Form  
BaseStats = 68,65,75,80,125,115  
#-----  
[VORETEST,3]  
FormName = Weight Gain Empty Form  
BaseStats = 68,65,75,40,125,115  
#-----  
  
[...]  
AND SO ON UNTIL ALL WEIGHT  
STAGES ARE FULFILLED
```

Figure 4. Example of multiple forms (Simplified)

These will start at the first sprite of your Pokémon with a full stomach, then alternate between empty and full stomach sprite until you end with the last sprite of a

Pokémon with a full stomach (see Figure 5). The reason you do it this way is, so a Pokémon will not visually lose weight on digesting a Pokémon.

How all the forms will look in the files. You can look at Pokémon Essentials wiki for what you can change between forms.




Figure 5. Sprite samples for VORETEST

For all these reasons I have made the Pokémon as Fakemon under a new name. I **STRONGLY** encourage making the pred as a new Pokémon with the name **VOREPOKEMONNAME**. This will:

1. Allow you to bypass things like Megas or alt forms you might not have sprites for.
2. Let the preds be at the bottom of the Pokémon list in debug mode.

If you do it this way, copy/paste the old Pokémon's information from the "pokemon.txt" folder with the new pred name and make its pre-evolutions evolution route go to the new pred Pokémon.

For example, if you want to add the Vore version of Scolipede:

1. You must create a new Pokémon called VORESCOLIPED.
2. Then, for Whirlipede to evolve to its vore version, you just need to add/replace SCOLIPED for VORESCOLIPED. See Figure 6 for follow-up example.

```
#-----  
[WHIRLPEDE]  
[...] //Removed for clarity  
Evolutions = VORESCOLIPED,Level,30 (2)  
#-----  
[VORESCOLIPED] (1)  
Name = Scolipede  
Types = BUG,POISON  
BaseStats = 60,100,89,112,55,69  
GenderRatio = AlwaysFemale  
//Add more details for PKMN
```

Figure 6. Example to create VORESCOLIPED.

Once you have the Pokémon's form number decided, you can drop the Pokémon's sprites into their corresponding Front and Back folder located in the game's Graphics/Pokémon Folder.

Abilities

I have created a set of abilities that interact with the system. Examples include gaining traits while digesting, gaining weight from eating moves, gaining stats from digesting prey, and much more. They are not necessary at all for the Pokémon to vore, but they are fun enough to include.

For more information of all the abilities available go to “[ALL VORE ABILITIES](#)”



Moves

The only way for a predator to eat a prey is through using a move with the EatTarget function code (see Figure 7).

Currently I have the move devour as a 1 Damage Physical move, because status moves typically ignore immunities which I find less interesting. I highly recommend making different variations of this move to add flavor to each pred (see Figure 8 for example).

```
[DEVOUR]
Name = Devour
Type = NORMAL
Category = Physical
Power = 1
Accuracy = 90
TotalPP = 20
Target = NearOther
FunctionCode = EatTarget
Flags = [...]
Description = Eats target.
```

Figure 7. Example of a Vore Move with "EatTarget"

```
[BELLYPORT]
Name = Bellyport
Type = PSYCHIC
Category = Status
Accuracy = 0
TotalPP = 20
Target = NearOther
FunctionCode = EatTarget
Flags = [...]
Description = TP target into stomach.
```

Figure 8. Example of another Vore Move using "EatTarget."

Keep in mind that each move can only have a single function code, so anything too advanced will need to be coded in yourself.

If you go to "EatTargetLogic" in scripts; from RPG Maker XP project, you can find where the logic for eating a prey is stored.

Most of this you probably should not touch unless you know what you are doing, but the one thing you can easily change is the display message when the move is used.

If you insert with the format of

when :YOURMOVENAMEALLCAPS

```
Msg = _INTL("{1} says your message to {2}",
target.pbthis, user.pbthis(true))
```

{1} and {2} correspond to the prey and the pred respectively (see Figure 9).

Figure 9. Vore Dialogues in "EatTargetLogic" function

Script Editor

?

X

Script

Battle_Move
Move_Usage
Move_UsageCalculations
Move_BaseEffects
MoveEffects_Misc
MoveEffects_BattlerStats
MoveEffects_BattlerOther
MoveEffects_MoveAttributes
MoveEffects_MultiHit
MoveEffects_Healing
MoveEffects_Items
MoveEffects_ChangeMoveEff
MoveEffects_SwitchingActing
EatTargetLogic

[[Scene]]
Battle_Scene
Scene_Initialize
Scene_ChooseCommands
Scene_PlayAnimations
Battle_Scene_Menus
Battle_Scene_Objects
Battle_Scene_BaseAnimation
Battle_Scene_Animations
Battle_DebugScene

[[AI]]
Battle_AI
AI_Switch
AI_UseItem
AI_MegaEvolve
AI_ChooseMove
AI_ChooseMove_GenericEffec
AI_ChooseMove_OtherScores
AI_Uilities
AITrainer
AIBattler
AIMove

[[AI MoveEffects]]
AI_MoveEffects_Misc

```

49 end
50 msg = _INIL("{1} was swallowed by {2}!", target.pbThis, user.pbThis(true))
51
52 custom_text = false
53 case id
54   when :DEVOUR
55     custom_text = true
56     msg = _INIL("{1} was swallowed by {2}!", target.pbThis, user.pbThis(true))
57   when :BELLYPORT
58     custom_text = true
59     msg = _INIL("{2} teleported {1} into their stomach!", target.pbThis, user.
60   when :VIPERSTRIKE
61     custom_text = true
62     msg = _INIL("{1} was filled with venom then consumed by {2}!", target.pbTh
63     target.pbPoison(user) if target.pbCanPoison?(user, false, self)
64   when :UNBIRTH
65     custom_text = true
66     msg = _INIL("{1} was drawn into {2}'s womb!", target.pbThis, user.pbThis(t
67   when :BUTTCRUSH
68     custom_text = true
69     msg = _INIL("{1} was swallowed up {2}'s ass!", target.pbThis, user.pbThis(
70   when :TAILSTRIKE
71     custom_text = true
72     msg = _INIL("{1} was swallowed by {2}'s tail!", target.pbThis, user.pbThis
73   when :SAFEKEEPING
74     custom_text = true
75     msg = _INIL("{1} was gently swallowed by {2}!", target.pbThis, user.pbThis
76   when :SUBMERGE
77     custom_text = true
78     msg = _INIL("A whirlpool pulls {2} underwater!", target.pbThis, user.pbThi
79   when :TONGUESNARE
80     custom_text = true
81     msg = _INIL("{2} extends their long tongue and snatches {1} off the battle
82   when :SNACKDOWN
83     custom_text = true
84     msg = _INIL("{1} Falls straight down into {2}'s waiting mouth", target.pbT
85   when :HUNTDOWN

```

In “MoveEffects_SwitchingAction” you can find where most of the EatTarget function codes are stored. They usually call the EatTargetLogic section from here and it is

Script

Battle
Battle_StartAndEnd
Battle_ExpAndMoveLearning
Battle_ActionAttacksPriority
Battle_ActionSwitching
Battle_ActionUseItem
Battle_ActionRunning
Battle_ActionOther
Battle_CommandPhase
Battle_AttackPhase
Battle_EndOfRoundPhase

[[Battler]]
Battle_Battler
Battler_Initialize
Battler_ChangeSelf
Battler_Statues
Battler_StatStages
Battler_AbilityAndItem
Battler_UseMove
Battler_UseMoveTargeting
Battler_UseMoveSuccessChed
Battler_UseMoveTriggerEffect

[[Move]]
Battle_Move
Move_Usage
Move_UsageCalculations
Move_BaseEffects
MoveEffects_Misc
MoveEffects_BattlerStats
MoveEffects_BattlerOther
MoveEffects_MoveAttributes
MoveEffects_MultiHit
MoveEffects_Healing
MoveEffects_Items
MoveEffects_ChangeMoveEff
MoveEffects_SwitchingActing

```

297 end
298 #-----
299 # Eats target
300 # traps and damages at end of each round.
301 #-----
302 class Battle::Move::EatTarget < Battle::Move
303   def pbEffectAgainstTarget(user, target)
304     id = @id
305     endo = false
306     type = EatTargetLogic::Voretypes::ORAL
307     turns = Settings::DIGESTION_TURNS
308     EatTargetLogic::EatTarget(user, target, turns, id, endo, type)
309   end
310 end
311
312 class Battle::Move::EatTargetAdditionalEffect < Battle::Move
313   def pbAdditionalEffect(user, target)
314     id = @id
315     endo = false
316     type = EatTargetLogic::Voretypes::ORAL
317     turns = Settings::DIGESTION_TURNS
318     EatTargetLogic::EatTarget(user, target, turns, id, endo, type)
319   end
320 end
321
322 class Battle::Move::EatTargetAnal < Battle::Move
323   def pbEffectAgainstTarget(user, target)
324     id = @id
325     endo = false
326     type = EatTargetLogic::Voretypes::ANAL
327     turns = Settings::DIGESTION_TURNS
328     EatTargetLogic::EatTarget(user, target, turns, id, endo, type)
329   end
330 end
331

```

where you can manually set the move id, if it is an endo move, vore type, and max number of turns (see Figure 10).

The other half of the code is in Battle_EndOfRoundPhase (see Figure 11)




Figure 11. "Battle_EndOfRoundPhase" Script

Adding New Forms

Incredibly easy:

Add NumOfForms_x where x is the number of forms the Pokémon will need to switch between Pokémon with only their baseform + devour will not need this line added (see Figure 12).

```
[DEVOURETTA]
Name = Meloetta
FormName = Hungry Form
// Removed for Clarity
Flags = NumOfVoreStages_13,Intermediate_Weight_Gain,Pred,NumOfForms_2
WildItemCommon = STARPIECE
WildItemUncommon = STARPIECE
WildItemRare = STARPIECE
```

Figure 12. Example of DEVOURETTA with "NumOfForms_x"

Rules

There must be an equal number of sprites between the forms, and they must hit the limit that you set in the weight gain flag. With Meloetta at 2 Forms with 14 Images per form, which will be 28 images total. All forms must be added to the “forms.txt.”

Then, add your sprites in following an alternating order like so.

AiHere I have Aria form on evens and Pirouette on Odds (see Figure 13):




Figure 13. DEVOURRETTA Sprites

Watch out for Pokémon with Megas, or other forms that you do not care about.

For gendered forms, just include the female tag at the end of the image file to separate them. You will fill out the “NumOfForms” as being equal to 1 since the system handles them differently to other alternate forms (see Figure 17).

Figure 14. Example of Wobuffet Gendered sprites

 INDEEVOUR_1.png	1/30/2026 2:03 PM	PNG File
 INDEEVOUR_1_female.png	1/30/2026 2:03 PM	PNG File
 INDEEVOUR_2.png	1/30/2026 2:03 PM	PNG File
 INDEEVOUR_2_female.png	1/30/2026 2:03 PM	PNG File

Multiple Forms

This game allows Pokémon to have multiple forms, but there are some catches. First, the game defaults a lot of alternative forms for existing Pokémon back to the base form after a battle. This will mean that weight after a battle will not stick unless you remove this option or make the pred under a different name to the original (see Figure 15). CAN BE FOUND IN [[Pokemon-related]] => FormHandlers

```
392 MultipleForms.register(:MELOETTA, {  
393   "getFormOnLeavingBattle" => proc { |pkmn, battle, usedInBattle, endBattle|  
394     next 0  
395   }  
396 })
```

Figure 15. Code from FormHandlers handling Multipleforms for Meloetta

In this case, I would make sure that I don't add this to my VOREMELOETTA, so that Meloetta keep forms between battles.

Gameplay Explanation

The Devour system makes the predator eat a prey and does a set amount of damage, currently 1/8 hp and is in “Battle_EndOfRoundPhase”.

While eaten, a prey has a 20% chance of escaping per turn but must take one turn of digestion damage before the escape is possible.

If they do not break free, they are forced to use the “struggle” move (see Figure 16) located in moves.txt. I like to make a new type for the move that lets it hit all other types for neutral, and I give it a special function code that hits on the prey’s current highest damaging stat.

```
[STRUGGLE]
Name = Struggle
Category = Physical
Power = 40
Type = PRED
Target = NearOther
FunctionCode = CategoryDependsOnHigherDamageIgnoreTargetAbility
Flags = CannotMetronome
```

Figure 16. Essential move when eaten by a Pred: Struggle

If a Pokémon does break free, their pred is forced to spend a turn recovering.

On Switching out or fainting, a Pokémon will spit out their prey. After digesting a prey, they will gain weight. They will also play an effect on digestion depending on the Vore move used (see Figure 13 for reference):

- a) OV/AV/Tail¹: - Burps up prey's held item if not an important item like a megastone.
- b) UB²: Forms an egg of the unborn Pokémon. The egg retains the shininess of the original eaten Pokémon.
- c) BV³: Receive MooMoo milk.
- d) CV⁴: Sets sticky web on the field.



Figure 17. Gardevore Burping an item after digesting their prey via OV.

¹ OV stands for Oral Vore; AV stands for Anal Vore; Tail stands for Tail Vore.

² UB stands for Unbirth Vore.

³ BV stands for Breast Vore.

⁴ CV stands for Cock Vore

Audio

The system will want sound Effects labelled “BURP_x;” where “x” is an integer (number) starting at 1, located in “Audio/SE” folder. Which will be played when a pred digest a prey completely.

You can include as many of these audio files as you like, and it will play one randomly on digestion (see Figure 18 for example).

ANIMATIONS

I have Included a folder of animations that can be used with the mod, but you are also free to make your own animations. The only important animations are Common_Digestion and Common_DigestionOpp, since those will be played during digestion damage.




Figure 18. Sample of all available "BURP_x"

Function Code for Moves

For fully unique moves you might need to program your own code. Here are some basic functions you can use:

- A) EatTarget.
- B) EatTargetAnal.
- C) EatTargetTail.
- D) EatTargetUnbirth.
- E) EatTargetBreast.
- F) EatTargetCock.

These all will guarantee Vore on a prey and are best used for low damage/status moves:

- A) EatTargetAdditionalEffect.
- B) EatTargetAnalAdditionalEffect.
- C) EatTargetTailAdditionalEffect.
- D) EatTargetUnbirthAdditionalEffect.
- E) EatTargetBreastAdditionalEffect.
- F) EatTargetCockAdditionalEffect

These will roll a chance to eat the target based on the given effect chance specified when setting up the move.

ALL VORE MOVES

Here lies the list of all Vore moves available in the mod, all the moves are at the bottom of “moves.txt.” Alternatively, you can search for a specific move with their name or search them by category; both using the search function.

ORAL MOVES

Oral moves are related to eating the prey with your mouth/maw. For full information go to “ORAL MOVES” in “moves.txt”:

1. Devour: The user swallows the target whole, dealing damage and restricting moves. The prey may break out.
2. Role Reversal: Protects the user from attacks. Eats any prey that makes contact.
3. Tempest Inhale: If the opponent switched out this turn, eats the incoming pokemon
4. Viper Strike: The user lunges at the target with venomous fangs and consumes the target
5. Hunt Down: User hunts down their prey, dealing double damage and eating them if they try to escape.
6. Snack Down: Knocks target out of the air with a stone. Flying targets will land in their mouth.
7. Mantis Strike: The User utilizes their speed to catch their prey by surprise. Chance to eat the opponent. Priority move.
8. Ravenous Hunger: The user feels the hunger of the countless predators. Restores Hp with digestion damage.
9. Undertow: Pred disappears under the waves then pulls their prey down the next turn
10. Tongue Snare: Grabs Prey from afar with their tongue. Bypasses protect.
11. Pixie Pounce: The User utilizes their small size to catch their prey by surprise. Priority move.
12. Metro-nom: Uses any random move with which to eat the target.
13. GigaBite: Uses any random move with which to eat the target.

BREAST MOVES

Breast moves are related to eating your prey with your breasts. For full information go to “BREAST MOVES” in “moves.txt”:

1. Motorboat: Hits 2 times. chance to consume prey or make them fall in love.
2. Titty Smack: Chance to consume target. X2 damage if User is full.

PUSSY MOVES

Pussy moves are related to eating your prey with your vagina. For full information go to “PUSSY MOVES” in “moves.txt”:

1. Containment Protocol: Traps target in user's womb, dealing damage and restricting moves. weakens target's attack stats.
2. Insertion: User thrusts prey into their womb. Unbirth chance based on prey weight.
3. Unbirth: Pulls target into user's womb, dealing damage and restricting moves. The prey may break out.

COCK MOVES

Cock moves are related to eating your prey with your cock. For full information go to “COCK MOVES” in “moves.txt”:

1. CV (Cock Vore): Pulls target into user's cock, dealing damage and restricting moves. The prey may break out.

ANAL MOVES

Anal moves are related to eating your prey with your ass. For full information go to “ANAL MOVES” in “moves.txt”:

1. Butt Crush: User Crushes Prey with their ass. Chance to consume them.
2. Ass Drop: User leaps in the air and falls ass first on Prey.
3. Ass Quake: 30% to eat prey. dmg inc. with prey eaten (120 max) User slams their ass down on a prey's head.

TAIL MOVES

Tail moves are related to eating your prey with your tail. For full information go to “TAIL MOVES” in “moves.txt”:

1. Tail Strike: The user bites at their prey using their tail.

NON-CONVENTIONAL MOVES

Non-conventional moves are related to eating your prey in non-conventional or exotic ways. For full information go to “NON-CONVENTIONAL MOVES” in “moves.txt”:

1. Bellyport: The user teleports the target into their stomach. Can't miss.
2. Vanishing Act: The user causes the opponent's Pokémon, and their stats change to disappear.
3. Fatal Embrace: The user lunges at the target to trap them inside their gooey body permanently.

PRED MOVES

Pred moves are moves used only when the pred has eaten a prey or has weight to burn off. For full information go to “PRED MOVES” in “moves.txt”:

1. Clench: The user clenches their abdominal muscles, damaging any prey inside.
2. Jostle: The user shakes their prey around to confuse them. The user must eat a prey to use this move.
3. Belly Slam: Slams their stomach into the target. Double damage if the user has eaten someone.
4. Work off: The user works off their previous meals to boost their stats. Raising their stat to 1; or 2 if they can lose weight.
5. Terastatic Shock: The user charges up power with their fluff to fire off; 1 turn if max weight.

BELCHIES MOVES

Belchies moves (or formally known as Belch) are moves related to belching. For full information go to “BELCHIES” in “moves.txt”: This includes the pre-existing move Belch, as it has gotten a rework.

1. Burp: The user lets out a flinching burp at the target. The user must eat a prey to use this move.
2. Fiery burps: The user lets out a flaming belch at the target with a chance to burn. The user must eat a prey to use this move.

PREY/GUTSLUT MOVES

Prey or Gutslut moves normally used by preymons or preys. For full information go to “PREY/GUTSLUT MOVES” in “moves.txt”:

1. Massage: The user squirms lightly to please their pred, sharply raising a random stat. Move exclusive for Pokémon with “Gutslut” Ability or are Endoed..
2. Offering: The user tries to feed themselves to a worthy pred.
3. Gut Punch: Doubles damage and causes target to spit out prey if hit by this punch.

ESSENTIAL VORE MOVES

Essential Vore moves are special moves used by the mod, removing any of them will crash the game. For full information go to “ESSENTIAL VORE MOVES” in “moves.txt”:

1. Struggle: fights inside a pred. Chance to escape from stomach/vagina...

ENDO MOVES

Endo moves are non-fatal moves; unlike fatal moves that digest and deals damage to Pokémon, Endo moves not only do not deal damage, but some may even heal their prey. For full information go to “ENDO MOVES” in “moves.txt”:

1. Safekeeping: Brings target into their stomach to slowly heal them.

ALL FEEDERISM MOVES

Here are listed all moves related to feed your opponent (feederism). For full information go to “FEEDERISM MOVES” in “moves.txt”:

1. Calorie Bomb: The user stuffs food into their opponent's mouth, lowering their speed and attack. Only works against preds.

ALL VORE ABILITIES

Here lies the list of all Vore abilities available in the mod, all the moves are at the bottom of “abilities.txt” and can be added to any pred Pokémon in “Abilities =” from “pokemon.txt” or equivalents (for example “pokemon_base_Gen_9_Pack.txt”).

Alternatively, you can search for a specific ability with their name in “abilities.txt” or in “Battle_AbilityEffects” from Scripts; both using the search function.

1. Apex Pred: Vore move effects have double chance of activating.
2. Armor Burst: User bursts through their armor with weight gain. can eat fire-based moves.
3. Biofuel: Moves first after digesting a prey.
4. Brilliant Belch: Lets out a belch of sunlight after digesting prey, causing harsh sun.
5. Contortionist: Can attack with contact moves while eaten.
6. Cryochamber: Digestion deals with Ice damage with chance to freeze.
7. Glitchy: Gains random stat changes upon digesting prey.
8. Gluttonous: Small amount of Hp recovered per turn. Increases with amount of weight stages the prey is on.
9. Gutslut: When targeted by Vore attacks, doesn't struggle. Will use a move called [“Massage”](#) instead.
10. Haunting: User curses and traps their predator for that turn when digested.
11. Hefty: Fire/Ice damage reduced at higher weights.
12. Hibernate: Falls asleep after eating a prey. Prey take double digestion damage.
13. Honey Leak: Produces honey from digested prey.
14. Hunger Drive: Gains increased stats upon digesting an enemy.
15. Huntress: Boosts accuracy of Vore moves.
16. Impervious Gut: Un-effected by the abilities of things it swallows.
17. Infernal Innards: Digestion deals fire damage with chance to burn.
18. Melodic Churn: Secondary effects more likely while digesting prey.
19. Memory Absorb: Can steal the moves of digested prey.
20. Midnight Snacking: Chance to eat a random foe while asleep.
21. Mouthful: Chance to swallow prey with biting moves.
22. Noisy Stomach: Can't hear anything over its own stomach noises.
23. Parting Gift: Burps up bones of prey to use as an entry hazard.
24. Phagocytosis: Can pull prey into their body when hit with contact moves.
25. Poisonous: Poisons Pred when eaten.
26. Reformer: Reforms if digested once per battle.
27. Relentless Storm: Burns some fat each turn to cast a storm.
28. Slow Metabolism: Slower digestion and fall asleep after a meal.

- 29. Soul Absorb: Absorb the souls of digested prey to recover HP.
- 30. Stretchy: Prey's struggles are half as effective.
- 31. Surprise Attack: Catches prey off guard and eats them if it's the first turn of the battle.
- 32. Tiny Body: Enhanced accuracy but slower digestion.
- 33. Trick Tum: Releases psychic energy out after digesting prey, twisting the dimensions.
- 34. Vengeance: Sharply increases attack when eaten.
- 35. Veteran: While above 1/2 HP, will eat preds that try to eat it.

OTHER GOODIES

1. Pokémon loses a weight gain stage every 375 steps, though holding a leftover makes them never lose weight. Pokémon with tiny body or slow metabolism lose weight $\frac{1}{5}$ as often. Also, Pokémon with Everstone cannot gain or lose weight.
2. Binding Band half's chance of prey escaping every turn.
3. Digesting Deoxys gives the pred pokerus.
4. Losing a fight that you are not allowed to lose while the enemy has a pred Pokémon out has that Pokémon eat you in the black out screen.
5. Pokémon can eat berries in battle to move up a weight stage (Feeding them outside of battle does not because there would not be an effective way of doing it).
6. Pokémon keep their weight gain after a battle.
7. An item called PREDBALL can be added. Programmed to have boosted capture rate on Pokémon with Pred flag.
8. Evolutions based on both the Pokémon's weight and total number of preys digested.
9. In the pokemon.txt make their evolution either (where x is an integer [number]):
A) Evolutions = EVOLUTIONNAMECAPS, PreyDigested, x
B) Evolutions = EVOLUTIONNAMECAPS, PreyWeightGained, x
10. Activate when the number is met and a level up occurs.
11. EXPALL is now able to be controlled on or off using the in-game options menu.

UNTESTED CONTENT

Player Pred

If you would like the Player to be a pred, you can assign a Pokémon the “Player” flag in the pokemon.txt file. This can be used if you want the player to be able to be eaten in battle themselves but might take some additional coding work, I do not want to do to keep them from removing themselves from the team. Will also make game over easier to trigger if playing on “Perma mode” since the story cannot continue if the player is digested.

Overall, mostly an untested feature.

Player Edible

This section is tied to an existing setting that may allow the player to be eaten in battle (basically, lets player choose if they want to be edible or not).

SETTINGS

Perma Digestion

All Pokémon without the Reformer ability or those that are not Apex Preds will be removed from the game on their digestion and have their poke ball returned to the bag. If you are using the Player as a Pokémon, the digestion of the player will result in a game over. Can be turned on or off in the in-game options menu (see Figure 19).

NOTE: This feature is intended to be used alongside a standard Nuzlocke run for flavor. Players can soft lock themselves if they lose a Pokémon vital for overworld progression and they are unable to catch a new one to continue. This can be avoided by making HMs usable without needing to teach it to a Pokémon or supplying items such as an old rod to the player early and not trapping the player into areas using obstacles like trees, boulders, or rocks with no way to escape.




Figure 19. Options In-Game

Settings Toggle


They are located under the Settings tab in the script but can also be changed with events such as `Settings::EXP_ALL_TOGGLE = 0`. The available settings can be found in “Settings;” Line 17 - 23, and are as follow:

P.S: Boolean must be handled as 1 (yes) or 0 (no) rather than “true” or “false”.

SETTING	DESCRIPTION	VARIABLE
PLAYER_IS_POKEMON	Is a player a Pokémon?	Boolean
PERMA_DIGESTION_TOGGLE	Can Player control the Perma-Digestion Toggle?	Boolean
EXP_ALL_TOGGLE	Can player control the EXPALL toggle?	Boolean
PLAYER_WEIGHT_GAIN	Does Player as a pred gain weight?	Boolean
DIGESTION_TURNS	Max turns a Pokémon can stay eaten for	Integer
DIGESTION_BREAKOUT_CHANCE	Chance for a prey to escape early	Integer
SHINYBOOST	QoL way of boosting shiny odds. Use <code>Settings::SHINYBOOST += 1</code> in the script option for events to increase it.	Integer
SCENESONGAMEOVER	Choose if the feed yourself scenes are played on player game over.	Boolean

FOR **PLAYER_IS_POKEMON**, **EXP_ALL_TOGGLE**, and **PERMA_DIGESTION_TOGGLE** ONLY

These determine if the player can control their game rules. You can set a rule to be the way you want then disable it from being changed in these settings. These settings **DO NOT** control if the settings are on or off, only if the player can access the toggle. To control these rules themselves, you will need to set the rules to either be off (0) or on (1) in the `UI_Options initialize` method (see Figure 19).



BRAND NEW FEATURES

Major changes

Built in Scene Player

Built in Scene player is a function that allows adding custom Vore scenes without modifying the game's files, those scenes used when offering yourself to your Pokémon. These are all contained in the new Vore_scenes.txt

An example of the code is listed below (see Figure 20 for example in-game):

```
#-----
```

```
[VOREGLIMMORA]
```

```
BGM = Area Zero
```

```
Visual = Glimmora1
```

```
Visual = Glimmora2
```

```
Visual = Glimmora3
```

```
Visual = Glimmora4
```

```
Visual = Glimmora5
```

```
Audio = gulp
```

```
Audio = digest7
```


```
Text = As you ask for {1} to eat you. She makes an expression that could only be described as flustered shock. Seemingly caught off guard by the sudden suggestion. /nextpic But after some encouragement from you. {1} nervously nods and turns around, presenting her ass in front of you. You carefully approach her, giving her reassurance as you kneel down...
```

```
Text = /nextpic The heat coming from her ass is almost feverish, the tight ring of muscle glistening in front of you as you carefully begin to push your way in./nextaudio {1}'s breath catches at the sudden intrusion and clenches down hard. Her petals quickly closing up. Sealing you inside of her as you travel deeper...
```

```
Text = /nextpic Inside of her is even warmer. The inescapable embrace of her insides hugging you tightly, it's not a long trip and you quickly find yourself stopping in what you can only assume to be her stomach. The chamber is small and closed off, closer to a plant's than anything human. But the sound of {1}'s satisfied cries betrays the organic nature regardless.
```

Text = /nextpic It takes a couple of hours, but eventually you begin to feel as the walls grow tighter around you. /nextaudio Hugging you closer until your vision starts to darken. You and {1} both give one last synchronized sigh, before you fall asleep and she gets her meal...

is



This
an

Figure 20. Glimorra Sample Vore Scene

example of how a script would play out. It looks complicated, but it is pretty simple:

#	Command / Text	Description	OPTIONAL?
1	#-----	Must start with the given text	YES
2	[POKEMONNAME]	Pokémon's name with Brackets	YES
3	BGM =	Picks the associated song from the Audio/BGM folder if it exists	NO
4	VISUAL =	Picks the associated image from the Graphics/Pictures folder if it exists	NO
5	AUDIO =	Picks the associated sound from the Audio/SE folder if it exists	NO
6	TEXT =	Displays the given text to the user. Has Escape Sequences (with / and {})	YES
7	INTRO / BODY / ENDING	(DEPRECATED) Same as TEXT.	NO

You can have multiple BGM, visuals, and sound effects. They will play in the order you add them. You can still play the scene without having any BGM, audio, or visuals included, just skip those lines.

Each line starts with **TEXT**. Inside each “TEXT” you can use an Escape Sequence to play or change an image, background music, or sound effect, or to display your Pokémon’s name from the scene. Which are listed as follows:

#	COMMAND	DESCRIPTION	CAN BE USED
1	{1}	Display the Pokémon’s Name	Unlimited
2	/nextpic	Display the next image in “VISUALS”	Once per TEXT line
3	/nextbgm	Plays the next Background Music in “BGM”	Once per TEXT line
4	/nextaudio	Plays the next Sound Effect in “AUDIO”	Once per TEXT line

KEEP IN MIND IT WILL AUTOMATICALLY PLAY THE FIRST PICTURE AND BGM ON STARTING THE SCENE.

The location of the /next text inside a line of text does not matter.

These will mostly be accessed by selecting a pred on the party menu then selecting the feed yourself options. If you turned it on in the Settings script tab, you could also have the scenes play on game over as well.

1.1 CHANGES

Minor Changes

1. Save Deletion: Must be turned ON by the player in settings alongside “Perma Digestion” mode. If they have all their Pokémon eaten in a fight, they will have their Save file deleted upon game over.
2. BellyDrum does chip damage to any prey inside the user.
3. Stockpile moves rework. Still keeps all original effects of the moves.
4. Swallow: Swallows down the stockpile food. If they have eaten a Pokémon, the food is piled on them, increasing the pred’s weight and adding the stockpile amount to the prey’s max amount of turns they can be eaten for.
5. Spitup: Spits out any prey the pred has eaten. Eaten prey also counts as a stockpile charge for the move’s damage and activation.
6. Item called COTONBERRY can be programmed in. makes the selected Pokémon’s pred spit back out.

7. Item called CHOKER added. Deals chip damage when eating or spitting out a prey.
8. If the setting is turned on, losing to a pred in an unlosable fight (must be set for the fight. Most fights are unlosable) will play a special customizable scene. More on this later.
9. If Eat chance gets triggered on Pokémon that would have been KO-ed, special finisher text comes up and they are eaten.
10. New effect that gets added when digesting a prey: saves the prey's battle index. it gets reset to -1 at the end of the turn. eattarget moves check if this index equals the current targets. If so, it will prevent them from being eaten. This will prevent double-eat scenarios where the pred eats and digests an enemy, then eats them again when they are fainted. erased at the end of turn or a new Pokémon is switched into that spot.
11. New icon called icon_pred.png can be placed in Graphics\UI\Battle. Shows if the Pokémon is a pred in the UI.
12. New options in parties. If a Pokémon is marked with "Pred" flag you can feed another Pokémon or the player to them.
13. Added in option to feed Pokémon in party to another for 2x the exp of beating them. releases the Pokémon. If reformer ability, the prey does not get deleted but pred does not get exp. can be used to quickly get pred to max weight.
14. Scene viewer: if you feed yourself to a Pokémon, it will display a custom scene that can feature different pictures, BGM, and sound effects. includes new Pokemon_vore_scenes.txt.
15. Mega Pokémon supported.
16. QoL new settings can be accessed in settings or with command (\$SHINYBOOST += 1). increases the number of times the game rerolls for a shiny by the amount set to \$SHINYBOOST.
17. QoL Digestion damage instant kills the prey if there is a level difference of 20 or more. speeds up farming easy prey.
18. Can feed NPCs to Pokémon using \$player.EatNPC("trainer name") where trainer name is swapped out with a custom name. defaults to "them"
19. Nineteen would be substituted with the event number of the trainer.

full code

```
eaten = $player.EatNPC("Melissa")  
  
if eaten  
  
pbSetSelfSwitch(19, "A", true)  
  
end
```

20. Added cock Vore using move CV, or function codes EatTargetCock and EatTargetCockAdditionalEffect. sets up sticky web on the opposing side after digestion. will not be appearing in EE, but it now exists for the people asking for it.
21. Added on_battler_digesting for abilities that activate when digesting an enemy and gave them their own function trigger.
22. Explosive moves can be used while your Pokémon has been eaten.
23. Logic for digestion in the abilityeffects section modified to be easier to follow.
24. If SCENESONGAMEOVER in the Settings script page is set to 1, it will play the associated pred's feed scene if one exists on a loss to them. This can be used to give pred's game over scenes that are still viewable by catching the pred and using the "feed yourself" option in the party menu.
25. Optional ribbons on 10, 25, 50, and 100 prey eaten. update ribbons.txt file to implement.

BUG FIXES AND BALANCE CHANGES

v1.1

Bug Fixes

1. Fixed typos and reversed dialogue (Prey ate pred).
2. Fixed evolutions based on amount of prey eaten.
3. Fixed hyperbeam bug (my bad).
4. Fixed issue with daycare.
5. Forms change Pokémon like Aegislash do not become visible again on changing form if eaten.
6. Clean up spaghetti or/and nest for when certain menu options will appear.
7. Properly releases prey when swapped out by items such as redcard.
8. Pred Pokémon ignore checks for form_simple when mega evolving. mega Pokémon should now work with the mod properly.
9. Pokémon reformed by unbirth keep their shininess.

Changes / Reworks

1. Changed ability checks in combat to look for active abilities instead of innate abilities.
2. Move dialogue and things like breast milk and unbirth eggs work off Move type IDs instead of move names and abilities. Motherly now joins Predator in being deprecated.
3. ApexPred rework: Apex pred gives bonus activation chance if movecode specifies eattarget. No eaten immunity.
4. Eaten immunity can be given to Pokémon using flag "Inedible". Replaces old Apex_Pred flag.
5. Pokémon owned by partner trainers, are not considered enemy Pokémon for after loss scenes (losing while having an NPC partner does not make the partner's Pokémon eat you).
6. Belch has been reworked. You get a charge on eating a prey and lose it after one use. You cannot stack charges.

Bufs

1. Pokémon cannot escape without struggling for at least one turn, previously, faster Pokémon could attack, get eaten, then escape the next turn immediately if lucky.
2. Digestion heals pred for 1/8 hp.
3. Steps needed before a Pokémon loses weight changed from 256 to 375.

Nerfs

1. Reformer ability only works once per battle if you have the gen 9 pack. 33% chance if not.
2. Struggle changed from 50 damage to 40 but now attacks with stronger stat for more consistent but lower damage.
3. Ravenous hunger healing decreased to 1/16 of max HP per turn.