

http://localhost:3000/users/example

GET



http://localhost:3000/users/example

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE
	Key	Value

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

Visualize

HTML



```
1 I am example
```

http://localhost:3000/users/example/lines

GET



http://localhost:3000/users/example/lines

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE
	Key	Value

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

Visualize

HTML



1 Hello Iines

GET ⌵ http://localhost:3000/users/example2/lines/Ankka

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

	KEY	VALUE
	Key	Value

Body Cookies Headers (7) Test Results

Pretty

Raw

Preview

Visualize

HTML ⌵



1 Hello Iines Ankka

localhost:3000/users

POST localhost:3000/users

Params Authorization Headers (8) Body Pre-request Script Tests Settings

☐ none
 ☐ form-data
 ☒ x-www-form-urlencoded
 ☐ raw
 ☐ binary
 ☐ GraphQL

	KEY	VALUE
<input checked="" type="checkbox"/>	firstName	lines
<input checked="" type="checkbox"/>	lastName	Ankka
	Key	Value

Body Cookies Headers (7) Test Results

Pretty
 Raw
 **Preview**
Visualize

lines Ankka

Middleware:

```
$ npm start
> viikko6@0.0.0 start
> node ./bin/www

The common middleware called
The example middleware called
I am example
GET /users/example 304 4.498 ms - -
```