



	REV 2			#	Month	Year	Last Rev:
				16	11	2015	10/20/2015
				Gestión de Control de Calidad/ Quality Management			
				FO-INT-ING-CDE001-REV00			
Commercial Bid Evaluation CBE							
Material Code	EDA-00					Fecha/ Date:	09/14/2016
						Realizado por/ By	AG
Descripción	VOLUMEN DAMPERS						
Disciplina	HVAC	Type:	Materiales				

Description/ Descripción				Vendor 1				Vendor 2				Vendor 3				Vendor 4				Vendor 5				Vendor 6				Vendor 7	
Vendor Name:	CANTIDAD	CANTIDAD	Monto presupuestado	IntegCA- Nessy (Air Balance)				IntegCA-Dave AWW				PROTEC (Kruger)				GARCIA COLINAS (Louvers Dampers)				DASH-CO (potroff)				SATURN ENTERPRICES (Nailor)				IntegCA (Greenheck)	
800	300	4		B/. 93.00	B/. 372.00	B/. 116.00	B/. 464.00	B/. 160.00	B/. 640.00	B/. 120.90	B/. 483.60	B/. 139.50	B/. 558.00	B/. 158.10	B/. 632.40														
800	400	1		B/. 96.00	B/. 96.00	B/. 120.00	B/. 120.00	B/. 191.00	B/. 191.00	B/. 124.80	B/. 124.80	B/. 144.00	B/. 144.00	B/. 163.20	B/. 163.20														
800	500	2		B/. 110.00	B/. 220.00	B/. 125.00	B/. 250.00	B/. 195.00	B/. 390.00	B/. 143.00	B/. 286.00	B/. 165.00	B/. 330.00	B/. 187.00	B/. 374.00														
900	500	1		B/. 116.00	B/. 116.00	B/. 130.00	B/. 130.00	B/. 202.00	B/. 202.00	B/. 150.80	B/. 150.80	B/. 174.00	B/. 174.00	B/. 197.20	B/. 197.20														
921	271	1		B/. 107.00	B/. 107.00	B/. 256.00	B/. 256.00	B/. 170.00	B/. 170.00	B/. 139.10	B/. 139.10	B/. 160.50	B/. 160.50	B/. 181.90	B/. 181.90														
921	271	13		B/. 86.00	B/. 1,118.00	B/. 360.00	B/. 4,680.00	B/. 429.00	B/. 5,577.00	B/. 387.25	B/. 5,034.25	B/. 129.00	B/. 1,677.00	B/. 146.20	B/. 1,900.60														
1000	400	1		B/. 113.00	B/. 113.00	B/. 300.00	B/. 300.00	B/. 280.00	B/. 280.00	B/. 146.90	B/. 146.90	B/. 169.50	B/. 169.50	B/. 192.10	B/. 192.10														
1000	650	1		B/. 155.00	B/. 155.00	B/. 354.00	B/. 354.00	B/. 276.00	B/. 276.00	B/. 201.50	B/. 201.50	B/. 232.50	B/. 232.50	B/. 263.50	B/. 263.50														
1000	700	1		B/. 158.00	B/. 158.00	B/. 357.00	B/. 357.00	B/. 276.00	B/. 276.00	B/. 205.40	B/. 205.40	B/. 237.00	B/. 237.00	B/. 268.60	B/. 268.60														
1100	500	2		B/. 132.00	B/. 264.00	B/. 325.00	B/. 650.00	B/. 227.00	B/. 454.00	B/. 171.60	B/. 343.20	B/. 198.00	B/. 396.00	B/. 224.40	B/. 448.80														
1200	400	1		B/. 125.00	B/. 125.00	B/. 323.00	B/. 323.00	B/. 233.00	B/. 233.00	B/. 162.50	B/. 162.50	B/. 187.50	B/. 187.50	B/. 212.50	B/. 212.50														
1200	900	1		B/. 204.00	B/. 204.00	B/. 463.00	B/. 463.00	B/. 349.00	B/. 349.00	B/. 265.20	B/. 265.20	B/. 306.00	B/. 306.00	B/. 346.80	B/. 346.80														
1300	700	1		B/. 250.00	B/. 250.00	B/. 381.00	B/. 381.00	B/. 437.00	B/. 437.00	B/. 325.00	B/. 325.00	B/. 375.00	B/. 375.00	B/. 425.00	B/. 425.00														
1600	700	1		B/. 268.00	B/. 268.00	B/. 404.00	B/. 404.00	B/. 605.00	B/. 605.00	B/. 348.40	B/. 348.40	B/. 402.00	B/. 402.00	B/. 455.60	B/. 455.60														
Ø125		3		B/. 84.00	B/. 252.00	B/. 120.00	B/. 360.00	B/. 118.00	B/. 354.00	B/. 109.20	B/. 327.60	B/. 126.00	B/. 378.00	B/. 142.80	B/. 428.40														
Ø150		2		B/. 84.00	B/. 168.00	B/. 120.00	B/. 240.00	B/. 118.00	B/. 236.00	B/. 109.20	B/. 218.40	B/. 126.00	B/. 252.00	B/. 142.80	B/. 285.60														
1050	450	1		B/. 132.00	B/. 132.00	B/. 308.00	B/. 308.00	B/. 273.00	B/. 273.00	B/. 171.60	B/. 171.60	B/. 198.00	B/. 198.00	B/. 224.40	B/. 224.40														
1200	500	1		B/. 137.00	B/. 137.00	B/. 321.00	B/. 321.00	B/. 170.00	B/. 170.00	B/. 178.10	B/. 178.10	B/. 205.50	B/. 205.50	B/. 232.90	B/. 232.90														
1200	600	1		B/. 156.00	B/. 156.00	B/. 364.00	B/. 364.00	B/. 273.00	B/. 273.00	B/. 202.80	B/. 202.80	B/. 234.00	B/. 234.00	B/. 265.20	B/. 265.20														
921	271	3		B/. 107.00	B/. 321.00	B/. 256.00	B/. 768.00	B/. 170.00	B/. 510.00	B/. 139.10	B/. 417.30	B/. 160.50	B/. 481.50	B/. 181.90	B/. 545.70														
Ø300		36		B/. 92.00	B/. 3,312.00	B/. 141.00	B/. 5,076.00	B/. 118.00	B/. 4,248.00	B/. 178.52	B/. 6,426.72	B/. 138.00	B/. 4,968.00	B/. 156.40	B/. 5,630.40														
					B/. 17,018.00		B/. 27,808.00		B/. 32,221.00		B/. 25,783.92		B/. 30,015.09		B/. 28,930.60		B/. 36,010.00												
Envío TDE				si				si				si				si				si									
Costo/ Cost:	EDA-00		298,777.99																										
Moneda/ Currency:				Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares	Dolares			
Presupuesto/ Budged:																													

**Northern Equipment Supply Int'l, LLC**

5757 Blue Lagoon Drive, Suite 140, Miami, FL 33126

Phone: 305-596-7451. Fax: 305-596-6044

Email: sales@nesisolutions.comWebsite: www.nesisolutions.com

FEI No. 20-8207605

PROPOSAL

No. 167737

Date: 09/13/2016

Page: 1 of 5

Customer:

Integca Corp.
Alba Galaviz
3636 Sherwood Forest Suite 690
70816 Baton Rouge LA
USA

Proposal Valid For: Prepaid
Valid Until: 10/13/2016
Project Name: Volume Damper - Integca

Item #	Product	Qty.	Unit Price	Ext. Price
1	AC1	1	\$ 65.00	\$ 65.00
	VD-1 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 152.4mm x 152.4mm			
2	AC1	2	\$ 65.00	\$ 130.00
	VD-2 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 152.4mm x 152.4mm			
3	AC1	1	\$ 66.00	\$ 66.00
	VD-3 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 200mm x 152.4mm			
4	AC1	1	\$ 66.00	\$ 66.00
	VD-4 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 200mm x 152.4mm			
5	AC1	1	\$ 69.00	\$ 69.00
	VD-5 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 300mm x 250.02mm			
6	AC1	1	\$ 70.00	\$ 70.00
	VD-6 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 300mm x 300mm			
7	AC1	8	\$ 81.00	\$ 648.00
	VD-7 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 500mm x 400mm			
8	AC1	1	\$ 72.00	\$ 72.00
	VD-8 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 250.02mm			
9	AC1	15	\$ 73.00	\$ 1,095.00
	VD-9 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 300mm			
10	AC1	1	\$ 107.00	\$ 107.00
	VD-10			



Northern Equipment Supply Int'l, LLC

5757 Blue Lagoon Drive, Suite 140, Miami, FL 33126

Phone: 305-596-7451. Fax: 305-596-6044

Email: sales@nesisolutions.com

Website: www.nesisolutions.com

FEI No. 20-8207605

PROPOSAL

No. 167737

Date: 09/13/2016

Page: 2 of 5

	ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 800mm x 500mm			
11	AC1	9	\$ 119.00	\$ 1,071.00
	VD-11 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 800mm x 600mm			
12	AC1	1	\$ 103.00	\$ 103.00
	VD-12 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 900mm x 400mm			
13	AC1	9	\$ 128.00	\$ 1,152.00
	VD-13 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 900mm x 600mm			
14	AC1	1	\$ 231.00	\$ 231.00
	VD-14 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1400mm x 600mm			
15	A70	2	\$ 84.00	\$ 168.00
	VD-15 ABI Round Single Blade Galvanized Steel Damper. Size: 150.02mm			
16	AC1	1	\$ 71.00	\$ 71.00
	VD-16 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 200mm			
17	AC1	1	\$ 115.00	\$ 115.00
	VD-17 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 700mm x 600mm			
18	AC1	2	\$ 71.00	\$ 142.00
	VD-18 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 200mm			
19	AC1	7	\$ 67.00	\$ 469.00
	VD-19 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 152.4mm x 152.4mm			
20	AC1	5	\$ 66.00	\$ 330.00
	VD-20 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 200mm x 200mm			
21	AC1	1	\$ 67.00	\$ 67.00
	VD-21 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 300mm x 200mm			
22	AC1	3	\$ 68.00	\$ 204.00



Northern Equipment Supply Int'l, LLC

5757 Blue Lagoon Drive, Suite 140, Miami, FL 33126

Phone: 305-596-7451. Fax: 305-596-6044

Email: sales@nesisolutions.com

Website: www.nesisolutions.com

FEI No. 20-8207605

PROPOSAL

No. 167737

Date: 09/13/2016

Page: 3 of 5

	VD-22 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 300mm x 300mm			
23	AC1	2	\$ 70.00	\$ 140.00
	VD-23 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 152.4mm			
24	AC1	8	\$ 69.00	\$ 552.00
	VD-24 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 200mm			
25	AC1	5	\$ 71.00	\$ 355.00
	VD-25 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 300mm			
26	AC1	1	\$ 93.00	\$ 93.00
	VD-26 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 400mm x 600mm			
27	AC1	3	\$ 77.00	\$ 231.00
	VD-27 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 500mm x 300mm			
28	AC1	8	\$ 80.00	\$ 640.00
	VD-28 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 600mm x 300mm			
29	AC1	1	\$ 86.00	\$ 86.00
	VD-29 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 600mm x 400mm			
30	AC1	1	\$ 98.00	\$ 98.00
	VD-30 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 600mm x 500mm			
31	AC1	1	\$ 91.00	\$ 91.00
	VD-31 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 650.02mm x 350.02mm			
32	AC1	1	\$ 84.00	\$ 84.00
	VD-32 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 700mm x 300mm			
33	AC1	1	\$ 93.00	\$ 93.00
	VD-33 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 700mm x 400mm			



Northern Equipment Supply Int'l, LLC

5757 Blue Lagoon Drive, Suite 140, Miami, FL 33126

Phone: 305-596-7451. Fax: 305-596-6044

Email: sales@nesisolutions.com

Website: www.nesisolutions.com

FEI No. 20-8207605

PROPOSAL

No. 167737

Date: 09/13/2016

Page: 4 of 5

34	AC1	4	\$ 93.00	\$ 372.00
	VD-34 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 800mm x 300mm			
35	AC1	1	\$ 96.00	\$ 96.00
	VD-35 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 800mm x 400mm			
36	AC1	2	\$ 110.00	\$ 220.00
	VD-36 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 800mm x 500mm			
37	AC1	1	\$ 116.00	\$ 116.00
	VD-37 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 900mm x 500mm			
38	AC1	1	\$ 107.00	\$ 107.00
	VD-38 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 921mm x 271mm			
39	AC1	13	\$ 86.00	\$ 1,118.00
	VD-39 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 921mm x 271mm			
40	AC1	1	\$ 113.00	\$ 113.00
	VD-40 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1000mm x 400mm			
41	AC1	1	\$ 155.00	\$ 155.00
	VD-41 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1000mm x 650mm			
42	AC1	1	\$ 158.00	\$ 158.00
	VD-42 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1000mm x 700mm			
43	AC1	2	\$ 132.00	\$ 264.00
	VD-43 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1100mm x 500mm			
44	AC1	1	\$ 125.00	\$ 125.00
	VD-44 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1200mm x 400mm			
45	AC1	1	\$ 204.00	\$ 204.00
	VD-45 ABI Parallel Single Thickness Blade Control Damper, Steel Construction,			

**Northern Equipment Supply Int'l, LLC**

5757 Blue Lagoon Drive, Suite 140, Miami, FL 33126

Phone: 305-596-7451. Fax: 305-596-6044

Email: sales@nesisolutions.comWebsite: www.nesisolutions.com

FEI No. 20-8207605

PROPOSAL

No. 167737

Date: 09/13/2016

Page: 5 of 5

	Mill Finish. Size: 1200mm x 900mm			
46	AC1	1	\$ 250.00	\$ 250.00
	VD-46 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1300mm x 700mm			
47	AC1	1	\$ 268.00	\$ 268.00
	VD-47 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1600mm x 700mm			
48	A70	3	\$ 84.00	\$ 252.00
	VD-48 ABI Round Single Blade Galvanized Steel Damper. Size: 125mm			
49	A70	2	\$ 84.00	\$ 168.00
	VD-49 ABI Round Single Blade Galvanized Steel Damper. Size: 150mm			
50	AC1	1	\$ 132.00	\$ 132.00
	VD-50 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1050mm x 450mm			
51	AC1	1	\$ 137.00	\$ 137.00
	VD-51 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1200mm x 500mm			
52	AC1	1	\$ 156.00	\$ 156.00
	VD-52 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 1200mm x 600mm			
53	AC1	3	\$ 107.00	\$ 321.00
	VD-53 ABI Parallel Single Thickness Blade Control Damper, Steel Construction, Mill Finish. Size: 921mm x 271mm			
54	A70	36	\$ 92.00	\$ 3,312.00
	VD-54 ABI Round Single Blade Galvanized Steel Damper. Size: 300mm			

Proposal Totals:

Currency: US Dollar

Subtotal: \$ 17,018.00

Total: \$ 17,018.00

Notes

Entrega en fábrica (EXW) con flete incluido hasta su embarcador en Miami.
Tiempo de entrega estimado en fábrica: 5 a 6 semanas.

- Términos & Condiciones de Venta anexos / Terms & Conditions of Sales attached.

TERMINOS & CONDICIONES DE VENTA:

- Precios EXW expresados en dólares de los EEUU (US\$) y no incluyen fletes, manejo, seguros, servicios de campo, instalación, arranque o ingeniería, fees, impuestos locales o internacionales, accesorios, otros servicios o entregas en fechas específicas, a menos que este expresamente indicado por escrito en esta cotización.
- Los precios cotizados se corresponden a las cantidades indicadas arriba por escrito. Si estas cantidades cambian, entonces el precio final también puede cambiar.
- Los precios son válidos por 30 días y no incluyen ninguna otra obligación diferente al ítem descrito. Después de este periodo de 30 días, los precios pueden estar sujetos a cambios. El término estándar de pago de todas las órdenes de exportación es pre-pagado, es decir, la orden debe estar pagada antes de salir de los EEUU.
- Cualquier otro término de pago debe ser aprobado por escrito por el vendedor. Los pagos deben ser recibidos acorde con los términos establecidos para cada orden de compra o contrato que se celebre. Los gastos bancarios relacionados con cualquier pago corren por cuenta del cliente o comprador.
- Los tiempos de entrega indicados son los tiempos estimados proporcionados por los fabricantes. Las fechas de entrega son definidas últimamente por el fabricante, y están sujetas a cambios por imprevistos y/o causas de fuerza mayor. El vendedor no es responsable por retrasos en las entregas de los fabricantes, ni de los transportistas.
- El cliente autoriza la facturación y entrega de despachos parciales de la mercancía ordenada, proveniente de fuentes diversas o cuando esté disponible más temprano de lo esperado.
- El término estándar de despacho es Incoterm EXW (Fabrica o Almacén), por lo que el comprador acepta que cualquier orden se despacha desde la fábrica hasta el sitio de destino indicado por el comprador bajo su consentimiento y responsabilidad, y cualquier daño que sufra la mercancía durante la transportación, deberá ser reclamado al transportista. El vendedor hará lo que este a su alcance para ayudar al comprador a resolver cualquier problema de daño o pérdida ocurridos durante la transportación. El comprador deberá asegurarse de que los entes o personas a los que haya designado como responsables de recibir su mercancía, se aseguren de que la misma es recibida en buenas condiciones y sin daños. Cualquier daño que se observe en la recepción de la mercancía debe ser reportado de inmediato al vendedor, a fin de seguir los procedimientos a que hubiere lugar con la compañía transportista de forma expedita en el caso de cualquier reclamo por daños.
- Las ventas son finales. No están permitidas las devoluciones a menos que sean aprobadas por escrito por el fabricante. Cualquier devolución está sujeta a cargos del 30% por evaluación, transporte y re-almacenaje.
- No se pueden cancelar órdenes de compra colocadas en firme, a menos que ello sea aprobado por escrito por el fabricante. Se aplicarán las penalidades que impongan los fabricantes en la eventualidad de que una cancelación sea aprobada.
- El empaque estándar es del tipo doméstico suministrado por la fábrica. Cualquier otro empaque especial tiene un costo adicional.
- Ningún ítem debe ser re-vendido o re-exportado en violación de las leyes de los EEUU.
- La garantía que ofrece el fabricante constituye la única garantía que respalda a los ítems cotizados o comprados. No existe ninguna otra garantía, ni explícita, ni implícita. El vendedor no es responsable por defectos de fabricación de los equipos vendidos. En caso de un reclamo por garantía, el comprador deberá suministrar al vendedor toda la información necesaria y exigida por el fabricante a fin de procesar dicho reclamo. El fabricante será quien finalmente decida si un reclamo en particular aplica o no a los remedios que ofrece la garantía. El vendedor no es responsable por gastos de mano de obra, servicios, fletes, impuestos, accesorios, piezas y cualquier otro gasto que se derive del procesamiento de un reclamo de garantía. La entrega de piezas y partes relacionadas con un reclamo de garantía se hará en el lugar de entrega inicial de los equipos sujetos al reclamo.
- La propiedad de los bienes objeto de la venta permanecerá en poder del vendedor hasta que estos sean pagados por el comprador en su totalidad.
- Cualquier disputa se procesará primariamente a través del arbitraje, y acorde con las leyes de los EEUU. Cualquier proceso de arbitraje será realizado en Miami, Florida, EEUU, a menos que las partes acuerden lo contrario por escrito.

TERMS & CONDITIONS OF SALE:

- Prices are EXW and expressed in US\$. They do not include shipping, handling, insurances, commissioning, start-up, installation, fees, taxes, accessories, other services or deliveries in specific dates unless written in this quotation.
- Prices shown above are firm and will remain in effect for 30 days. After this period, prices are subject to changes.
- Prices quoted correspond to the quantities and descriptions shown above. If such quantities or description change, then the final prices may also change.
- Standard Payment Terms for all orders for exportation is prepaid. This means all orders must be paid before leaving USA. Any other payment term must be expressed in writing in this quotation and agreed by the seller.
- Payments should be received as agreed. All banking charges related to payments are customer's responsibility.
- Delivery times are estimated. Final delivery time will be provided solely by the manufacturer and they are subjected to delays caused by major unexpected events out of seller's control. The seller shall not be responsible for delays in delivery.
- The customer authorizes the invoicing and shipping of partial shipments when items come from different sources or they are available early than expected.
- Standard shipping term is Incoterm EXW Factory or EX-Warehouse. The customer agrees that items are shipped under his/her responsibility. Any damages occurred during transportation should be claim against the carrier. Vendor will do anything possible to help customer to solve any claims of this nature. Delivery site responsible must report any damage cause during transportation in writing in the carrier's delivery receipt in order to handle any claim. Failure to report any damage as required will void any claim for damages occurred during transportation.
- All sales are final. No Returns are allowed unless approved in written by the manufacturer. 30% fee will apply for transportation, evaluation and restocking.
- Purchase orders cannot be cancelled unless approved in writing by the manufacturer. Penalties may be imposed according to manufacturing policies on this matter.
- Standard packaging is the one provided for domestic transportation. Any special packaging has an additional cost.
- Items should not be resold or re-exported in violation of US law.
- The Factory Warranty constitutes all the Warranties with respect to the sale of the item or items. The seller assumes no responsibility for any liabilities for labor or defective material. For any warranty claim, the customer agrees to provide the vendor with all of the information required by the factory. The manufacturer will finally decide if a particular claim is valid or not. The seller is not responsible for any labor, services, freight, fees, taxes, accessories part or any other expense related to any warranty claim. Any part accepted to be replaced by factory will be delivered to the original site where equipment related to the claim was delivered.
- Title to goods delivered shall remain vested in the seller until paid in full.
- For any dispute, the customer agrees to settle it primarily in arbitration in accordance with USA laws, unless the parties agree otherwise in writing, such arbitration will be conducted in Miami, Florida, USA.

Job Reference: Damper RFQ	Lead Time²: 5 weeks	Freight Terms: Freight Not Included
Total Quote Price¹: \$27,808.00		
Model Summary: VC-1 & VC-22		

Sales Rep: Integ	Customer:
Sales Rep Contact: Marilu Suarez	Customer Contact:
Sales Rep Phone:	Customer Phone:
Sales Rep Email:	Customer Email:

VC-1 Damper Description

Frame: 5-1/2" x 7/8" x 16GA galvanized steel hat channel. Flat 16 GA head & sill on dampers under 14" high
 Blades: 16 GA galvanized steel, 8" nominal width
 Axle: 1/2" square plated steel stub
 Bearings: Stainless steel sleeve
 Stops: Galvanized steel angle at head and sill.
 Seals: Silicone on blade edges and SS jamb seals
 Linkage: Plated steel angle and crank plates with stainless steel pivots, in-jamb type
 Finish: Mill
 Actuator: Manual quad, except where noted as "with actuator."

Design Criteria

Max. Pressure: 4 in. w.g.
 Max. Velocity: 2000 F.P.M.
 Max. Temperature: 300 °F

									Net Each	Line Item Total
See Pages 3 and 4 of this quotation for individual and total prices										

Model VC-22 Round Damper Description

Frame: 2" x 1/2" x 14GA galvanized steel channel
 Blades: 16GA galvanized steel
 Axle: 1/2" dia plated steel stubs
 Bearings: Stainless steel sleeve with stainless steel thrustwashers
 Stops: #10 plated steel sheet metal screws for the open and closed positions
 Seals: Silicone seal around perimeter
 Finish: Mill with touch up on welds
 Actuator: Manual Quad

Design Criteria

Max. Pressure: 2 in. w.g.
 Max. Velocity: 3000 F.P.M.
 Max. Temperature: 350 °F

	Qty	Inside Diameter		Net Unit Weight					Net Each	Line Item Total
See Pages 3 and 4 of this quotation for individual and total prices										

Quote Total: \$27,808.00

Notes:

1. Price is valid for acceptance within 30 days of quotation date and is based on total quoted quantity. Changes in quantities are subject to review and price adjustment. Prices are net without commission. Prices are in U.S. Dollars. Taxes are not included.
2. Lead times for shipments are estimates and starts at receipt of purchase order, approved drawings, release for fabrication, and credit approval. Lead time is based on current vendor lead times. AWV is NOT responsible for vendor changes in lead times.
3. Prices are F.O.B. Shipping Point. NO freight is included unless noted otherwise above under "Freight Terms".
4. Sale is contingent upon AWV Standard Terms and Conditions which can be found here: [Terms & Conditions](#)
5. One year warranty from date of shipment. Refer to AWV Standard Terms and Conditions. [Standard Warranty](#)
6. The information contained in this quotation is for the named recipient(s) only. It may include privileged and confidential material. If you are reading this material and have received it in error, please notify us by placing a collect telephone call to 419-865-5000. We further request that you return by mail the entire FAX original to the above address. DO NOT DISCLOSE THE CONTENTS OF THIS MATERIAL TO ANYONE. Thank you.

Fecha 9/13/2016



Cómputos Métricos: Volume Dampers

Nivel	Zona	Dimensiones		Cantidad	NOTES	Net Ea (USD)	PRICE (USD)
		W	H				
+000	1-A	150	150	1		\$62.00	\$62.00
	2-B	150	100	2	5" Min. Height	\$75.00	\$150.00
		200	100	1	5" Min. Height	\$76.00	\$76.00
		200	150	1		\$63.00	\$63.00
		300	250	1		\$69.00	\$69.00
		300	300	1		\$97.00	\$97.00
		500	400	8		\$106.00	\$848.00
		400	250	1		\$72.00	\$72.00
		400	300	15		\$101.00	\$1,515.00
		800	500	1		\$125.00	\$125.00
		800	600	9		\$152.00	\$1,368.00
		900	400	1		\$125.00	\$125.00
		900	600	9		\$158.00	\$1,422.00
		1400	600	1	Jackshafted	\$379.00	\$379.00
		Ø150		2	6" min	\$120.00	\$240.00
+150	1-B	400	200	1		\$71.00	\$71.00
		700	600	1		\$146.00	\$146.00
	3	400	200	2		\$109.00	\$218.00
	2-B	150	150	7		\$62.00	\$434.00
		200	200	5		\$65.00	\$325.00
		300	200	1		\$68.00	\$68.00
		300	300	3		\$96.00	\$288.00
		400	150	2		\$70.00	\$140.00
		400	200	8		\$71.00	\$568.00
		400	300	5		\$100.00	\$500.00
		400	600	1		\$129.00	\$129.00
		500	300	3		\$104.00	\$312.00
		600	300	8		\$108.00	\$864.00
		600	400	1		\$111.00	\$111.00
		600	500	1		\$115.00	\$115.00
		650	350	1		\$112.00	\$112.00
		700	300	1		\$112.00	\$112.00
		700	400	1		\$115.00	\$115.00
		800	300	4		\$116.00	\$464.00
		800	400	1		\$120.00	\$120.00
		800	500	2		\$125.00	\$250.00
		900	500	1		\$130.00	\$130.00
		921	271	1	Jackshafted	\$256.00	\$256.00
		921	271	13	Jackshafted, with Actuator	\$360.00	\$4,680.00
		1000	400	1	Jackshafted	\$300.00	\$300.00
		1000	650	1	Jackshafted	\$354.00	\$354.00
		1000	700	1	Jackshafted	\$357.00	\$357.00
		1100	500	2	Jackshafted	\$325.00	\$650.00
		1200	400	1	Jackshafted	\$323.00	\$323.00
		1200	900	1	Jackshafted	\$463.00	\$463.00
		1300	700	1	Jackshafted	\$381.00	\$381.00
		1600	700	1	Jackshafted	\$404.00	\$404.00

			Ø125		3	6" min	\$120.00	\$360.00
			Ø150		2	6" min	\$120.00	\$240.00
		2-A	1050	450	1	Jackshafted	\$308.00	\$308.00
			1200	500	1	Jackshafted	\$321.00	\$321.00
			1200	600	1	Jackshafted	\$364.00	\$364.00
			921	271	3	Jackshafted	\$256.00	\$768.00
			Ø300		36		\$141.00	\$5,076.00
	Nota:					Total (USD):		\$27,808.00
	Dampers resaltados en amarillo son motorizados.							

RUSKIN

Proposal

DATE: 09/12/2016

JOB: AT Dampers Vol

PROJECT: Aeropuerto Tocumen

SUBMITTED BY: Protec Inc.
Oscar Perez
6935 NW 50 Street
Miami, FL 33166

Signature:_____

Date:_____

Proposal By Protec Inc.



Date/Time: 09/12/2016 10:18:02
Created By: jlgonzalez@protecinc.com
Current Version: 2014.0.333
Project Name: Aeropuerto Tocumen
Job Name: AT Dampers Vol

	Qty	Total
Commercial	141	\$27138
Commercial Round/Oval	7	\$825
<hr/>		
		Proposal Total: \$27963
<hr/>		

Proposal By Protec Inc.



Date/Time: 09/12/2016 10:18:05
 Created By: jlgonzalez@protecinc.com
 Current Version: 2014.0.333
 Project Name: Aeropuerto Tocumen
 Job Name: AT Dampers Vol

Commercial

Model: CD60

Qty	WIDTH	HEIGHT	Act Qty	Sell Each	Total Sell
1	8	6	1	\$114	\$114
	000-1-A				
2	8	6	1	\$118	\$235
	000-2-B				
1	8	6	1	\$118	\$118
	000-2-B-2				
1	8	6	1	\$118	\$118
	000-2-B-3				
1	12	10	1	\$118	\$118
	000-2-B-4				
1	12	12	1	\$118	\$118
	000-2-B-5				
8	20	16	1	\$160	\$1273
	000-2-B-6				
1	16	10	1	\$124	\$124
	000-2-B-7				
15	16	12	1	\$124	\$1849
	000-2-B-8				
1	32	20	1	\$195	\$195
	000-2-B-9				
9	32	24	1	\$224	\$2012
	000-2-B-10				
1	36	16	1	\$200	\$200
	000-2-B-11				
9	36	24	1	\$235	\$2115
	000-2-B-12				
1	55	24	1	\$410	\$410
	000-2-B-13				
1	16	8	1	\$124	\$124
	150-1-B				
1	28	24	1	\$208	\$208
	150-1-B-2				
2	16	8	1	\$124	\$247
	150-3				
7	8	6	1	\$118	\$823
	150-2-B				
5	8	8	1	\$118	\$588
	150-2-B-1				
1	12	8	1	\$118	\$118
	150-2-B-2				
3	12	12	1	\$118	\$353
	150-2-B-3				
2	16	6	1	\$124	\$247
	150-2-B-4				

Job Name: AT Dampers Vol

8	16	8	1	\$124	\$986
	150-2-B-5				
5	16	12	1	\$124	\$617
	150-2-B-6				
3	20	12	1	\$138	\$413
	150-2-B-8				
8	24	12	1	\$144	\$1147
	150-2-B-9				
1	24	16	1	\$168	\$168
	150-2-B-10				
1	24	20	1	\$170	\$170
	150-2-B-11				
1	26	14	1	\$175	\$175
	150-2-B-12				
1	28	12	1	\$151	\$151
	150-2-B-13				
1	28	16	1	\$175	\$175
	150-2-B-14				
4	32	12	1	\$160	\$637
	150-2-B-15				
1	32	16	1	\$191	\$191
	150-2-B-16				
2	32	20	1	\$195	\$390
	150-2-B-17				
1	36	20	1	\$202	\$202
	150-2-B-18				
1	36	11	1	\$170	\$170
	150-2-B-19				
1	40	16	1	\$208	\$208
	150-2-B-21				
1	40	26	1	\$276	\$276
	150-2-B-22				
1	40	28	1	\$276	\$276
	150-2-B-23				
2	44	20	1	\$227	\$453
	150-2-B-24				
1	48	16	1	\$233	\$233
	150-2-B-25				
1	48	36	1	\$349	\$349
	150-2-B-26				
1	52	28	1	\$437	\$437
	150-2-B-27				
1	63	28	1	\$605	\$605
	150-2-B-28				
1	42	18	1	\$227	\$227
	150-2-A				
1	48	20	1	\$235	\$235
	150-2-A-2				
1	48	24	1	\$273	\$273
	150-2-A-3				
3	36	11	1	\$170	\$508
	150-2-A-4				

13	36	11	1	\$429	\$5570
150-2-B					

Model: CD60V

Qty	WIDTH	HEIGHT	Act Qty	Sell Each	Total Sell
1	16	24	1	\$189	\$189
150-2-B					

Commercial Round/Oval

Model: CDR25

Qty	DIAMETER	Act Qty	Sell Each	Total Sell
2	6	1	\$118	\$236
000-2-A				
3	6	1	\$118	\$353
150-2-B				
2	6	1	\$118	\$236
150-2-B				

Proposal Total \$27963

Proposal By Protec Inc.



Date/Time: 09/12/2016 10:18:10
Created By: jlgonzalez@protecinc.com
Current Version: 2014.0.333
Project Name: Aeropuerto Tocumen
Job Name: AT Dampers Vol

Commercial

Model:CD60

SIZE: Deduct 1/4
 BLADE ACTION: PARALLEL
 CONSTRUCTION: STANDARD GALV
 JAMB SEALS: STAINLESS
 LNKG. MATRL: STANDARD

FRAME: CHANNEL
 LINKAGE: CONCEALED
 BLADE SEALS: STD.MATERIAL
 FRM MATERIAL: GALV.STEEL
 DRAWING
 NUMBER:
 ACTUATOR: HQR050

INSTALLATION: N/A
 FRAME DEPTH: 5 INCHES
 FRAME GAUGE: 16 GA.
 OPER.SHAFT: EXTENDED
 ACT TYPE: HAND QUAD

DRAWING
 REVISION:

DRAWING
 DETAIL:

Qty	WIDTH	HEIGHT	Act Qty	Each	Total Sell
1	8	6	1	\$114	\$114
	000-1-A				
2	8	6	1	\$118	\$235
	000-2-B				
1	8	6	1	\$118	\$118
	000-2-B-2				
1	8	6	1	\$118	\$118
	000-2-B-3				
1	16	8	1	\$124	\$124
	150-1-B				
2	16	8	1	\$124	\$247
	150-3				
7	8	6	1	\$118	\$823
	150-2-B				
5	8	8	1	\$118	\$588
	150-2-B-1				
1	12	8	1	\$118	\$118
	150-2-B-2				
2	16	6	1	\$124	\$247
	150-2-B-4				
8	16	8	1	\$124	\$986
	150-2-B-5				

Model:CD60

SIZE: Deduct 1/4
 BLADE ACTION: OPPOSED
 CONSTRUCTION: STANDARD GALV
 JAMB SEALS: STAINLESS
 LNKG. MATRL: STANDARD

FRAME: CHANNEL
 LINKAGE: CONCEALED
 BLADE SEALS: STD.MATERIAL
 FRM MATERIAL: GALV.STEEL
 DRAWING
 NUMBER:
 ACTUATOR: HQR050

INSTALLATION: N/A
 FRAME DEPTH: 5 INCHES
 FRAME GAUGE: 16 GA.
 OPER.SHAFT: EXTENDED
 ACT TYPE: HAND QUAD

DRAWING
 REVISION:

DRAWING
 DETAIL:

Qty	WIDTH	HEIGHT	Act Qty	Each	Total Sell
1	12	10	1	\$118	\$118
	000-2-B-4				
1	12	12	1	\$118	\$118
	000-2-B-5				
8	20	16	1	\$160	\$1273
	000-2-B-6				
1	16	10	1	\$124	\$124
	000-2-B-7				
15	16	12	1	\$124	\$1849
	000-2-B-8				
1	32	20	1	\$195	\$195
	000-2-B-9				
9	32	24	1	\$224	\$2012
	000-2-B-10				
1	36	16	1	\$200	\$200
	000-2-B-11				
9	36	24	1	\$235	\$2115
	000-2-B-12				
1	28	24	1	\$208	\$208
	150-1-B-2				
3	12	12	1	\$118	\$353
	150-2-B-3				
5	16	12	1	\$124	\$617
	150-2-B-6				
3	20	12	1	\$138	\$413
	150-2-B-8				
8	24	12	1	\$144	\$1147
	150-2-B-9				
1	24	16	1	\$168	\$168
	150-2-B-10				
1	24	20	1	\$170	\$170
	150-2-B-11				
1	26	14	1	\$175	\$175
	150-2-B-12				
1	28	12	1	\$151	\$151
	150-2-B-13				
1	28	16	1	\$175	\$175
	150-2-B-14				
4	32	12	1	\$160	\$637
	150-2-B-15				
1	32	16	1	\$191	\$191
	150-2-B-16				
2	32	20	1	\$195	\$390
	150-2-B-17				
1	36	20	1	\$202	\$202
	150-2-B-18				
1	36	11	1	\$170	\$170
	150-2-B-19				
1	40	16	1	\$208	\$208

1	150-2-B-21 40	26	1	\$276	\$276
1	150-2-B-22 40	28	1	\$276	\$276
2	150-2-B-23 44	20	1	\$227	\$453
1	150-2-B-24 48	16	1	\$233	\$233
1	150-2-B-25 48	36	1	\$349	\$349
1	150-2-B-26 42	18	1	\$227	\$227
1	150-2-A 48	20	1	\$235	\$235
1	150-2-A-2 48	24	1	\$273	\$273
3	150-2-A-3 36	11	1	\$170	\$508
	150-2-A-4				

Model:CD60

SIZE: Deduct 1/4
BLADE ACTION: OPPOSED
CONSTRUCTION: STANDARD GALV
JAMB SEALS: STAINLESS
LNKG. MATRL: STANDARD

FRAME: CHANNEL
LINKAGE: CONCEALED
BLADE SEALS: STD.MATERIAL
FRM MATERIAL: GALV.STEEL
DRAWING
NUMBER:
ACTUATOR: HDHQ050

INSTALLATION: N/A
FRAME DEPTH: 5 INCHES
FRAME GAUGE: 16 GA.
OPER.SHAFT: EXTENDED
ACT TYPE: HAND QUAD

DRAWING
REVISION:

DRAWING
DETAIL:

Qty	WIDTH	HEIGHT	Act Qty	Each	Total Sell
1	55	24	1	\$410	\$410
	000-2-B-13				
1	52	28	1	\$437	\$437
	150-2-B-27				
1	63	28	1	\$605	\$605
	150-2-B-28				

Model:CD60

SIZE: Deduct 1/4
INSTALLATION: OUT
ACCESSORIES: SP-100
CONSTRUCTION: STANDARD GALV
JAMB SEALS: STAINLESS
LNKG. MATRL: STANDARD

FAIL POS.: CLOSE
BLADE ACTION: OPPOSED
LINKAGE: CONCEALED
BLADE SEALS: STD.MATERIAL
FRM MATERIAL: GALV.STEEL
DRAWING
NUMBER:
ACTUATOR: FSTF120-RUS

FRAME: CHANNEL
SIDE PLATE: YES
FRAME DEPTH: 5 INCHES
FRAME GAUGE: 16 GA.
OPER.SHAFT: EXTENDED
ACT TYPE: ELECTRIC/120
VOLT
DRAWING
DETAIL:

DRAWING
REVISION:

Qty	WIDTH	HEIGHT	Act Qty	Each	Total Sell
13	36	11	1	\$429	\$5570
150-2-B					

Job Name: AT Dampers Vol

Model:CD60V

SIZE: Deduct 1/4
BLADE ACTION: OPPOSED
FRAME GAUGE: 16 GA.
FRM MATERIAL: GALV.STEEL
OPER.SHAFT: EXTENDED

INSTALLATION: N/A
FRAME DEPTH: 5 INCHES
CONSTRUCTION: STANDARD GALV
JAMB SEALS: STAINLESS
BEARING TYPE: THRUST- VERT
BLADES

FRAME: CHANNEL
LINKAGE: CONCEALED
BLADE SEALS: STD.MATERIAL
LNKG. MATRL: STANDARD

ACT TYPE: HAND QUAD

DRAWING
REVISION:

DRAWING
NUMBER:
ACTUATOR: HQR050

DRAWING
DETAIL:

Qty	WIDTH	HEIGHT	Act Qty	Each	Total Sell
1	16	24	1	\$189	\$189
150-2-B					

Commercial Round/Oval
Model:CDR25

SIZE:	Deduct 1/4	DRAWING NUMBER:	AXLE SIZE:	1/2 INCH
CONSTRUCTION:	STANDARD GALV	DRAWING REVISION:	ACT TYPE:	HAND QUAD
AXLE MAT.:	STANDARD	DRAWING DETAIL:	ACTUATOR:	HQR050

Qty	DIAMETER	Act Qty	Each	Total Sell
2	6	1	\$118	\$236
	000-2-A			
3	6	1	\$118	\$353
	150-2-B			
2	6	1	\$118	\$236
	150-2-B			

Proposal Total \$27963