
		ĺ						# 28	Month 10			Year 2016	Last Rev: 20/10/2015
	Aprobado TBE / Approved Technical Bid Eespe Aprobado RFA / Approved RFA Plazo de entrega/ Delivery Date: Lugar de entrega/ Location:  B.O.M  Description/ Descripcion  Ca	l						28		de Control de Calida	d/ Quality Manage		20/10/2015
		l								FO-INT-ING-CDE	001-REV01		
	i gorio a negra					Co	mmercial	Bid Evalua	tion CBE				
	Material Code #/ Codigo del Material:	l	С	ompra de Higrome	etro para Medicior	n de Temperatur	a v Humedad en S	Sala de Maguina				Fecha/ Date:	28/10/2016
		<b></b>						<del>-</del>				Realizado por/ By:	GC
	Descripcion/ Description:	Compra de Higrom				Medicion ala de Mac		atura y Hun	nedad				
	Disciplina/ Discipline:	HVAC	Type:			Herrar	nientas						
				•									
	Aprobado TBE / Approved Technical Bid Eespecification TBE:				NO	APLICA	NO AF	PLICA	NO APLICA		NO APLICA		
	Aprobado RFA / Approved	RFA:				NO	APLICA	NO AF	PLICA	NO A	PLICA	NO AF	LICA
	Plazo de entrega/ Delivery	Date:		3 DIAS		3 DIAS		3 DIAS		3 DIAS			
	Lugar de entrega/ Location	on:				TOO	CUMEN	TOCU	MEN	TOCL	TOCUMEN		MEN
						Ver	dor 1	Vend	or 2	Vend	lor 3	Vend	or 3
					Vendor Name:	HA	INNA	LIBRERÍA E	DUCATIVA	INTE	.GCA	RG	н
Codigo B.O.M	Description/ Descripcion	Cant.	Und.	Monto Presupuestado	Condiciones de Pago/ Shippment Terms	Co	ntado	Conta	ado	30 0	lays	Conta	ado
	Termohigrometro	1	UND	B/.0.00		B/.206.94	B/.206.94	B/.64.95	B/.64.95	B/.44.16	B/.44.16	B/.94.00	B/.94.00
					ITBMS	В/.	14.49	B/.4	.55		-	B/.6	58
					Costo TOTAL/ TOTAL Cost :	B/.2	21.43	B/.69	9.50	B/.4	4.16	B/.10	0.58
					Moneda/ Currency:	Do	olares	Dola	res	Dola	ires	Dola	'es
					MONTO/SELEC								
	NOTA DE PROVEEDOR												
	OBSERVACIONES	 											
	RECOMENDACIÓN												



Home Gift Guide shop now.

Share

Ship to:

\$38.40

\$42.47

+ Free Shipping

Have one to sell?

Sold by: Daigger Scientific, Inc.

New (3) from \$38.40 & FREE shipping on orders over \$49.00. Details

Add to List

& FREE Shipping on eligible orders. Details Sold by: Savings 101

Qty: 1 ▼

Turn on 1-Click ordering for this browser

Other Sellers on Amazon

Add to Cart

Add to Cart

Sell on Amazon

Select a shipping address:

Add to Cart

Back to search results for "thomas scientific thermometer"





Click to open expanded view

by Thomas

# Thomas Traceable Thermometer/Clock, +/- 1 degree C Accuracy

6 customer reviews

List Price: \$50.00

Price: \$38.40 & FREE Shipping on orders over \$49.

Details You Save: \$11.60 (23%)

In Stock.

Want it tomorrow, Oct. 29? Order within 4 hrs 26 mins and choose Saturday Delivery at checkout. Details Ships from and sold by Amazon.com.

New (3) from \$38.40 & FREE shipping on orders over \$49.00. Details

## Specifications for this item

Brand Name	Thomas	Measurement	Temperature	
Part Number	4040 –	Туре		
Number of Items	1	Overall Length	4.25 inches	
Is Recalled?	N	Overall Width	2.25 inches	
LowerTemperature Range	32 Degrees Fahrenh	Temperature Range	32/122 Degrees Fahrenheit	
Maximum Measurement	32/122F	UNSPSC Code	42182200	
		Upper Temperature Range	122 Degrees Fahrenheit	

See more product details

## Discover solutions for the workplace



Breakroom Necessities



Cleaning Tools



Business Technology



Shop all Workplace Solutions

## **Frequently Bought Together**





Total price: \$86.70

Add both to Cart

Add both to List

▼ This item: Thomas Traceable Thermometer/Clock, +/- 1 degree C Accuracy \$38.40

✓ Control Traceable 4648 Jumbo Display Vaccine Thermometer with 5ml Round Bottle, -50°C to 70°C (-58°F... \$48.30



28/10/2016

Control Traceable 4648 Jumbo Display Vaccine Thermometer with 5ml Round Bottle. -50°C to...

26



\$58.76

Refrigerator/Freezer Plus Thermometer, with 5mL Vaccine Bottle Probe,... 20



PhysiciansCare 24-102 Wall Mountable Eye and Skin Flush Station with Two 16 oz Bottles, 16-1... 77

\$19.00



Thomas Traceable Kangaroo Thermometer, 7.5" Probe Length, -58 to 572 degree F, -50 to 300... 32

\$24.35





Thomas Traceable Hi-Accuracy Refrigerator Thermometer, -58 to +158 Degrees F/-50 to +70...

13

\$88.11

H-B DURAC Plus B60600-0600 Refrigerator Verification Thermometer; -5 to 15°C

\$37.35

\$48.30

## Sponsored Products Related To This Item (What's this?)



AcuRite 09150 smartHUB with My AcuRite Remote Monitoring App

\$77.45



AcuRite 02049 Digital Thermometer with Indoor/Outdoor Temperature

\$19.99



AcuRite 00611A3 Wireless Indoor/Outdoor Thermometer and **Humidity Sensor** 1.633

\$19.97



**UEi Test Instruments** PDT650 Folding Pocket Digital Thermometer

\$19.95



Easy to Read: Refrigerator Freezer Thermometer Alarm, High & Low Temperature... \$17.99

\$ Ad feedback

F

Т

### Customers Viewing This Page May Be Interested In These Sponsored Links (What's this?)

- 1. The First Wireless Thermometer Simple. Useful. Affordable. 🗗
- 2. Material Test Equipment 🗗

- Measure temperature anywhere: at home, workplace, in the fridge, on the go. (sen.se)
- used in Soil, Concrete, Construction. laboratories test equipment

Ad feedback

### **Product Features**

- · Dual-range digital thermometer and hygrometer with clock for use in hoods, store rooms, clean rooms, incubators, drying chambers, and environmental cabinets
- Measures temperature from 0 to 50 degrees C (32 to 122 degrees F), with an accuracy of + or 1 degree C
- Triple display indicates temperature, humidity, and time simultaneously
- Minimum/Maximum temperature memory.
- · Temperature, time, and humidity calibrated to ISO 17025 traceability standards for reliability of measurements

# **Product Description**

The Thomas Thermometer/Clock auis a digital thermometer and humidity meter with clock used for monitoring the temperature and humidity in hoods, store rooms, clean rooms, incubators, drying chambers, and environmental cabinets. The thermometer measures temperature 0 to 50 degrees C (32 to 122 degrees F), with an accuracy of + or -1 degree C. The thermometer has internal sensors for ease of use. The thermometer memory stores minimum/maximum values. The thermometer, hygrometer, and clock are individually traceable to National

Institute of Standards and Technology standards, indicating that it is calibrated to International Organization for Standardization (ISO) 17025 levels. The Thomas Thermometer/Clock is used in food storage, scientific laboratories, and other industries that require temperature

ieveis. The momas memometer/Gook is used in rood storage, scientint laboratories, and other mudstries that require temperature monitoring.

### Specifications

Power source	(1) AAA battery				
Temperature range	0 to 50 degrees C (22 to 122 degrees F)				
Accuracy	+ or - 1 degree C				
Resolution	0.1 degree C/0.1 degree F				
Standard met	International Organization for Standardization (ISO) 17025				
Weight	2.5oz.				
Dimensions (H x W x D)	4.25 x 2.25 x 0.55 inches				

H is height, the vertical distance from lowest to highest point; W is width, the horizontal distance from left to right; D is depth, the horizontal distance from front to back.

Digital thermometers are instruments used to measure the temperature of air, liquids, or surfaces electronically. They may measure temperature in Celsius, Fahrenheit, or both. Most digital thermometers use thermistors, which are small electronic resistors. Thermistors are made out of metals that conduct electricity within a certain range and become more conductive the warmer they get. A microcontroller inside the thermometer measures this electrical conductivity and converts it to a temperature, which is displayed on an LCD. Digital thermometers are used in a wide range of applications, including in laboratory settings, food service and storage, and in doctors' offices and hospitals.

Thomas Scientific manufactures lab supplies, equipment, chemicals, and instruments for scientific research. It is a registered contractor for the United States Federal Government. The company was founded in 1899 and is headquartered in Philadelphia, PA.

### **Product Details**

Shipping Weight: 4 ounces (View shipping rates and policies)

**ASIN:** B0069THMZM Item model number: 4040

Average Customer Review: (6 customer reviews)

Amazon Best Sellers Rank: #7,570 in Industrial & Scientific (See Top 100 in Industrial & Scientific)

#22 in Industrial & Scientific > Test, Measure & Inspect > Temperature & Humidity > Thermometers > Digital Thermometers

Manufacturer's warranty can be requested from customer service. Click here to make a request to customer service.

Would you like to give feedback on images?

### Sponsored Products Related To This Item (What's this?)



AcuRite 02049 Digital Thermometer with Indoor/Outdoor Temperature

\$19.99



12"d x 24"w Chrome Wire Shelving with 3 Shelves

\$75.50



Stamp Digital Thermometer w/Audible & Visual Alarm for...

3

\$65.90



Whitmor 6060-3437 Supreme 3-Tier Shelving, Chrome

\$51.24



Furniture NOR-STOOLBS-SO Plastic Stack Stool, 17 3/4"... 107

\$48.65

Ad feedback

Т

Т

\$

## **Customer Questions & Answers**

76

See questions and answers

### **Customer Reviews**

6

3.4 out of 5 stars

17% 5 star 4 star 50% 3 star 17% 2 star 0% 1 star 16%

Share your thoughts with other customers

Write a customer review

See all 6 customer reviews

### **Top Customer Reviews**

### Not bad....but single point calibration.

By Jeff O on April 14, 2016

Verified Purchase

This is a pretty good unit. HOWEVER, the calibration is a SINGLE POINT CALIBRATION. It is not calibrated over a range, rather, it is calibrated at room temp and 50%. If you need a calibrated thermometer that is calibrated over a range of temperatures (think regulated industries), this is not going to work. However, this works just fine as a reference.

Also, certificate cert has 1 year 7 months left till calibration date. I figure I'll buy a new one when this one expires, I'm not sure if I can send it out for calibration....

One person found this helpful. Was this review helpful to you? abuse

### Never worked correctly

By W. Meyers on April 9, 2015

Verified Purchase

Why is it these don't seem to measure humidity accurately at all? They say it takes time for the unit to settle in to get accurate readings but I tried 2 and neither ever settled in. I brought a certified calibrated unit from work fro comparison and this never came even with 10%. This is no more accurate then a \$10 toy.

One person found this helpful. Was this review helpful to you? Yes No Comment abuse

## Adequate

By John L Willett on October 17, 2015

Ordered this one because it was identical to the one I had with "Market Lab" on it; however, when placing them side by side, the measurements often did not exactly match.

Was this review helpful to you? Yes No Report abuse

See all 6 customer reviews (newest first)

Write a customer review

# enno logic How Hot Is Your Grill? Find Out Fast. Infrared Thermometer Dual Laser Non-Contac. \$129.95 \$49.99 Add to Cart

### **Most Recent Customer Reviews**

### Four Stars

It's certified!

Published 3 months ago by Amazon Customer

### Serves the purpose

Have no way of knowing if it meets its advertised specs but gives me indications that I assume are reasonably accurate.

Published on September 11, 2014 by Les Slater

### This is what u need for specific

### applications

Does the job

Good price

Used in Tox lab and ASC- OR

Keep the traceable certificate from the box 4 inspectors to see

Published on September 6, 2014 by Dr S

### Search Customer Reviews

Search

### **Customers Who Viewed This Item Also Viewed**



Control Traceable 4648 Jumbo Display Vaccine Thermometer with 5ml Round Bottle -50°C to 26

\$48.30



Thomas Traceable Big-Digit Thermometer, -58 to 158 degree F, -50 to 70 degree C

\$44.34



Thomas Traceable Refrigerator/Freezer Plus Thermometer, with 5mL Vaccine Bottle Probe,... 20

\$58.76



Thomas 4184 ABS Plastic Traceable Jumbo Thermo-Hygrometer, 1-1/8" High Display, 1 percent RH...

\$47.50



Control Company Traceable NIST Certified Refrigerator/Freezer Thermometer with Alarm 8

\$53.75





Cotización: 1512

OCTUBRE 26, 2016. Página: 1

# HANNA INSTRUMENTS PANAMA S.A.

CIUDAD DE PANAMA, VIA RICARDO J. ALFARO Y VIA JUAN PABLO II, LA LOCERIA EDIFICIO SIGLO XXI LOCAL 56.

TEL (507) 236-3012, (507) 236-7818 www.hannainstruments.com.pa R.U.C. 155584872-2-2014 DV 66

Cliente: 394

Para pagos utilice:

Cuenta a Nombre: Hanna Instruments Panamá, S.A. Banco General S.A. cuenta corriente 03-77-01-100448-4

INGENIERIA INTEGRAL PANAMA

Descuento general al cliente:

NOTA: le sugerimos enviar sus pedidos y pagos 0.00 % Tels: 202 -1021

al correo: facturacionpa@hannainst.com.pa

Lic. Gladys Campo Atención:

Cantidad Código Descripción Precio **Importe** TERMOHIGR.C/SOND.C/MICROCHIP/ALM.DATOS 1.00 HI9564 206.94 206.94 Disponibilidad de 30 a 50 dias/Bajo Pedido

**OBSERVACIONES IMPORTANTES:** 

-PRECIOS SUJETOS A CAMBIO SIN PREVIO AVISO

-COTIZACION VALIDA POR 60 DIAS

-TODO PEDIDO REQUIERE EL 50% DE ANTICIPO

-TIEMPO DE ENTREGA A PARTIR DE RECIBIR LA O.C.


H. Ing. Luis Carlos Avila

Agente responsable

Elaborado por Luis Avila

Descuento total		0.00
Subtotal		206.94
I.T.B.M.S.	(7.00 %)	14.49
TOTAL	В/.	221.44

Solicitada por: Lic. Gladys Campo



		MAX  CAL  CLEAR  Dewpoint Hygrometer	U				
SPECIFICAT		HI 9564	HI 9565				
	RH	20.0 to 95.0%					
Range	Temperature	0.0 to 60.0°C / 32 to 140.0°F*					
	Dew Point	-	-20.0 to 60.0°C/ -4.0 to 140.0°F				
	RH	0.11	96 RH				
Resolution	Temperature	0.1°C/0.1°F					
	Dew Point	-	0.1°C / 0.1°F				
	RH	±3 % RH (50 to 85 % RH and	115 to 40°C); ±5% RH (outside)				
Accuracy	Temperature	±0.5°C/±1°F					
	Dew Point	-	±2°C/±4°F (50 to 85 % RH and 15 40°C); ±4.5°C/±9°F (outside)				
Probe		HI 70602 RH probe with thin, ABS boo sensor with DIN connector	dy, perforated cap, internal temperatu and 1 m (3.3) cable (included)				
Battery Type / Life		9V / approximately 250 hours of continuous use; auto-off after 20 minutes of non-use (can be disabled)					
Environment		0 to 60°C (32 to 140°F): RH max 98% non-condensing					

\*Note: The mater measures temperature from -00 to 80°C, but the RH measurement can only be talen within the range 0 to 60°C.

164 x 76 x 45 mm (6.5 x 3 x 1.8 °)

340 g (12 oz.)

Backlit LCD

Auto shut-off

HOLD button

REPS and low battery warning

HI 9564 • HI 9565

HI 9564 and HI 9565 are two portable thermohygrometers designed to provide peak performance in harsh environments. For poorly lit areas the HI 9565 features a backlit I CD

In addition to RH and temperature, HI 9565 will display the dew point with the press of a button. The dew point indicates the presence of water vapor in the air at a given temperature. With this feature HI 9565 permits quick and effective environmental monitoring where a controlled microclimate is necessary, like greenhouses, museums, clean rooms and laboratories

These instruments also feature a HOLD button to freeze readings on the display for manual recording and REPS (Rattery Error Prevention System) which alerts the user in the event that low battery power could adversely affect readings.

HI 70602 RH probe features a built-in microchip that can store calibration data. When the probe is connected to another hygrometer, the microchip transfers the stored calibration data and eliminates the need to recalibrate the instrument.

Both instruments feature auto-off after 20 minutes of inactivity, temperature readings in Celsius and Fahrenheit, and online help to indicate anomalies and direct procedures.

#### ORDERING INFORMATION

HI 9564 and HI 9565 are supplied with HI 70602 relative humidity probe, battery and instructions. RH probe with thin ARS body.

#### FLECTRODES HI 70602

perforated cap, internal temperature sensor. DIN connector and 1 m (3.31) cable HI 70602/5 RH probe with thin. ABS body. perforated cap, internal temperature sensor, DIN connector and 5 m (16.5') cable

### ACCESSORIES

HI 710015 Blue protective boot HI 710016 Orange protective boot



Dimensions

Weight



RGH Panamá, S.A.

Plaza Ágora, Vía Transístmica y Vía Fernández de Córdova, Pueblo Nuevo, Local No. 2 Teléfonos: 261-9400/ 261-1511/ 229-6401 \* Fax: 261-2648

> Apartado Postal 0827-00206 RUC. 984825-1-532934 DV. 86

01-2016

**COTIZACIÓN** 

e-MAIL: vanessa.castillo@gruporqh.com 26-10-2016 FECHA: REPRESENTANTE: Licda. Vanessa Castillo Celular: 6226-7161 Ingeneria Integral EMPRESA: CONDICIÓN DE PAGO IMPORTANTE: \*Los Tiempos de entrega están estipulados a días e-MAIL: gcampos@integpa.com hábiles. Contado La disponibilidad esta sujeta a existencia. CONTACTO: Gladys Campos Confirme la compra para apartar sus productos y no TELÉFONO: 2021021 sean vendidos. \* Toda sustancia química controlada para ser DIRECCIÓN: Panamá MONEDA: \$ despachado requiere permiso emitido por TIPO DE CAMBIO: 1.00 CONAPRED, después de 5 Litros o 1 Kilo. **PRECIO TIEMPO** UNIDAD DE CANTIDAD DESCRIPCIÓN TOTAL CODIGO **ENVASE VENTA** UNITARIO **ENTREGA** TERMOMETRO ELECTRONICO C/RELOJY MONIT.HUMEDAD. 94.00 188.00 **INMEDIATA** TRACEABLE (VWR SCIENTIFIC PRODUCTS) UN UND 62344-734 \*\* Si su compañía es exenta del pago del ITBMS, favor remitir documento correspondiente \*\* Sub - Total 188.00 \*\*\*\*Cheques a nombre de RGH PANAMÁ, S. A. \*\*\*\* ITBMS 7% 13.16 \*\*\*\* Oferta valida por 15 días \*\*\*\* **TOTAL** 201.16

# LIBRERÍA CIENTÍFICA, S. A.

# MATERIAL DE LABORATORIO, DIDACTICO Y MAS

R.U.C. 427917-1-424994 D.V. 59 Teléfono 264-8890 Fax 223-9121

FECHA: 26 de octubre de 2016

PARA: INTEGPA
TIEMPO DE ENTREGA: inmediata
FORMA DE PAGO: contado

COTIZACIÓN							
CANTIDAD	UNIDAD	DESCRIPCIÓN	PRECIO	TOTAL			
2	c/u	MEDIDOR DE TEMPERATURA Y HUMEDAD (TERMO- HIGROMETRO). MIDE LA HUMEDAD, TEMPERATURA Y HORA. RANGO DE HUMEDAD: 20-99% RANGO DE TEMPERATURA: 0 A 50°C Y 32 A122°F RESOLUCION: 0.1° PRECISION DE HUMEDAD: +-3% PRECISION DE TEMPERATURA: +-1°C / +-2°F ALARMA MARCA LAS MEDICIONES MÁXIMAS Y MINIMAS ENTRE CADA RESETEO. FUNCIONAMIENTO CON DOS BATERIA AAA INCLUÍDAS PUEDE COLOCARSE EN PARED O SOBRE MESA MARCA: VEE GEE CASA PRODUCTORA: VEE GEE PAIS DE ORIGEN: CHINA	64.95	129.90			

RESPONSABLE: Mónica Ruiz



**SUB-TOTAL**: \$ 129.90

**7% ITBM:** \$ - **TOTAL:** \$ 129.90