

Job:

Fire Damper - Segunda Compra - Rev-04

Size

Qty

Sold To:

Quote Number:

189174

Ship To:

| Name | Description | |
|---------------------|--|--|
| Curtian Fire Damper | Curtian Fire Damper | |
| Qty | Size | Description |
| 1 | 9.843 x 9.843 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 9.843 x 9.843 0.673 SqFt |
| | Frame Size | 250.020 x 250.020 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-01. |
| | | |
| | | |
| Qty | Size | Description |
| 2 | 4.000 x 4.000 (in) | 319AV - Fire Dampers 3 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 4.000 x 4.000 0.111 SqFt |
| | Frame Size | 101.600 x 101.600 |
| | Mfg Code | 3 1 9 A V G A N V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-02. |
| Qty | Size | Description |
| 1 | 15.748 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | | N/A |
| | Sleeve Gauge and Length | |
| | Sleeve Gauge and Length Transition Type | No Transition |

Page 1

Description

My

| 1 | 15.748 x 11.811 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 15.748 x 11.811 |
|----------|--|---|
| Qty | Size | Description |
| 1 | 11.811 x 7.874 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 11.811 x 7.874 0.646 SqFt 300.000 x 200.000 1 1 9 A V G A N O - 0 V O O A O A A A A Galvanized Steel (Standard) No Sleeve N/A No Transition FD-05. |
| Qty | Size | Description |
| 1 | 11.811 x 7.874 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 11.811 x 7.874 0.646 SqFt 300.000 x 200.000 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A Galvanized Steel (Standard) No Sleeve N/A No Transition FD-06. |
| | | |
| Qty 1 | Size 47.244 x 35.433 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | Description 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 47.244 x 35.433 11.625 SqFt 1200.000 x 900.000 1 1 9 A V G A N O - 0 V O O A O A A A A Galvanized Steel (Standard) No Sleeve N/A No Transition FD-07. |
| Qty | Size | Description ///// |
| 1 | 39.370 x 35.433 (in) Panel Qty and Size for Each | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 39.370 x 35.433 9.687 SqFt |

Page 2

 Frame Size
 1000.000 x 900.000

 Mfg Code
 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A

 Material
 Galvanized Steel (Standard)

 Sleeve Type
 No Sleeve

 Sleeve Gauge and Length
 N/A

Sleeve Gauge and Length

Transition Type

[Mark Tag]

N/A

No Transition

FD-08.

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 47.244 x 35.433 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| _ | Panel Qty and Size for Each | (1) 47.244 x 35.433 11.625 SqFt |
| | Frame Size | 1200.000 x 900.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-09. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 7.874 x 7.874 (in) | 319AV - Fire Dampers 3 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 7.874 x 7.874 0.431 SqFt |
| | Frame Size | 200.000 x 200.000 |
| | Mfg Code | 3 1 9 A V G A N V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-17. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 10 | 27.559 x 15.748 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 27.559 x 15.748 3.014 SqFt |
| | Frame Size | 700.000 x 400.000 |
| | Mfg Code | 1 1 9 A H G A N O - O H O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-18. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|---|
| 1 | 47.244 x 35.433 (in) | 119AH - Fire Dampers 1 1/2 H Rated Static |
| | Panel Qty and Size for Each | 119AH - Fire Dampers 1 1/2 Hr Rated Static (1) 47.244 x 35.433 11.625 Seft |
| | Frame Size | 1200.000 x 900.000 |
| | Mfg Code | 119AHGANO-0HOOAOAAAA |

Material
Sleeve Type
Sleeve Gauge and Length
Transition Type
[Mark Tag]

No Transition FD-19.

No Sleeve

N/A

Galvanized Steel (Standard)

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 39.370 x 35.433 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 39.370 x 35.433 9.687 SqFt |
| | Frame Size | 1000.000 x 900.000 |
| | Mfg Code | 1 1 9 A H G A N O - O H O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-20. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 47.244 x 35.433 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 47.244 x 35.433 11.625 SqFt |
| | Frame Size | 1200.000 x 900.000 |
| | Mfg Code | 119AHGANO-0HOOAOAAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-21. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 15.748 x 11.811 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 119AHGANO-0HOOAOAAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-22. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 51.181 x 35.433 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (2) 25.591 x 35.433 12.594 SqFt |
| | Frame Size | 1300.000 x 900.000 |
| | Mfg Code | 119 A H G A N O - O H O O A O A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | | |

Sleeve Gauge and Length N/A
Transition Type No Transition
[Mark Tag] FD-23.

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 8.858 x 5.906 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 8.858 x 5.906 0.363 SqFt |
| | Frame Size | 225.000 x 150.020 |
| | Mfg Code | 119AVGAN0-0V00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-24. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 15.748 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-25. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 15.748 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 119AVGANO-0V00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-26. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 5.906 x 5.906 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 5.906 x 5.906 0.242 SqFt |
| | Frame Size | 150.020 x 150.020 |
| | Mfg Code | 119AVGANO-0V00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |

Page 5

[Mark Tag]

FD-27.

| Qty | Size | Description |
|------|-----------------------------|--|
| 1 | 5.906 x 5.906 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 5.906 x 5.906 0.242 SqFt |
| | Frame Size | 150.020 x 150.020 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-28. |
| | | |
| Qty | Size | Description |
| 4 | 7.874 x 7.874 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 7.874 x 7.874 0.431 SqFt |
| | Frame Size | 200.000 x 200.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-29. |
| | | |
| Qty | Size | Description |
| 4 | 7.874 x 7.874 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 7.874 x 7.874 0.431 SqFt |
| | Frame Size | 200.000 x 200.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-30. |
| Otri | Cina | |
| Qty | Size | Description |
| 1 | 23.622 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 23.622 x 11.811 1.937 SqFt |
| | Frame Size | 600.000 x 300.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-31. |

| Qty | Size | Description |
|-----|---|--|
| 3 | 7.874 x 7.874 (in) | 319AV - Fire Dampers 3 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 7.874 x 7.874 0.431 SqFt |
| | Frame Size | 200.000 x 200.000 |
| | Mfg Code | 3 1 9 A V G A N V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-32. |
| 04: | Cina | Description |
| Qty | Size | Description 319AV - Fire Dampers 3 Hr Rated Static |
| 1 | 7.874 x 7.874 (in) | |
| | Panel Qty and Size for Each Frame Size | (1) 7.874 x 7.874 0.431 SqFt 200.000 x 200.000 |
| | | 3 1 9 A V G A N V O O A O A A A A |
| | Mfg Code Material | |
| | | Galvanized Steel (Standard) No Sleeve |
| | Sleeve Type | N/A |
| | Sleeve Gauge and Length | No Transition |
| | Transition Type | FD-33. |
| | [Mark Tag] | FD-33. |
| Qty | Size | Description |
| 2 | 15.748 x 11.811 (in) | 319AV - Fire Dampers 3 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 3 1 9 A V G A N V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-34. |
| Qty | Size | Description |
| 1 | 15.748 x 11.811 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 1 1 9 A H G A N 0 - 0 H 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-35. |
| Qty | Size | Description |
| | | |

| 1 | 15.748 x 11.811 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AH - Fire Dampers 1 1/2 Hr Rated Static (1) 15.748 x 11.811 |
|-----|--|---|
| Qty | Size | Description |
| 1 | 41.339 x 17.717 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AH - Fire Dampers 1 1/2 Hr Rated Static (1) 41.339 x 17.717 5.086 SqFt 1050.020 x 450.020 1 1 9 A H G A N 0 - 0 H 0 0 A 0 A A A A Galvanized Steel (Standard) No Sleeve N/A No Transition FD-37. |
| Qty | Size | Description |
| 1 | 59.055 x 27.559 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 59.055 x 27.559 |
| Qty | Size | Description |
| 1 | 51.181 x 27.559 (in) Panel Qty and Size for Each Frame Size Mfg Code Material Sleeve Type Sleeve Gauge and Length Transition Type [Mark Tag] | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 51.181 x 27.559 9.795 SqFt 1300.000 x 700.000 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A Galvanized Steel (Standard) No Sleeve N/A No Transition FD-39. |
| Qty | Size | Description |
| 2 | 15.748 x 11.811 (in) Panel Qty and Size for Each | 119AV - Fire Dampers 1 1/2 Hr Kater Static (1) 15.748 x 11.811 1.292 sqFt Page 8 |

Page 8

Frame Size 400.000 x 300.000

Mfg Code 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A

Material Galvanized Steel (Standard)

Sleeve Type No Sleeve Sleeve Gauge and Length N/A

Transition Type No Transition [Mark Tag] FD-40.

| Qty | Size | Description |
|-----|-----------------------------|--|
| 2 | 15.748 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Banal Oty and Size for Each | /1\15 7/0 v 11 911 1 202 Saft |

Panel Qty and Size for Each (1) 15.748 x 11.811 1.292 SqFt

Frame Size 400.000 x 300.000

Mfg Code 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A

Material Galvanized Steel (Standard)

Sleeve Type No Sleeve Sleeve Gauge and Length N/A

Transition Type No Transition [Mark Tag] FD-41.

| Qty | Size | Description |
|-----|-----------------------------|--|
| 2 | 41.339 x 17.717 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 41.339 x 17.717 5.086 SqFt |
| | Frame Size | 1050.020 x 450.020 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-42. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 55.118 x 31.496 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (2) 27.559 x 31.496 12.056 SqFt |
| | Frame Size | 1400.000 x 800.000 |
| | Mfg Code | 119AHGAN0-0H00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-43. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 55.118 x 31.496 (in) | 119AH - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (2) 27.559 x 31.496 12.056 SqFt 1400.000 x 800.000 |
| | Frame Size | 1400.000 x 800.000 |
| | Mfg Code | 1 1 9 A H G A N 0 - 0 H 0 8 A 0 A A A |
| | | |

Material Sleeve Type Sleeve Gauge and Length

Transition Type
[Mark Tag]

Galvanized Steel (Standard)

No Sleeve N/A

No Transition

FD-44.

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 47.244 x 19.685 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 47.244 x 19.685 6.458 SqFt |
| | Frame Size | 1200.000 x 500.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-45. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 41.339 x 17.717 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 41.339 x 17.717 5.086 SqFt |
| | Frame Size | 1050.020 x 450.020 |
| | Mfg Code | 119AVGAN0-0V00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-46. |

| 119AV - Fire Dampers 1 1/2 Hr Rated Static |
|--|
| (1) 15.748 x 11.811 1.292 SqFt |
| 400.000 x 300.000 |
| 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| Galvanized Steel (Standard) |
| No Sleeve |
| N/A |
| No Transition |
| FD-47. |
| |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 2 | 15.748 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 11.811 1.292 SqFt |
| | Frame Size | 400.000 x 300.000 |
| | Mfg Code | 119AVGANO-0V00A0 |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | | |

Page 10

No Transition **Transition Type** FD-48. [Mark Tag] Size Description Qtv 119AV - Fire Dampers 1 1/2 Hr Rated Static 23.622 x 11.811 (in) 2 (1) 23.622 x 11.811 1.937 SqFt Panel Qty and Size for Each 600.000 x 300.000 Frame Size 119AVGAN0-0V00A0AAAA Mfg Code Galvanized Steel (Standard) Material No Sleeve Sleeve Type N/A Sleeve Gauge and Length No Transition **Transition Type** FD-49. [Mark Tag] Size Description Qty 39.370 x 13.780 (in) 119AV - Fire Dampers 1 1/2 Hr Rated Static Panel Qty and Size for Each (1) 39.370 x 13.780 3.767 SqFt Frame Size 1000.000 x 350.020 Mfg Code 119AVGANO-0V00A0AAAA Material Galvanized Steel (Standard) Sleeve Type No Sleeve Sleeve Gauge and Length N/A **Transition Type** No Transition [Mark Tag] FD-50. Size Qty Description 31.496 x 15.748 (in) 119AV - Fire Dampers 1 1/2 Hr Rated Static Panel Qty and Size for Each (1) 31.496 x 15.748 3.444 SqFt Frame Size 800.000 x 400.000 Mfg Code 119AVGANO-0V00A0AAAA Material Galvanized Steel (Standard) Sleeve Type No Sleeve Sleeve Gauge and Length N/A **Transition Type** No Transition FD-51. [Mark Tag] Qty Size Description 2 39.370 x 27.559 (in) 119AV - Fire Dampers 1 1/2 Hr Rated Static Panel Qty and Size for Each (1) 39.370 x 27.559 7.535 SqFt Frame Size 1000.000 x 700.000 Mfg Code 119AVGANO-0V00A0AAAA Material Galvanized Steel (Standard) Sleeve Type No Sleeve Sleeve Gauge and Length N/A

N/A

Sleeve Gauge and Length

Page 11

No Transition

Transition Type

FD-52.

| Qty | Size | Description |
|-----|-----------------------------|--|
| 3 | 7.874 x 7.874 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 7.874 x 7.874 0.431 SqFt |
| | Frame Size | 200.000 x 200.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-53. |
| | | |
| Qty | Size | Description |
| 3 | 7.874 x 7.874 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 7.874 x 7.874 0.431 SqFt |
| | Frame Size | 200.000 x 200.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-54. |
| Qty | Size | Description |
| 1 | 35.433 x 19.685 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 35.433 x 19.685 4.844 SqFt |
| | Frame Size | 900.000 x 500.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-55. |
| | [IAIGIV I QR] | 10-33. |
| Qty | Size | Description |
| 1 | 39.370 x 27.559 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 39.370 x 27.559 7.535 SqFt |
| | Frame Size | 1000.000 x 700.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 23.622 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 23.622 x 11.811 1.937 SqFt |
| | Frame Size | 600.000 x 300.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-57. |
| | | |
| Qty | Size | Description |
| 1 | 35.433 x 19.685 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 35.433 x 19.685 4.844 SqFt |
| | Frame Size | 900.000 x 500.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-58. |
| | [Wark rag] | FD-36. |
| Qty | Size | Description |
| 1 | 62.992 x 29.528 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (2) 31.496 x 29.528 12.917 SqFt |
| | Frame Size | 1600.000 x 750.020 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | | 그는 그 이 그 이 사이는 그는 내가 없었다. 그런 그 전에 되었다면 하는 것이 되었다면 하는데 그런 사이를 하는데 되었다면 되었다면 하는데 하는데 되었다면 되었다면 하는데 |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-59. |
| Qty | Size | Description |
| 1 | 15.748 x 7.874 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 15.748 x 7.874 0.861 SqFt |
| | Frame Size | 400.000 x 200.000 |
| | Mfg Code | 1 1 9 A V G A N O - O V O O A O A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | | |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-60. |
| Qty | Size | Description |
| | | Description / |
| | | |

119AV - Fire Dampers 1 1/2 Hr Rated Static 39.370 x 23.622 (in) (1) 39.370 x 23.622 6.458 SqFt Panel Qty and Size for Each 1000.000 x 600.000 Frame Size 119AVGANO-0V00A0AAAA Mfg Code Galvanized Steel (Standard) Material No Sleeve Sleeve Type Sleeve Gauge and Length N/A **Transition Type** No Transition FD-61. [Mark Tag]

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 39.370 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 39.370 x 11.811 3.229 SqFt |
| | Frame Size | 1000.000 x 300.000 |
| | Mfg Code | 1 1 9 A V G A N 0 - 0 V 0 0 A 0 A A A A |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-62. |
| | [Mark rag] | FD-62. |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 39.370 x 11.811 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 39.370 x 11.811 3.229 SqFt |
| | Frame Size | 1000.000 x 300.000 |
| | Mfg Code | 119AVGAN0-0V00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-63. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 21.654 x 5.906 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | (1) 21.654 x 5.906 0.888 SqFt |
| | Frame Size | 550.020 x 150.020 |
| | Mfg Code | 119AVGAN0-0V00A0AAAA |
| | Material | Galvanized Steel (Standard) |
| | Sleeve Type | No Sleeve |
| | Sleeve Gauge and Length | N/A |
| | Transition Type | No Transition |
| | [Mark Tag] | FD-64. |
| | | |

| Qty | Size | Description |
|-----|-----------------------------|--|
| 1 | 21.654 x 5.906 (in) | 119AV - Fire Dampers 1 1/2 Hr Rated Static |
| | Panel Qty and Size for Each | 119AV - Fire Dampers 1 1/2 Hr Rated Static (1) 21.654 x 5.906 0.888 Sq. |
| | | Dans 14 |

Page 14

Frame Size Mfg Code Material Sleeve Type

Sleeve Gauge and Length

Transition Type [Mark Tag]

550.020 x 150.020

119AVGAN0-0V00A0AAAA

Galvanized Steel (Standard)

No Sleeve

N/A

No Transition

FD-65.

Northern Equipment Supply Int'l, LLC 5757 Blue Lagoon Drive, Ste. 140 Miami FL 33126, USA Ph: (305) 596-7451 Fax: (305) 596-6044 APPROVED

Name: José Galaviz
Date: 06/26/2018.

Sign: