

SAFE WORK METHOD STATEMENT (SWMS)

DOCUMENT CONTROL	
SWMS_ID	SWMS-025
SWMS_Title	Working At Height
SWMS_Version	1
SWMS_Type	☒ Core SWMS ☐ Routine Task SWMS ☐ Non-Routine Task SWMS
Status	☐ Draft ☐ Current ☐ Superseded
Authorised_By	Chris Foster
Authorised_Date	25/06/2026
Review_Date	25/07/2027
Review_Period_Months	12
Review_Trigger	☒ Initial Issue ☐ Incident ☐ Legislative Change ☐ Procedure Change ☐ Equipment Change ☐ Risk Assessment Review ☐ Scheduled Review

REVISION HISTORY

Version	Date	Change Summary	Authorised By
1.0	26/05/2026	Initial Issue	Chris Foster

SWMS ID: SWMS-024		SWMS Title: Working At Height	
Prepared By: Chris Foster		Date: 24/06/2026	
Business Name: Tuan Biomass Albioma			
Description of Task: Performing work where there is a risk of a person falling from one level to another, including work from ladders, scaffolds, elevated work platforms, fixed platforms, roofs, plant and structures requiring fall prevention or fall arrest systems.			
Reason for analysis: ☐ New task/plant ☒ High Risk Task ☐ Change ☐ Regular review ☐ Post-Incident ☐ Contractor (to complete) Task ☐ Non-Routine Task ☐ Maintenance/Repair ☐ Other (specify):			
SWMS Team Names: 1. Chris Foster		2. David Knight	
4.		5.	
Permits Required: (circle) Confined Space ☐ Isolation ☐ Hot Work ☐		PPE Requirements:                  Other:	

SAFE WORK METHOD STATEMENT (SWMS)

Potential Environment Hazards	Fire/Emergency Response Equipment
☐ Noise / vibration ☐ Air pollution – dust / smoke / fume ☐ Spills to ground ☐ Spills to water / drains / waterways ☐ Soil erosion / contamination ☐ Hazards to flora & fauna ☐ Waste generation & disposal ☐ Hazardous chemicals / substances ☐ Vegetation / bushfire risk ☐ Other: _____	☒ Fire extinguisher — Location: Main shed wall ☒ Fire hose / hydrant — Location: Walking Floor, Shavings silo, inside shed ☒ First aid kit — Location: Smoko Room ☒ Spill kit — Location: Inside the North Entry door ☒ Emergency eyewash / shower — Location: Outside the workshop ☒ Emergency assembly point — Location: ☒ Communication method: ☐ Radio ☐ Phone ☐ Verbal ☒ Emergency contact No: 0439 013 224
Hazards Identified	
☒ Electricity ☐ Confined Space ☒ Stored Energy ☒ Extreme Temperatures ☒ Dust and or fume ☒ Hazardous Manual Tasks ☒ Psychological ☒ Traffic/Mobile Plant ☒ Ignition Sources ☒ Lighting ☒ Machinery & Equipment ☒ Person/Object Falling ☒ Pressure (air, water, gas) ☒ Object Falling ☒ Hazardous Chemicals ☐ Hot Work ☒ Other workers/people	
Other Comments:	

REQUIRED CORE SWMS

List the Core SWMS that also apply to this task. Linked Core SWMS must be read and signed on through the online SWMS Register together with this SWMS.

Applies	Core SWMS	Linked SWMS_ID
☐	Isolation and LOTO	SWMS-026
☐	Hot Work	SWMS-005
☐	Confined Space Entry	SWMS-024
☐	Working at Heights	SWMS-025
☐	Crane and Lifting Operations	SWMS-026
☐	Working on Un-isolated plant	SWMS-027

CRITICAL CONTROLS

The following critical controls must be in place and verified before work starts.

#	Critical Control (must be in place before work starts)
1	Work at height is planned and the safest access method selected.
2	Collective fall protection is used before personal fall protection wherever practicable.
3	Workers remain connected to an approved anchor point whenever fall arrest is required.
4	Tools and materials are secured and exclusion zones established below.
5	Access equipment and fall protection equipment are inspected before use.
6	Workers are trained, competent and have a rescue plan in place before commencing work.

If a critical control cannot be implemented, work must stop and the SWMS must be reviewed before proceeding.

CONTROLLED MASTER DOCUMENT

Doc Id: SWMS – 001- 2024-v2.0	Page 2 of 3
Doc Owner: Tuan Safety and Compliance Manager	Issue Date: 20 November-2024
Last Review: 24-Jun-2026	Version No: 001

SAFE WORK METHOD STATEMENT (SWMS)

Key Steps in Logical Order		Hazards/Risks to Workers or Public	Risk Score	Control Measures	Residual Risk Score
1	Plan the work and select the safest access method.	Fall from height due to poor planning or incorrect equipment selection.	High	Eliminate work at height where possible. Use fixed platforms, scaffolds, EWP's or guardrails before considering fall arrest equipment.	Med
2	Inspect the work area and equipment.	Defective ladders, harnesses, anchor points or unstable work surfaces.	High	Inspect ladders, scaffolds, EWP's, harnesses, lanyards and anchor points before use. Remove defective equipment from service.	Med
3	Access the work area safely.	Falls while climbing, overreaching or accessing elevated areas.	High	Maintain three points of contact, use designated access points and remain within the protected work area.	Med
4	Carry out work at height.	Falls, dropped objects, loss of balance or contact with nearby hazards.	High	Use collective protection where available. If fall arrest is required, remain connected to an approved anchor point at all times. Secure tools and establish exclusion zones below.	Med
5	Move between work positions.	Disconnecting from fall protection or unsafe movement.	High	Maintain 100% tie-off where required and minimise movement outside protected areas.	Med
6	Complete the work and descend safely.	Falls during descent or leaving equipment unsecured.	Medium	Remove equipment safely, inspect the area for hazards and return all fall protection equipment to storage.	Med

Add additional job steps, hazards and controls as required

All relevant workers must be consulted during the development and review of this SWMS and made aware of the control measures and all required permits. Worker consultation and sign-on are recorded through the online SWMS Register.

ONLINE SWMS MANAGEMENT

Worker sign-on is completed through the online SWMS Register.

Workers are required to read and sign onto this SWMS once per review period, or sooner if the SWMS is revised, superseded, or changed due to an incident, equipment change, procedure change, legislative change, or risk assessment review.

Before each task commences, the team or person in control of the work must review the SWMS through the online task review system and confirm whether anything has changed from the approved SWMS.

If no changes are identified, the task may proceed once all workers are confirmed as current against the required SWMS.

If changes are identified, the changes and additional controls must be recorded in the online Task Record before work proceeds.

Supervisor review is required where the change affects the work method, plant, equipment, location, hazards, permit requirements, or critical controls.

System of record

This Word document is the controlled master SWMS. The PDF is the worker-view copy. The HTML tablet page is used to view the SWMS and complete the task review.

Worker sign-off is stored in Worker_SWMS_Register. Daily task reviews are stored in Task_Records. Review dates and version status are controlled in SWMS_Library.

AUTHORISATION

Approved by: Chris Foster

Position: Safety and Compliance Manager

Approval Date: 25/06/2026

CONTROLLED MASTER DOCUMENT

Doc Id: SWMS – 001- 2024-v2.0

Page **3** of **3**

Doc Owner: Tuan Safety and Compliance Manager

Issue Date: 20 November-2024

Last Review: 24-Jun-2026

Version No: 001