Daily report for: 15/01/2022

Printed: 22/02/2022 - 17:15:16

DK LOW PRESSURE DISTRIBUTION STATION



MEN CHUEN GAS STATION

| HOURLY AVERAGE DATA | | | | | | |
|---------------------|------------|-----------------|-----------------------|----------------------|---------------------------|--|
| Time | Temp (Deg) | Pressure (Bara) | Gross Flow (m3/hr) | Std Flow (Sm3/hr) | Energy Flow (MMBTU/hr) | |
| 00:00 - 01:00 | 23.44 | 13.42 | 31.24 | 414.13 | 420.23 | |
| 01:00 - 02:00 | 23.04 | 13.38 | 23.51 | 312.12 | 792.95 | |
| 02:00 - 03:00 | 22.72 | 13.38 | 21.59 | 286.92 | 1104.90 | |
| 03:00 - 04:00 | 22.21 | 13.43 | 20.30 | 270.35 | 1401.53 | |
| 04:00 - 05:00 | 21.49 | 13.40 | 22.66 | 302.76 | 1669.94 | |
| 05:00 - 06:00 | 21.15 | 13.40 | 24.36 | 325.78 | 1979.15 | |
| 06:00 - 07:00 | 22.39 | 13.40 | 25.49 | 338.78 | 2307.34 | |
| 07:00 - 08:00 | 26.12 | 13.32 | 36.39 | 474.18 | 2690.00 | |
| 08:00 - 09:00 | 32.01 | 13.31 | 38.56 | 492.37 | 3175.09 | |
| 09:00 - 10:00 | 37.70 | 13.36 | 29.73 | 373.00 | 3635.89 | |
| 10:00 - 11:00 | 41.52 | 13.36 | 26.04 | 321.96 | 3991.98 | |
| 11:00 - 12:00 | 43.40 | 13.36 | 26.72 | 328.20 | 4312.22 | |
| 12:00 - 13:00 | 43.24 | 13.36 | 26.68 | 327.98 | 4632.27 | |
| 13:00 - 14:00 | 40.91 | 13.33 | 33.39 | 413.09 | 4990.91 | |
| 14:00 - 15:00 | 38.12 | 13.33 | 35.34 | 441.02 | 5420.33 | |
| 15:00 - 16:00 | 35.44 | 13.34 | 38.03 | 480.77 | 5867.52 | |
| 16:00 - 17:00 | 32.16 | 13.36 | 34.34 | 437.98 | 6329.00 | |
| 17:00 - 18:00 | 29.05 | 13.41 | 18.04 | 233.39 | 6693.82 | |
| 18:00 - 19:00 | 26.99 | 13.41 | 20.89 | 273.08 | 6927.79 | |
| 19:00 - 20:00 | 26.01 | 13.41 | 21.26 | 278.52 | 7224.14 | |
| 20:00 - 21:00 | 25.24 | 13.43 | 9.00 | 118.34 | 7436.36 | |
| 21:00 - 22:00 | 24.56 | 13.43 | 3.23 | 42.71 | 7504.92 | |
| 22:00 - 23:00 | 24.11 | 13.44 | 0.90 | 11.93 | 7516.49 | |
| 23:00 - 24:00 | 23.91 | 13.44 | 0.00 | 0.00 | 7509.21 | |

DK GAS DISTRIBUTION ENTERPRISE

CUSTOMER

| Representative: | Representative: |
|-----------------|-----------------|

Daily report for: 15/01/2022

Printed: 22/02/2022 - 17:15:16

DK LOW PRESSURE DISTRIBUTION STATION

SDK

MEN CHUEN GAS STATION

| LIQUIDI V AVEDAGE DATA | | | | | | | |
|------------------------|------------|-----------------|-----------------------|----------------------|---------------------------|--|--|
| HOURLY AVERAGE DATA | | | | | | | |
| Time | Temp (Deg) | Pressure (Bara) | Gross Flow (m3/hr) | Std Flow (Sm3/hr) | Energy Flow (MMBTU/hr) | | |
| 00:00 - 01:00 | 23.23 | 13.41 | 31.22 | 413.96 | 420.70 | | |
| 01:00 - 02:00 | 22.88 | 13.37 | 23.32 | 309.67 | 791.86 | | |
| 02:00 - 03:00 | 22.59 | 13.37 | 21.40 | 284.39 | 1101.13 | | |
| 03:00 - 04:00 | 22.08 | 13.42 | 20.19 | 268.88 | 1395.92 | | |
| 04:00 - 05:00 | 21.34 | 13.40 | 22.51 | 300.83 | 1662.81 | | |
| 05:00 - 06:00 | 20.97 | 13.39 | 24.17 | 323.35 | 1969.54 | | |
| 06:00 - 07:00 | 22.02 | 13.39 | 25.31 | 336.83 | 2295.47 | | |
| 07:00 - 08:00 | 25.58 | 13.31 | 36.18 | 472.21 | 2676.32 | | |
| 08:00 - 09:00 | 31.53 | 13.31 | 38.39 | 490.85 | 3159.67 | | |
| 09:00 - 10:00 | 37.24 | 13.36 | 29.60 | 371.80 | 3619.10 | | |
| 10:00 - 11:00 | 41.02 | 13.36 | 25.85 | 320.06 | 3973.55 | | |
| 11:00 - 12:00 | 42.80 | 13.36 | 26.44 | 325.32 | 4291.38 | | |
| 12:00 - 13:00 | 42.60 | 13.36 | 26.43 | 325.43 | 4608.67 | | |
| 13:00 - 14:00 | 40.52 | 13.33 | 33.14 | 410.42 | 4964.74 | | |
| 14:00 - 15:00 | 37.90 | 13.33 | 35.15 | 438.81 | 5391.95 | | |
| 15:00 - 16:00 | 35.25 | 13.34 | 37.81 | 478.19 | 5836.73 | | |
| 16:00 - 17:00 | 32.06 | 13.35 | 34.08 | 434.71 | 6295.19 | | |
| 17:00 - 18:00 | 29.01 | 13.40 | 17.93 | 231.97 | 6657.69 | | |
| 18:00 - 19:00 | 26.93 | 13.40 | 20.83 | 272.30 | 6890.59 | | |
| 19:00 - 20:00 | 25.90 | 13.41 | 21.20 | 277.70 | 7186.02 | | |
| 20:00 - 21:00 | 25.18 | 13.42 | 8.96 | 117.85 | 7397.51 | | |
| 21:00 - 22:00 | 24.58 | 13.43 | 3.21 | 42.34 | 7465.69 | | |
| 22:00 - 23:00 | 24.16 | 13.43 | 0.90 | 11.84 | 7477.19 | | |
| 23:00 - 24:00 | 23.97 | 13.43 | 0.00 | 0.00 | 7469.95 | | |

DK GAS DISTRIBUTION ENTERPRISE

CUSTOMER

| Representative: | Representative: |
|-----------------|-----------------|