Nova AI -- Internal API Reference

Base URL

All API endpoints are served under /api/v1/. Production: https://api.nova-ai.dev/api/v1/

Authentication

Two authentication flows are supported:
1. Organization users: JWT Bearer token obtained via POST /auth/login with email/password.
2. Candidates: JWT Bearer token obtained via POST /candidates/login with interview code.
All authenticated requests require the Authorization: Bearer header. Organization endpoints also require the X-Org-Id header.

Key Endpoints

POST /departments

Create a new department. Required: owner role. Body: { name, website?, description? }

GET /departments

List all departments for the current organization.

POST /departments/{id}/documents

Upload a knowledge document (PDF/DOCX/TXT/MD). Triggers RAG pipeline automatically.

GET /departments/{id}/documents

List uploaded documents for a department.

POST /interviews/start

Start an interview session. Body: { department_id, job_role, mode }

POST /interviews/{id}/respond

Submit a response (voice or text) during an active interview.

GET /orgs/{id}/candidates/ranking

Get ranked candidate list for an organization, sorted by overall score.

Webhooks

Nova AI fires webhooks for the following events: interview.completed, candidate.ranked, scorecard.ready. Configure webhook URLs in the Organization Settings panel. Payloads are signed with HMAC-SHA256 using your organization's webhook secret.

Rate Limits

Standard tier: 1000 requests/hour per organization. Enterprise tier: 10000 requests/hour. Rate limit headers (X-RateLimit-Remaining, X-RateLimit-Reset) are included in every response.