

API Documentation

Rewards

Get rewards by party ID

Retrieve paginated list of rewards for a specific party

Method: GET

Endpoint: /v1/rewards/{partyId}

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.mod0.link/canton-mainnet/v1/rewards/'](https://api.mod0.link/canton-mainnet/v1/rewards/){partyId}?page=0&size=20' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "content": [
    {
      "eventId": "<string>",
      "partyId": "<string>",
      "inputAppRewardAmount": 123,
      "inputValidatorRewardAmount": 123,
      "inputSvRewardAmount": 123,
      "createdAt": 123
    }
  ],
  "pageable": {
    "sort": {
      "sorted": true,
      "empty": true,
      "unsorted": true
    },
    "pageSize": 123,
    "pageNumber": 123,
  }
}
```

```
"offset": 123,
"paged": true,
"unpaged": true
},
"last": true,
"totalPages": 123,
"totalElements": 123,
"totalCount": 123,
"size": 123,
"number": 123,
"sort": {
  "sorted": true,
  "empty": true,
  "unsorted": true
},
"first": true,
"numberOfElements": 123,
"empty": true
}
```

Documentation Index > Fetch the complete documentation index at:
<https://docs.mod0.link/lms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key**: string [header] **required**

Path Parameters

- **partyId**: string **required**
 - Party ID

Query Parameters

- **page**: string [default: 0]
 - Queried API page
- **size**: string [default: 20]
 - Number of queried entries

Response Structure (200 - / OK)

- **content**: object[] (*Show child attributes*)
- **pageable**: object (*Show child attributes*)
- **last**: boolean

- **totalPages:** integer<int64>
- **totalElements:** integer<int64>
- **totalCount:** integer<int64>
- **size:** integer<int32>
- **number:** integer<int32>
- **sort:** object (*Show child attributes*)
- **first:** boolean
- **numberOfElements:** integer<int32>
- **empty:** boolean

Super Validators

Get super validators list

Retrieve paginated list of Super Validators

Method: GET

Endpoint: /v1/super-validators

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.mod0.link/canton-mainnet/v1/super-validators?sortBy=REWARD&size=20&orderBy=DESC'(https://api.mod0.link/canton-mainnet/v1/super-validators?sortBy=REWARD&size=20&orderBy=DESC)' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "content": [
    {
      "svId": "<string>",
      "publicUrl": "<string>",
      "svName": "<string>",
      "joinedAsOfRound": 123,
      "svRewardWeight": 123,
      "participantId": "<string>",
      "seqId": "<string>",
      "seqUrl": "<string>",
      "seqAvailableAfter": 123,
    }
  ]
}
```

```

    "svPublicUrl": "<string>",
    "amuletPrice": 123,
    "totalVotes": 123,
    "totalSponsored": 123,
    "validatorName": "<string>",
    "validatorImg": "<string>",
    "totalRewards": 123
  }
],
"pageable": {
  "sort": {
    "sorted": true,
    "empty": true,
    "unsorted": true
  },
  "pageSize": 123,
  "pageNumber": 123,
  "offset": 123,
  "paged": true,
  "unpaged": true
},
"last": true,
"totalPages": 123,
"totalElements": 123,
"totalCount": 123,
"size": 123,
"number": 123,
"sort": {
  "sorted": true,
  "empty": true,
  "unsorted": true
},
"first": true,
"numberOfElements": 123,
"empty": true
}

```

Documentation Index > Fetch the complete documentation index at:
<https://docs.mod0.link/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key:** string [header] **required**

Query Parameters

- **sortBy:** enum<string> [default: REWARD] **required**
 - Sorting parameter. Available options: REWARD
- **page:** integer<int32> [default: 0] **required**
 - Queried API page. Required range: $0 \leq x \leq 50$
- **size:** integer<int32> [default: 20] **required**
 - Number of queried entries. Required range: $1 \leq x \leq 100$
- **orderBy:** enum<string> [default: DESC] **required**
 - Sorting method: from the lowest element to the highest (ASC) or from the highest element to the lowest (DESC). Available options: ASC, DESC

Response Structure (200 - / OK)

- **content:** object[] (*Show child attributes*)
- **pageable:** object (*Show child attributes*)
- **last:** boolean
- **totalPages:** integer<int64>
- **totalElements:** integer<int64>
- **totalCount:** integer<int64>
- **size:** integer<int32>
- **number:** integer<int32>
- **sort:** object (*Show child attributes*)
- **first:** boolean
- **numberOfElements:** integer<int32>
- **empty:** boolean