

API Documentation

Governance - Vote Requests

Get vote requests list

Retrieve paginated list of vote requests

Method: GET

Endpoint: /v1/governance/vote-requests

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.mod0.link/canton-mainnet/v1/governance/vote-requests?page=0&size=20'(https://a
pi.mod0.link/canton-mainnet/v1/governance/vote-requests?page=0&size=20)' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "content": [
    {
      "contractId": "<string>",
      "templateId": "<string>",
      "trackingCid": "<string>",
      "title": "<string>",
      "status": "<string>",
      "requester": "<string>",
      "createdAt": 123,
      "voteBefore": 123,
      "targetEffectiveAt": 123,
      "yesCount": 123,
      "noCount": 123,
      "abstainCount": 123,
      "totalWeightYes": 123,
      "totalWeightNo": 123,
      "totalWeightAbstain": 123,
      "requesterName": "<string>",
```

```

    "requesterImg": "<string>"
  },
],
"pageable": {
  "sort": {
    "sorted": true,
    "empty": true,
    "unsorted": true
  },
  "pageSize": 123,
  "pageNumber": 123,
  "offset": 123,
  "paged": true,
  "unpaged": true
},
"last": true,
"totalPages": 123,
"totalElements": 123,
"totalCount": 123,
"size": 123,
"number": 123,
"sort": {
  "sorted": true,
  "empty": true,
  "unsorted": true
},
"first": true,
"numberOfElements": 123,
"empty": true
}

```

Documentation Index > Fetch the complete documentation index at:
<https://docs.modolink.com/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key**: string [header] **required**

Query Parameters

- **page**: string [default: 0]
 - Queried API page

- **size:** string [default: 20]
 - Number of queried entries

Response Structure (200 - / OK)

- **content:** object[] (*Show child attributes*)
- **pageable:** object (*Show child attributes*)
- **last:** boolean
- **totalPages:** integer
- **totalElements:** integer
- **totalCount:** integer
- **size:** integer
- **number:** integer
- **sort:** object (*Show child attributes*)
- **first:** boolean
- **numberOfElements:** integer
- **empty:** boolean

Get individual votes

Retrieve paginated list of individual votes

Method: GET

Endpoint: /v1/governance/vote-requests/votes

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.mod0.link/canton-mainnet/v1/governance/vote-requests/votes?page=0&size=20'(https://api.mod0.link/canton-mainnet/v1/governance/vote-requests/votes?page=0&size=20)' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "content": [
    {
      "company": "<string>",
      "identifier": "<string>",
      "accept": true,
      "trackingCid": "<string>",
      "title": "<string>",
```

```

    "reasonUrl": "<string>",
    "reason": "<string>",
    "voteBefore": 123,
    "accountName": "<string>",
    "accountImg": "<string>"
  }
],
"pageable": {
  "sort": {
    "sorted": true,
    "empty": true,
    "unsorted": true
  },
  "pageSize": 123,
  "pageNumber": 123,
  "offset": 123,
  "paged": true,
  "unpaged": true
},
"last": true,
"totalPages": 123,
"totalElements": 123,
"totalCount": 123,
"size": 123,
"number": 123,
"sort": {
  "sorted": true,
  "empty": true,
  "unsorted": true
},
"first": true,
"numberOfElements": 123,
"empty": true
}

```

Documentation Index > Fetch the complete documentation index at:
<https://docs.modolink.com/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key:** string [header] **required**

Query Parameters

- **page:** string [default: 0]
 - Queried API page
- **size:** string [default: 20]
 - Number of queried entries

Response Structure (200 - / OK)

- **content:** object[] (*Show child attributes*)
- **pageable:** object (*Show child attributes*)
- **last:** boolean
- **totalPages:** integer
- **totalElements:** integer
- **totalCount:** integer
- **size:** integer
- **number:** integer
- **sort:** object (*Show child attributes*)
- **first:** boolean
- **numberOfElements:** integer
- **empty:** boolean

Get vote request details

Retrieve detailed information about a specific vote request

Method: GET

Endpoint: /v1/governance/vote-requests/{id}/details

[Try it]

Request Example

```
curl --request GET \
  --url
[https://api.mod0.link/canton-mainnet/v1/governance/vote-requests/](https://api.mod0.link/canton-mainnet/v1/governance/vote-requests/{id})/details \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "contractId": "<string>",
  "templateId": "<string>",
```

```
"createdEventBlob": "<string>",
"createdAt": 123,
"dso": "<string>",
"voteBefore": 123,
"targetEffectiveAt": 123,
"requester": "<string>",
"trackingCid": "<string>",
"reasonUrl": "<string>",
"reasonBody": "<string>",
"actionConfig": {},
"actionProvider": "<string>",
"status": "<string>",
"yesCount": 123,
"noCount": 123,
"abstainCount": 123,
"totalWeightYes": 123,
"totalWeightNo": 123,
"totalWeightAbstain": 123,
"rawPayload": {},
"requesterName": "<string>",
"requesterImg": "<string>"
}
```

Documentation Index > Fetch the complete documentation index at:
<https://docs.modo.link/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key**: string [header] **required**

Path Parameters

- **id**: string **required**
 - Vote Request ID

Response Structure (200 - / OK)

- **contractId**: string
- **templateId**: string
- **createdEventBlob**: string
- **createdAt**: integer
- **dso**: string
- **voteBefore**: integer

- **targetEffectiveAt**: integer
- **requester**: string
- **trackingCid**: string
- **reasonUrl**: string
- **reasonBody**: string
- **actionConfig**: object
- **actionProvider**: string
- **status**: string
- **yesCount**: integer
- **noCount**: integer
- **abstainCount**: integer
- **totalWeightYes**: number
- **totalWeightNo**: number
- **totalWeightAbstain**: number
- **rawPayload**: object
- **requesterName**: string
- **requesterImg**: string

Get votes by vote request ID

Retrieve paginated list of votes for a specific vote request

Method: GET

Endpoint: /v1/governance/vote-requests/{id}/votes

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.mod0.link/canton-mainnet/v1/governance/vote-requests/'](https://api.mod0.link/canton-mainnet/v1/governance/vote-requests/){id}/votes?page=0&size=20' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "content": [
    {
      "contractId": "<string>",
      "templateId": "<string>",
      "company": "<string>",
      "sv": "<string>",
```

```

    "accept": true,
    "reasonUrl": "<string>",
    "reasonBody": "<string>",
    "optCastAt": 123,
    "accountName": "<string>",
    "accountImg": "<string>"
  }
],
"pageable": {
  "sort": {
    "sorted": true,
    "empty": true,
    "unsorted": true
  },
  "pageSize": 123,
  "pageNumber": 123,
  "offset": 123,
  "paged": true,
  "unpaged": true
},
"last": true,
"totalPages": 123,
"totalElements": 123,
"totalCount": 123,
"size": 123,
"number": 123,
"sort": {
  "sorted": true,
  "empty": true,
  "unsorted": true
},
"first": true,
"numberOfElements": 123,
"empty": true
}

```

Documentation Index > Fetch the complete documentation index at:
<https://docs.modolink.com/lms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key:** string [header] **required**

Path Parameters

- **id:** string **required**
 - Contract ID

Query Parameters

- **page:** string [default: 0]
 - Queried API page
- **size:** string [default: 20]
 - Number of queried entries

Response Structure (200 - / OK)

- **content:** object[] (*Show child attributes*)
- **pageable:** object (*Show child attributes*)
- **last:** boolean
- **totalPages:** integer
- **totalElements:** integer
- **totalCount:** integer
- **size:** integer
- **number:** integer
- **sort:** object (*Show child attributes*)
- **first:** boolean
- **numberOfElements:** integer
- **empty:** boolean