

API Documentation

Validators

Get validator list

Retrieve paginated list of Validators

Method: GET

Endpoint: /v1/validators

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.moda.link/canton-mainnet/v1/validators?sortBy=LAST_ACTIVE&status=ALL&size=20
&orderBy=DESC'](https://api.moda.link/canton-mainnet/v1/validators?sortBy=LAST_ACTIVE&stat
us=ALL&size=20&orderBy=DESC)' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{
  "content": [
    {
      "validator": "<string>",
      "contractId": "<string>",
      "templateId": "<string>",
      "dso": "<string>",
      "sponsor": "<string>",
      "lastActiveAt": 123,
      "lastUpdatedAt": 123,
      "version": "<string>",
      "contactPoint": "<string>",
      "active": true,
      "validatorName": "<string>",
      "validatorImg": "<string>",
      "totalRewards": 123
    }
  ],
}
```

```

"pageable": {
  "sort": {
    "sorted": true,
    "empty": true,
    "unsorted": true
  },
  "pageSize": 123,
  "pageNumber": 123,
  "offset": 123,
  "paged": true,
  "unpaged": true
},
"last": true,
"totalPages": 123,
"totalElements": 123,
"totalCount": 123,
"size": 123,
"number": 123,
"sort": {
  "sorted": true,
  "empty": true,
  "unsorted": true
},
"first": true,
"numberOfElements": 123,
"empty": true
}

```

Documentation Index > Fetch the complete documentation index at:
<https://docs.mod0.link/lms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key**: string [header] **required**

Query Parameters

- **sortBy**: enum<string> [default: LAST_ACTIVE]
 - Sorting parameter. Available options: LAST_ACTIVE
- **status**: enum<string> [default: ALL]
 - Filter validators by status. Available options: ALL, ACTIVE, INACTIVE
- **page**: integer<int32> [default: 0] **required**

- Queried API page. Required range: $0 \leq x \leq 50$
- **size:** integer<int32> [default: 20] **required**
 - Number of queried entries. Required range: $1 \leq x \leq 100$
- **orderBy:** enum<string> [default: DESC] **required**
 - Sorting method: from the lowest element to the highest (ASC) or from the highest element to the lowest (DESC). Available options: ASC, DESC

Response Structure (200 - / OK)

- **content:** object[] (*Show child attributes*)
- **pageable:** object (*Show child attributes*)
- **last:** boolean
- **totalPages:** integer<int64>
- **totalElements:** integer<int64>
- **totalCount:** integer<int64>
- **size:** integer<int32>
- **number:** integer<int32>
- **sort:** object (*Show child attributes*)
- **first:** boolean
- **numberOfElements:** integer<int32>
- **empty:** boolean

Get new validator list

Retrieve paginated list of new Validators

Method: GET

Endpoint: /v1/validators/new

[Try it]

Request Example

```
curl --request GET \
  --url
'https://api.modo.link/canton-mainnet/v1/validators/new?size=10'(https://api.modo.link/canton-
mainnet/v1/validators/new?size=10)' \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
[
{
  "validator": "<string>",
  "contractId": "<string>",
```

```
"templateId": "<string>",
"dso": "<string>",
"sponsor": "<string>",
"lastActiveAt": 123,
"lastUpdatedAt": 123,
"version": "<string>",
"contactPoint": "<string>",
"active": true,
"validatorName": "<string>",
"validatorImg": "<string>",
"totalRewards": 123
}
]
```

Documentation Index > Fetch the complete documentation index at:
<https://docs.mod0.link/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key**: string [header] **required**

Query Parameters

- **size**: string [default: 10]
 - Number of queried entries

Response Structure (200 - / OK)

- **validator**: string
- **contractId**: string
- **templateId**: string
- **dso**: string
- **sponsor**: string
- **lastActiveAt**: integer<int64>
- **lastUpdatedAt**: integer<int64>
- **version**: string
- **contactPoint**: string
- **active**: boolean
- **validatorName**: string
- **validatorImg**: string
- **totalRewards**: number<double>

Get validator details

Retrieve detailed information about a specific validator

Method: GET

Endpoint: /v1/validators/{validatorId}

[Try it]

Request Example

```
curl --request GET \  
  --url  
[https://api.modo.link/canton-mainnet/v1/validators/](https://api.modo.link/canton-mainnet/v1/validators/){validatorId} \  
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

```
{  
  "validator": "<string>",  
  "templateId": "<string>",  
  "contractId": "<string>",  
  "sponsor": "<string>",  
  "sponsorName": "<string>",  
  "dso": "<string>",  
  "createdAt": 123,  
  "lastActiveAt": 123,  
  "lastUpdatedAt": 123,  
  "version": "<string>",  
  "contactPoint": "<string>",  
  "active": true,  
  "validatorName": "<string>",  
  "validatorImg": "<string>",  
  "isVerified": true,  
  "validatorFee": 123,  
  "terms": "<string>",  
  "additionalTerms": "<string>",  
  "website": "<string>",  
  "discordContact": "<string>",  
  "discord": "<string>",  
  "twitter": "<string>",  
  "email": "<string>",  
  "github": "<string>",  
  "telegram": "<string>",
```

```
"description": "<string>",
"trafficStatus": {
  "actual": {
    "total_consumed": 123,
    "total_limit": 123
  },
  "target": {
    "total_purchased": 123
  }
}
```

Documentation Index > Fetch the complete documentation index at:
<https://docs.mod0.link/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key:** string [header] **required**

Path Parameters

- **validatorId:** string **required**
 - Validator ID

Response Structure (200 - / OK)

- **validator:** string
- **templateId:** string
- **contractId:** string
- **sponsor:** string
- **sponsorName:** string
- **dso:** string
- **createdAt:** integer<int64>
- **lastActiveAt:** integer<int64>
- **lastUpdatedAt:** integer<int64>
- **version:** string
- **contactPoint:** string
- **active:** boolean
- **validatorName:** string
- **validatorImg:** string
- **isVerified:** boolean
- **validatorFee:** number<double>
- **terms:** string

- **additionalTerms:** string
- **website:** string
- **discordContact:** string
- **discord:** string
- **twitter:** string
- **email:** string
- **github:** string
- **telegram:** string
- **description:** string
- **trafficStatus:** object

Check if validator exists

Check if the queried validator exists

Method: GET

Endpoint: /v1/validators/{validatorId}/exist

[Try it]

Request Example

```
curl --request GET \
  --url
[https://api.mod0.link/canton-mainnet/v1/validators/](https://api.mod0.link/canton-mainnet/v1/validators/{validatorId}/exist \
  --header 'x-api-key: <api-key>'
```

Response Example (200 OK)

true

Documentation Index > Fetch the complete documentation index at:
<https://docs.mod0.link/llms.txt>

Use this file to discover all available pages before exploring further.

Authorizations

- **x-api-key:** string [header] **required**

Path Parameters

- **validatorId:** string **required**

- Validator ID

Response Structure (200 - / OK)

- The response is of type boolean.