

# MACHINE LEARNING OPERATIONS



WEEK 3



Presented by **Asst. Prof. Dr. Tuchsanaï Ploysuwan**



# **Week 3**

## **Branches and Working with Others**

# Week 3 Branches and Working with Others

- **Week 3 Topics:**

- Master/Main Branch and Branches
- Understanding HEAD
- Git Branch Commands:
  - **git branch, git switch, git checkout**
- Delete or Rename Branch
- Merging Branches and Conflicts
- Exercise and Solution

# **Week 3**

## **Branches**

# Week 3 Branches and Working with Others

- **Commit Process**


- As we create commits, we are linking to a parent commit, showing the log of the commit history.

commit 05a363861ef49cd35c0eef	
parent commit	NaN
message	started project

# Week 3 Branches and Working with Others

- **Commit Process**


- As we create commits, we are linking to a parent commit, showing the log of the commit history.



# Week 3 Branches and Working with Others

- **Commit Process**

- As we need incorporate the workflows of others or be able to focus on new updates without breaking old code, we need **branches**.



## Week 3 Branches and Working with Others

- **Branches**

- A branch represents an independent line of development.
- Branches serve as an abstraction for the edit/stage/commit process.
- They are a way to request a brand new working directory, staging area, and project history.



## Week 3 Branches and Working with Others

- **Branches**

- Branches are just pointers to commits.
- When you create a branch, all Git needs to do is create a new pointer, it doesn't change the repository in any other way.
- Let's explore why branches are useful for workflows...


# Week 3 Branches and Working with Others

- **Branches**




# Week 3 Branches and Working with Others

- **Branches**




# Week 3 Branches and Working with Others

- **Branches**




# Week 3 Branches and Working with Others

- **Branches**




# Week 3 Branches and Working with Others

- **Branches**




# Week 3 Branches and Working with Others

- **Branches**



# Week 3 Branches and Working with Others


- **Branches**






# Week 3 Branches and Working with Others

- **Branches**




# Week 3 Branches and Working with Others

- **Branches**



# Week 3 Branches and Working with Others

- **Branches**




## Week 3 Branches and Working with Others

- **Creating a New Branch**

- Before we conclude, let's quickly go into more detail about what happens when first create a new branch.
- Branches are just pointers to commits.
- When you create a branch, all Git needs to do is create a new pointer, it doesn't change the repository in any other way.


# Week 3 Branches and Working with Others

- **Creating a New Branch**




# Week 3 Branches and Working with Others

- **Creating a New Branch**



# Week 3 Branches and Working with Others

- **Creating a New Branch**



## Week 3 Branches and Working with Others

- Now that we've seen how branches point to commits, we need to learn about HEAD.
- HEAD will help us understand what we are currently “viewing” or where we are “located” in regards to branches and commits.



## Week 3 Branches and Working with Others

- **Up Next:**

- We'll explore and visualize specific actions and commands related to branches, including **HEAD**, **git checkout**, **git branch**, **git switch**, and more.

# **Week 3**

## **Understanding HEAD**

## Week 3 Branches and Working with Others

- **Branches**

- As we work more with branches, you will probably notice a term show up during your commits: **HEAD**.
- When viewing the most recent commit using **git log** you may see:
  - **commit 05as..3e2 (HEAD -> master)**

## Week 3 Branches and Working with Others


- **HEAD**

- In all of our examples so far, HEAD has always been pointing to the most recent commit in the master branch.

- **HEAD -> master**

## Week 3 Branches and Working with Others

- Recall we have branch points (references)



## Week 3 Branches and Working with Others

- **Branches and Commits**


- Git stores a branch as a reference to a commit.
- In this sense, a branch represents the tip of a series of commits—it's not a container for commits.
- The history for a branch is extrapolated through the commit relationships.

## Week 3 Branches and Working with Others

- **HEAD**


- A HEAD is simply a reference to a commit object.
- We can think of HEAD as pointing to a specific commit in a branch that we are currently viewing.

# Week 3 Branches and Working with Others






# Week 3 Branches and Working with Others




# Week 3 Branches and Working with Others




## Week 3 Branches and Working with Others

- We can think of these branches as just references to a commit.
- Using HEAD tells us which branch reference we are currently “checking out”.
- We can always switch back out HEAD to some other branch (which is a pointer to a commit reference).

# Week 3 Branches and Working with Others



# Week 3 Branches and Working with Others



## Week 3 Branches and Working with Others

- **Up Next:**

- Now that we understand the theory behind branches and HEAD, let's begin to explore the actual commands that let us create branches and navigate between them.

# **Week 3**

## **Git Branch Commands**

# Week 3 Branches and Working with Others

- **Git Branch Commands**

- Create a New Repo
- Add File
- Create a New Branch
  - **git branch <branch\_name>**
- Report Branches
  - **git branch**
- Switch Branches
  - **git switch or git checkout**




## Week 3 Branches and Working with Others

- **Git Branch Commands**

- Add and Commit Changes on New Branch
- Use **git log** and **git switch** to explore differences between branches.


# Week 3 Branches and Working with Others

- **git init, git add, git commit**




# Week 3 Branches and Working with Others

- **git branch new\_branch**




# Week 3 Branches and Working with Others

- **git add, git commit, git log**




# Week 3 Branches and Working with Others




- **git switch new\_branch**  
**or git checkout new\_branch**

# Week 3 Branches and Working with Others

- **git add , git commit, git log**



# Week 3 Branches and Working with Others



- **git switch master**  
**or git checkout master**


# **Week 3**

## **Delete and Rename Branches**





# Week 3 Branches and Working with Others

- Previously:




# Week 3 Branches and Working with Others






## Rename branch

- **git branch -m please\_delete**




# Week 3 Branches and Working with Others



- **git branch -d please\_delete**

# Week 3 Branches and Working with Others

- **git branch -d please\_delete**




## Week 3 Branches and Working with Others

- **Deleting a Branch**

- **git branch -d branch\_to\_delete\_name**
  - You can not delete a branch you are checked out at.
  - You also will get a warning if the branch is not merged.
    - You can confirm you want to do this anyways with **-D**


# Week 3 Branches and Working with Others

- **git branch -D please\_delete**



# Week 3 Branches and Working with Others

- **git branch -D please\_delete**





# **Week 3**


## **Merging Branches and Conflicts**

## Week 3 Branches and Working with Others

- Now that we understand creating new branches, let's shift focus to merging branches back together.
- Let's explore a simple type of merge, where a new branch is created, but the original branch it stemmed from has no additional commits.
  - This is known as a “fast-forward” merge


# Week 3 Branches and Working with Others

- **“Fast Forward” Merge**




# Week 3 Branches and Working with Others

- **“Fast Forward” Merge**




# Week 3 Branches and Working with Others

- **“Fast Forward” Merge**




# Week 3 Branches and Working with Others

- **“Fast Forward” Merge**




# Week 3 Branches and Working with Others

- **“Fast Forward” Merge**



# Week 3 Branches and Working with Others

- “Fast Forward” Merge




```
>> git switch master
```



# Week 3 Branches and Working with Others

- “Fast Forward” Merge




```
>> git merge new_branch
```

## Week 3 Branches and Working with Others

- Now let's explore what happens for a merge where we have different commits in the branches.


# Week 3 Branches and Working with Others

- **Git Merge**




# Week 3 Branches and Working with Others

- **Git Merge**



# Week 3 Branches and Working with Others


- **Git Merge**



```
>> git merge new_branch
```

# Week 3 Branches and Working with Others


- **Git Merge**



```
>> git merge new_branch
```

# Week 3 Branches and Working with Others

- **Git Merge**



## Week 3 Branches and Working with Others

- Git creates the new commit for us, and will attempt the merge.
- Sometimes there are no conflicts, for example:
  - The branch only focused on files not in the receiving branch, thus the merge simply adds the new files to the receiving branch.




## Week 3 Branches and Working with Others

- Git will try to automatically create the merge, and can do so in cases where no information from a specific branch would be lost, for example:



## Week 3 Branches and Working with Others

- Git will try to automatically create the merge, and can do so in cases where no information from a specific branch would be lost, for example:





## Week 3 Branches and Working with Others

- Git will try to automatically create the merge, and can do so in cases where no information from a specific branch would be lost, for example:




## Week 3 Branches and Working with Others

- Git will try to automatically create the merge, and can do so in cases where no information from a specific branch would be lost, for example:



## Week 3 Branches and Working with Others

- Git will try to automatically create the merge, and can do so in cases where no information from a specific branch would be lost, for example:



## Week 3 Branches and Working with Others

- Git will try to automatically create the merge, and can do so in cases where no information from a specific branch would be lost, for example:

