

Module 2 - R Markdown Document 1

JKT

2026-02-06

-
- The following text is provided
 - for easier cutting and pasting as you
 - work through the exercises in
 - Module 2 - lesson 2: R Markdown Syntax
-

This is a level 1 header

This is a level 3 header

Here is a link to [GOOGLE](#)

Here is a word in **bold** and another word in **bold**.

Here is a word in *italics* and another word in *italics*.

When we compile our document, we are using the `rmarkdown` package.

Here are some example R commands:

```
2+2  
mean(c(1,2,3,4,5))
```

Here is an example of a non-numbered list:

- Breakfast
 - food
 - * eggs
 - * toast
 - * bacon
 - drink
 - * apple juice
- Lunch
 - taco
- Dinner

- baked chicken
- broccoli
- rice

Here is an example of a numbered list:

1. Breakfast
 - a. food
 - i. eggs
 - ii. toast
 - iii. bacon
 - b. drink
 - i. apple juice
2. Lunch
 - a. taco
3. Dinner
 - a. baked chicken
 - b. broccoli
 - c. rice

Here is an example of a blockquote:

This is a block quote. This paragraph has two lines.

1. This is a list inside a block quote.
2. Second item.

Here is an example of a nested blockquote:

This is a block quote. This paragraph has two lines.

This text is nested

Here is an example of code in a blockquote:

```
2+2
mean(c(1,2,3,4,5))
```

Insert Tables

```
knitr::kable(head(cars))
```

speed	dist
4	2
4	10

speed	dist
7	4
7	22
8	16
9	10