


exercício 2



```
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   arq.js

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$
```

```
flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git commit -m "ler 2 inteiros informados pelo usuario"
[main 5442d69] ler 2 inteiros informados pelo usuario
1 file changed, 9 insertions(+)
create mode 100644 arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ |
```

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git commit -m "simular erro"
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   arq.js

no changes added to commit (use "git add" and/or "git commit -a")

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git add arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   arq.js

```

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git add arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git commit -m "segundo commit do projeto"
[main 5d563ad] segundo commit do projeto
1 file changed, 1 insertion(+)

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

```

exercício 3

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git log
commit 5d563ad54b27b2bab7acaa33dd3738c43c116353 (HEAD -> main)
Author: Tulio Macedo <tuliomacedo100@gmail.com>
Date: Wed Sep 17 19:40:09 2025 -0300

    segundo commit do projeto

commit 5442d695fba858d666099814ac480534d1f8268f
Author: Tulio Macedo <tuliomacedo100@gmail.com>
Date: Wed Sep 17 19:34:36 2025 -0300

    ler 2 inteiros informados pelo usuario

commit 7e012044c39ce23bff20dcc5c10ad04c07d997f2 (origin/main, origin/HEAD)
Author: Túlio Macedo <tuliomacedo100@gmail.com>
Date: Thu Aug 28 20:39:18 2025 -0300

    primeiro arquivo enviado ao github

commit 76ca96ad89ffb7d5109dc20aef7c79ef89de0d09
Author: Túlio Macedo <tuliomacedo100@gmail.com>
Date: Thu Aug 28 20:34:31 2025 -0300

    primeiro arquivo enviado ao github

commit 7c97343ff8da27ab4f7a3667d5cff9ee824a4caf
Author: Tulio0macedo <tuliomacedo100@gmail.com>
Date: Thu Aug 28 20:13:44 2025 -0300

    Initial commit

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git log --graph
* commit 5d563ad54b27b2bab7acaa33dd3738c43c116353 (HEAD -> main)
| Author: Tulio Macedo <tuliomacedo100@gmail.com>
| Date: Wed Sep 17 19:40:09 2025 -0300
|
|     segundo commit do projeto
|
| * commit 5442d695fba858d666099814ac480534d1f8268f
| | Author: Tulio Macedo <tuliomacedo100@gmail.com>
| | Date: Wed Sep 17 19:34:36 2025 -0300
| |
| |     ler 2 inteiros informados pelo usuario
| |
| | * commit 7e012044c39ce23bff20dcc5c10ad04c07d997f2 (origin/main, origin/HEAD)
| | | Author: Túlio Macedo <tuliomacedo100@gmail.com>
| | | Date: Thu Aug 28 20:39:18 2025 -0300
| | |
| | |     primeiro arquivo enviado ao github
| | |
| | * commit 76ca96ad89ffb7d5109dc20aef7c79ef89de0d09
| | | Author: Túlio Macedo <tuliomacedo100@gmail.com>
| | | Date: Thu Aug 28 20:34:31 2025 -0300
| | |
| | |     primeiro arquivo enviado ao github
| | |
| | * commit 7c97343ff8da27ab4f7a3667d5cff9ee824a4caf
| | | Author: Tulio0macedo <tuliomacedo100@gmail.com>
| | | Date: Thu Aug 28 20:13:44 2025 -0300
| | |
| | |     Initial commit

```

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git shortlog
Tulio Macedo (2):
    ler 2 inteiros informados pelo usuario
    segundo commit do projeto

Tulio0macedo (1):
    Initial commit

Túlio Macedo (2):
    primeiro arquivo enviado ao github
    primeiro arquivo enviado ao github

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git shortlog -s
    2 Tulio Macedo
    1 Tulio0macedo
    2 Túlio Macedo

```

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git shortlog -sn
    2 Tulio Macedo
    2 Túlio Macedo
    1 Tulio0macedo

```

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git show
commit 5d563ad54b27b2bab7acaa33dd3738c43c116353 (HEAD -> main)
Author: Tulio Macedo <tuliomacedo100@gmail.com>
Date: Wed Sep 17 19:40:09 2025 -0300

    segundo commit do projeto

diff --git a/arq.js b/arq.js
index 33cc140..764aad3 100644
--- a/arq.js
+++ b/arq.js
@@ -6,4 +6,5 @@ function soma() {

    n1 = parseInt (n1);
    n2 = parseInt (n2);
+   soma = n1 + n2;
}
\ No newline at end of file

```

exercício 4

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git diff
diff --git a/arq.js b/arq.js
index 764aad3..e781f88 100644
--- a/arq.js
+++ b/arq.js
@@ -7,4 +7,6 @@ function soma() {
    n1 = parseInt (n1);
    n2 = parseInt (n2);
    soma = n1 + n2;
+
+   document.getElementById ("resposta").innerHTML = soma;
}
\ No newline at end of file

```

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git diff --name-only
arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git add arq.js

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   arq.js

```

\$ git log
 commit ba92e5aea5d69701786bc0d7e8fc1b02527ceda1 (HEAD -> main)
 Author: Tulio Macedo <tuliomacedo100@gmail.com>
 Date: Wed Sep 17 19:47:52 2025 -0300

terceiro commit do projeto: apresentar o resultado da soma

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git show ba92e5aea5d69701786bc0d7e8fc1b02527ceda1
commit ba92e5aea5d69701786bc0d7e8fc1b02527ceda1 (HEAD -> main)
Author: Tulio Macedo <tuliomacedo100@gmail.com>
Date: Wed Sep 17 19:47:52 2025 -0300

    terceiro commit do projeto: apresentar o resultado da soma

diff --git a/arq.js b/arq.js
index 764aad3..e781f88 100644
--- a/arq.js
+++ b/arq.js
@@ -7,4 +7,6 @@ function soma() {
    n1 = parseInt (n1);
    n2 = parseInt (n2);
    soma = n1 + n2;
+
+    document.getElementById ("resposta").innerHTML = soma;
+  }
\ No newline at end of file

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git diff

```

exercício 5

```

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git remote
origin

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git remote add origin https://github.com/Tulio0macedo/aulaGitGitHub.git
error: remote origin already exists.

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git remote
origin

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ git remote --v
origin https://github.com/Tulio0macedo/aula-git-github.git (fetch)
origin https://github.com/Tulio0macedo/aula-git-github.git (push)

flami@iderro404 MINGW64 ~/aula-git-github (main)
$ |

```

erro ao executar o comando git push -u origin main
att 6

```


UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~ (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/Tulio0macedo/aulaGitGitHub.git'

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 289 bytes | 289.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Tulio0macedo/aula-git-github.git
   ba92e5a..83d4330  main -> main
branch 'main' set up to track 'origin/main'.

```

att 7


aula-git-github / arq.js

 Tulio0macedo Update arq.js

Code Blame 7 lines (7 loc) · 229 Bytes

```
1  function soma() {  
2    var n1, n2;  
3    n1 = parseInt(document.getElementById("primeiroNumero").value);  
4    n2 = parseInt(document.getElementById("segundoNumero").value);  
5    soma = n1 + n2;  
6    document.getElementById("resposta").innerHTML = soma;  
7  }
```




 main


aula-git-github /


 Tulio0macedo Create arq.css


Name


 .gitignore

 Att 2Túlio Macedo 32427421.pdf

 README.md

 arq.css

 arq.js

 teste.rtf


```

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git fetch origin
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.90 KiB | 7.00 KiB/s, done.
From https://github.com/Tulio0macedo/aula-git-github
   83d4330..1aa0cb5  main       -> origin/main

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git pull
Updating 83d4330..1aa0cb5
Fast-forward
   arq.css | 3 +++
   arq.js  | 17 ++++++-----
  2 files changed, 9 insertions(+), 11 deletions(-)
  create mode 100644 arq.css

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

```

att8

```

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git pull origin
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 940 bytes | 8.00 KiB/s, done.
From https://github.com/Tulio0macedo/aula-git-github
   1aa0cb5..4a4ed2a  main       -> origin/main
Updating 1aa0cb5..4a4ed2a
Fast-forward
   arq.css | 1 +
  1 file changed, 1 insertion(+)

UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

```

att9

```
UNA02DT9WZP+aluno@UNA02DT9WZP MINGW64 ~/aula-git-github (main)
$ git push origin main
Enumerating objects: 9, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 584 bytes | 1024 bytes/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/Tulio0macedo/aula-git-github.git
  1834305..b1f29c9  main -> main
```