

Global

Methods

`doesntMatchPasswords(oldPassword, newPassword, alertNoMatchMessage)`

This function test that new password and confirm new password are identical either alert with specific message

Parameters:

| Name | Type | Description |
|---------------------|--------|-----------------------------------|
| oldPassword | string | password that would be cahnged. |
| newPassword | string | new password. |
| alertNoMatchMessage | string | alert message that should appear. |

Source: [settings_func.js, line 33](#)

`easyGuessed(oldPassword, easyPassword, alertEasyGuessPasswordMessage)`

This function test the error message when the new password is easy to guessed

Parameters:

| Name | Type | Description |
|--------------|--------|---------------------------------|
| oldPassword | string | password that would be cahnged. |
| easyPassword | string | new password |

Home

Global

doesntMatchPasswords
easyGuessed
EmptyPasswordAndNoMatch
samePassword
settingsIconClicked
signIn
successfulChange
weakPassword

| Name | Type | Description |
|-------------------------------|--------|---|
| alertEasyGuessPasswordMessage | string | alert message that should appear when new password is easy to be guessed. |

Source: [settings_func.js, line 86](#)

```
EmptyPasswordAndNoMatch(oldPassword,  
newPassword, alertNoMatchMessage,  
alertEmptyMessage)
```

This function test that new password and confirm new password are identical either alert with specific message

Parameters:

| Name | Type | Description |
|---------------------|--------|--|
| oldPassword | string | password that would be cahnged. |
| newPassword | string | new password. |
| alertNoMatchMessage | string | alert message that should appear when new password and confirm new password aren't same. |
| alertEmptyMessage | string | alert message that should appear when old password input left empty. |

Source: [settings_func.js, line 51](#)

```
samePassword(oldPassword,  
alertSamePasswordMessage)
```

This function test that old password and new password must be different

Parameters:

| Name | Type | Description |
|--------------------------|--------|--|
| oldPassword | string | password that would be cahnged. |
| alertSamePasswordMessage | string | alert message that should appear when old password is same as new one. |

Source: [settings_func.js, line 68](#)

settingsIconClicked()

This fnction test open settings from the search bar icon

Source: [settings_func.js, line 22](#)

signIn(password, email)

This fnction to sign in

Parameters:

| Name | Type | Description |
|----------|--------|-------------|
| password | string | password |
| email | string | email. |

Source: [settings_func.js, line 10](#)

successfulChange(oldPassword, newPassword)

This function test changing password successfully

Parameters:

| Name | Type | Description |
|-------------|--------|---------------------------------|
| oldPassword | string | password that would be cahnged. |
| newPassword | string | new password |

Source: [settings_func.js, line 121](#)

weakPassword(oldPassword, weakPassword, alertWeakPasswordMessage)

This function test the error message when the new password is less than 8 characters

Parameters:

| Name | Type | Description |
|--------------------------|--------|---|
| oldPassword | string | password that would be cahnged. |
| weakPassword | string | new password |
| alertWeakPasswordMessage | string | alert message that should appear when new password is less than 8 characters. |

Source: [settings_func.js, line 104](#)

Documentation generated by [JSDoc 3.6.7](#) on Sat Nov 20 2021 14:25:32 GMT+0200 (Eastern European Standard Time)