# Global

## Methods

### invalidAgeSignUp(age_Option, msg)

this function allow us to change age and other parameter will be ideal

#### Parameters:

| Name | Type | Description |
|------|------|-------------|
| age_Option | string | age that will be tested. |
| msg | string | massage that expected to appeare. |

Source:          sign_up_func.js, line 66

### invalidBlogNameSignUp(blogNameOption, msg)

this function allow us to change blog name and other parameter will be ideal

#### Parameters:

| Name | Type | Description |
|------|------|-------------|
| blogNameOption | string | blog name that will be tested. |
| msg | string | massage that expected to appeare. |

Source:          sign_up_func.js, line 51

### invalidEmailSignUp(emailOption, msg)

this function allow us to change email and other parameter will be ideal

#### Parameters:

| Name | Type | Description |
|------|------|-------------|

| Name | Type | Description |
|------|------|-------------|
| emailOption | string | email that will be tested. |
| msg | string | massage that expected to appeare. |

Source:          sign_up_func.js, line 21

## invalidPasswordSignUp(passOption, msg)

this function allow us to change password and other
parameter will be ideal

### Parameters:

| Name | Type | Description |
|------|------|-------------|
| passOption | string | password that will be tested. |
| msg | string | massage that expected to appeare. |

Source:          sign_up_func.js, line 36

## workingSignUp()

this function allow us to test the ideal case

Source:          sign_up_func.js, line 7

---

*Documentation generated by JSDoc 3.6.7 on Sat Nov 20 2021 14:26:45 GMT+0200 (Eastern European Standard Time)*