




# 1. 建立第一個Bootstrap網頁

2019年1月4日 上午 09:56

從官網提供範例複製語法 <https://getbootstrap.com/>





sweetcake




# Hello, world!

複製Components => Navbar



加入Components => Card columns並放置於container內  
Container-fluid 滿版





```

16 <body>
17   <nav class="navbar navbar-expand-lg navbar-light bg-light">...
53   </nav>
54   <div class="container">
55     <div class="card-columns">...
122   </div>
123 </div>

```

利用 <http://lorempixel.com/> 產生圖片





利用 Utilities ==> Spacing 調整邊距

Where *property* is one of:

- **m** - for classes that set **margin**
- **p** - for classes that set **padding**


Where *sides* is one of:

- **t** - for classes that set **margin-top** or **padding-top**
- **b** - for classes that set **margin-bottom** or **padding-bottom**
- **l** - for classes that set **margin-left** or **padding-left**
- **r** - for classes that set **margin-right** or **padding-right**
- **x** - for classes that set both **\*-left** and **\*-right**
- **y** - for classes that set both **\*-top** and **\*-bottom**
- **blank** - for classes that set a **margin** or **padding** on all 4 sides of the element

Where *size* is one of:

- **0** - for classes that eliminate the **margin** or **padding** by setting it to **0**
- **1** - (by default) for classes that set the **margin** or **padding** to **\$spacer \* .25**
- **2** - (by default) for classes that set the **margin** or **padding** to **\$spacer \* .5**
- **3** - (by default) for classes that set the **margin** or **padding** to **\$spacer**
- **4** - (by default) for classes that set the **margin** or **padding** to **\$spacer \* 1.5**
- **5** - (by default) for classes that set the **margin** or **padding** to **\$spacer \* 3**
- **auto** - for classes that set the **margin** to **auto**

來自 <<https://getbootstrap.com/docs/4.2/utilities/spacing/>>



由以上簡單幾個步驟即可完成一個漂亮的網頁版型！



