2019年1月8日 上午 10:58

Utilities 在 Bootstrap的目的是獨立的 CSS 屬性,用來輔助元件樣式。

```
關閉按鈕
```

```
<div class="alert alert-primary" role="alert">
   <button type="button" class="close" aria-label="Close">
        <span aria-hidden="true">&times;</span>
        </button>
    This is a primary alert—check it out!
</div>
```

This is a primary alert—check it out! x


顏色

文字顏色 和 連結顏色

```
<div class="demo">
 .text-primary
 .text-secondary
 .text-success
 .text-danger
 .text-warning
 .text-info
 .text-light
 .text-dark
</div>
<div class="demo">
 <a href="#" class="demo-primary">Primary link</a>
 <a href="#" class="demo-secondary">Secondary link</a>
 <a href="#" class="demo-success">Success link</a>
 <a href="#" class="demo-danger">Danger link</a>
 <a href="#" class="demo-warning">Warning link</a>
 <a href="#" class="demo-info">Info link</a>
 <a href="#" class="demo-light bg-gray">Light link</a>
 <a href="#" class="demo-dark">Dark link</a>
</div>
```

.text-primary Primary link
.text-secondary Secondary link
.text-success Success link
.text-danger Danger link
.text-warning Warning link
.text-info Info link
Light link
.text-dark Dark link

背景顏色



d-inline-block(可調整連為高度)

```
d-inline-block
d-inline-block
```

```
<div class="demo col-12">
    <div class="d-inline-block bg-warning">d-inline-block</div>
    <div class="d-inline-block bg-warning">d-inline-block</div>
    </div>
```

```
d-inline-block d-inline-block
```

d-lg-inline-block d-sm-block d-none

float (left, right, none) (外層必須加上clearfix以免跑版)

Float left on all viewport sizes

Float right on all viewport sizes

Don't float on all viewport sizes

Float right on all viewport sizes

Float right on viewports sized SM (small) or wider

Float right on viewports sized MD (medium) or wider

Float right on viewports sized LG (large) or wider

Float right on viewports sized XL (extra-large) or wider

text-hide(圖片隱藏文字SEO)

<div class="demo">
 <ht class="demo">
 <ht class="text-hide" style="background-image: url('http://lorempixel.com/400/200/food'); width: 400px; height: 200px;
 Bootstrap
 </hl>
 </div></div>



隱藏後



Position

以navbar做練習 fixed-top fixed-bottom sticky-top

<nav class="navbar navbar-expand-lg navbar-light bg-light fixed-bottom"> ==
</nav>

sticky-top以內容元件做練習

Navbar Home Link Dropdown ▼ Disabled

Search Search

voluptatem vel voluptatum fuga delectus ducimus nesciunt, neque, maxime quas autem veritatis optio nihil laborum totam rem tempore. Hic mollitia nemo at eligendi, exercitationem, repellendus dolor sequi itaque eos sint commodi magni placeat eum recusandae verusaptivam non pativa idinaria situativa en sint commodi magni placeat eum recusandae verusaptivam non pativa idinaria situativa et pativa idinaria situativa et pativa et pativa idinaria et pativa idinaria et pativa idinaria et pativa idinaria et pativa et p

W-X (25, 50, 75, 100)

```
Width 50%

Width 75%

Width 100%

Height 25%

Height 50%

Height 75%

Height 100%
```

mw, mh 分別代表 max-width: 100%; 和 max-height: 100%;

```
Max-height
100%
```

文字相關

text-justify: 文字對齊

```
<div class="demo">
    Left aligned text on all viewport sizes.
    Center aligned text on all viewport sizes.
    Right aligned text on all viewport sizes.
    Left aligned text on viewports sized SM (small) or wider.
    Left aligned text on viewports sized MD (medium) or wider.
    Left aligned text on viewports sized LG (large) or wider.
    Left aligned text on viewports sized XL (extra-large) or wider.
    </div>
```

調整視窗大小觀察

Left aligned text on all viewport sizes.

Center aligned text on all viewport sizes.

Right aligned text on all viewport sizes.

Left aligned text on viewports sized SM (small) or wider.

Left aligned text on viewports sized MD (medium) or wider.

Left aligned text on viewports sized LG (large) or wider.

Left aligned text on viewports sized XL (extra-large) or wider.

text-nowrap 使文字不會換行

```
<div class="box text-nowrap">
   Lorem ipsum dolor sit amet, consectetur adipisicing elit. Laboriosam expedi
   quidem explicabo sed maxime, illum exercitationem omnis, magni nemo cumque
   deleniti atque a praesentium, cumque at repellendus omnis impedit minus vel
   eos pariatur velit! Molestiae, quis, non?
</div>
```

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Lak

text-truncate 使將超出空間文字用 ... 替代

Praeterea it...

Lowercase: 轉小寫 Uppercase: 轉大寫

Capitalize: 字母首字大寫

```
<div class="demo">
  Lowercased text.
  Uppercased text.
  CapiTaliZed text.
</div>
```

```
lowercased text.

UPPERCASED TEXT.

CapiTaliZed Text.
```

font-weight-bold:粗體 font-weight-normal:一般

font-italic:斜體

Italic text.

```
<div class="demo">
    Bold text.
    Normal weight text.
    Italic text.
</div>
Bold text.
Normal weight text.
```

垂直對其方式 (baseline, top, middle, bottom, text-top, text-bottom)

```
baseline top text-bottom

middle

bottom
```

visible: 出現

Invisible: 消失 (框架還是會存在)

```
<div class="demo">
    <div class="bg-info p-3">
        <div class="box invisible"></div>
        <div class="box visible"></div>
        <div class="box visible"></div>
        </div>
        </div>
        </div></div></div>
```

