

Class StackOfIntegers

java.lang.Object
StackOfIntegers

public class **StackOfIntegers**
extends [Object](#)

Field Summary

Fields		
Modifier and Type	Field	Description
static final int	DEFAULT_CAPACITY	
private int[]	elements	
private int	size	

Constructor Summary

Constructors	
Constructor	Description
StackOfIntegers ()	Construct a stack with the default capacity 16
StackOfIntegers (int capacity)	Construct a stack with the specified capacity

Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
boolean	empty()	Test whether the stack is empty
int	getSize()	Return the number of elements in the stack
int	peek()	Return the top element from the stack
int	pop()	Return and remove the top element from the stack
void	push (int value)	Push a new integer into the top of the stack

Methods inherited from class **Object**

`clone` , `equals` , `finalize` , `getClass` , `hashCode` , `notify` , `notifyAll` , `toString` , `wait` , `wait` , `wait`

Field Details

elements

```
private int[] elements
```

size

```
private int size
```

DEFAULT_CAPACITY

```
public static final int DEFAULT_CAPACITY
```

See Also:

[Constant Field Values](#)

Constructor Details

StackOfIntegers

```
public StackOfIntegers()
```

Construct a stack with the default capacity 16

StackOfIntegers

```
public StackOfIntegers(int capacity)
```

Construct a stack with the specified capacity

Method Details

push

```
public void push(int value)
```

Push a new integer into the top of the stack

pop

```
public int pop()
```

Return and remove the top element from the stack

peek

```
public int peek()
```

Return the top element from the stack

empty

```
public boolean empty()
```

Test whether the stack is empty

getSize

```
public int getSize()
```

Return the number of elements in the stack