

```
541
542 -- 1. Top 10 Customers by Total Spent
543 SELECT c.Customer_ID, c.first_name, c.last_name, SUM(o.total_price) AS Total_Spent
544 FROM Customer c
545 JOIN orders o ON c.Customer_ID = o.Customer_ID
546 GROUP BY c.Customer_ID, c.first_name, c.last_name
547 ORDER BY Total_Spent DESC
548 LIMIT 10;
549
550 -- 2. Top 10 Products by Revenue Generated
551 SELECT p.Product_ID, p.name, SUM(oi.quantity * oi.price_at_purchase) AS Total_Revenue
552 FROM OrderItem oi
553 JOIN Product p ON oi.Product_ID = p.Product_ID
554 GROUP BY p.Product_ID, p.name
555 ORDER BY Total_Revenue DESC
556 LIMIT 10;
557
558 -- 3. Top 10 Most Ordered Products
559 SELECT p.Product_ID, p.name, SUM(oi.quantity) AS Total_Ordered
560 FROM OrderItem oi
561 JOIN Product p ON oi.Product_ID = p.Product_ID
562 GROUP BY p.Product_ID, p.name
563 ORDER BY Total_Ordered DESC
564 LIMIT 10;
565
566 -- 4. Top 10 Delivery Agents by Rating
567 SELECT da.DeliveryAgent_ID, da.first_name, da.last_name, AVG(dr.rating) AS Average_Rating
568 FROM Delivery_Review dr
569 JOIN DeliveryAgent da ON dr.DeliveryAgent_ID = da.DeliveryAgent_ID
570 GROUP BY da.DeliveryAgent_ID, da.first_name, da.last_name
571 ORDER BY Average_Rating DESC
572 LIMIT 10;
573
574 -- 5. Average Order Cost, Total Number of Orders, Revenue per Month
575 SELECT
576     DATE_FORMAT(o.date, '%Y-%m') AS Month,
577     COUNT(o.Order_ID) AS Total_Orders,
578     SUM(o.total_price) AS Total_Revenue,
579     AVG(o.total_price) AS Avg_Order_Cost
580 FROM orders o
581 WHERE o.status = 'Delivered'
582 GROUP BY Month
583 ORDER BY Month DESC;
584
585 -- 6. Top 10 Most Reviewed Products
586 SELECT p.Product_ID, p.name, COUNT(r.Product_ID) AS Total_Reviews
587 FROM Product_Review r
588 JOIN Product p ON r.Product_ID = p.Product_ID
589 GROUP BY p.Product_ID, p.name
590 ORDER BY Total_Reviews DESC
591 LIMIT 10;
592
593 -- 7. Update Product Details
594 Select *
```

STDIN

Input for the program (Optional)

Output:

Customer_ID	first_name	last_name	Total_Spent
16	Anjali	Khanna	299.94
7	Arjun	Kapoor	199.99
1	Aarav	Patel	169.98
8	Ishaan	Chopra	159.98
17	Vivek	Bhatia	159.90
13	Rajesh	Mehta	129.99
5	Vikram	Joshi	129.90
19	Nitin	Agarwal	109.99
9	Aditya	Verma	104.97
4	Priyanka	Reddy	89.99

Product_ID	name	Total_Revenue
8	Road Running Shoes	239.98
14	Skate Helmet	199.99
7	Hiking Jacket	179.98
12	Waterproof Hiking Boots	179.90
13	Running Sunglasses	129.99
2	Running Shorts	129.90
1	Compression Tights	99.98
4	Soccer Jersey	79.98
6	Wetsuit	74.99
3	Sweat-Wicking T-Shirt	74.97

Product_ID	name	Total_Ordered
3	Sweat-Wicking T-Shirt	3
10	Firm Ground Soccer Cleats	3
1	Compression Tights	2
8	Road Running Shoes	2
5	Goalkeeper Jersey	2
7	Hiking Jacket	2
2	Running Shorts	2
4	Soccer Jersey	2


```
queries.sql + 43cnmpkmaq
541
542 -- 1. Top 10 Customers by Total Spent
543 SELECT c.Customer_ID, c.first_name, c.last_name, SUM(o.total_price) AS Total_Spent
544 FROM Customer c
545 JOIN orders o ON c.Customer_ID = o.Customer_ID
546 GROUP BY c.Customer_ID, c.first_name, c.last_name
547 ORDER BY Total_Spent DESC
548 LIMIT 10;
549
550 -- 2. Top 10 Products by Revenue Generated
551 SELECT p.Product_ID, p.name, SUM(oi.quantity * oi.price_at_purchase) AS Total_Revenue
552 FROM OrderItem oi
553 JOIN Product p ON oi.Product_ID = p.Product_ID
554 GROUP BY p.Product_ID, p.name
555 ORDER BY Total_Revenue DESC
556 LIMIT 10;
557
558 -- 3. Top 10 Most Ordered Products
559 SELECT p.Product_ID, p.name, SUM(oi.quantity) AS Total_Ordered
560 FROM OrderItem oi
561 JOIN Product p ON oi.Product_ID = p.Product_ID
562 GROUP BY p.Product_ID, p.name
563 ORDER BY Total_Ordered DESC
564 LIMIT 10;
565
566 -- 4. Top 10 Delivery Agents by Rating
567 SELECT da.DeliveryAgent_ID, da.first_name, da.last_name, AVG(dr.rating) AS Average_Rating
568 FROM Delivery_Review dr
569 JOIN DeliveryAgent da ON dr.DeliveryAgent_ID = da.DeliveryAgent_ID
570 GROUP BY da.DeliveryAgent_ID, da.first_name, da.last_name
571 ORDER BY Average_Rating DESC
572 LIMIT 10;
573
574 -- 5. Average Order Cost, Total Number of Orders, Revenue per Month
575 SELECT
576     DATE_FORMAT(o.date, '%Y-%m') AS Month,
577     COUNT(o.Order_ID) AS Total_Orders,
578     SUM(o.total_price) AS Total_Revenue,
579     AVG(o.total_price) AS Avg_Order_Cost
580 FROM orders o
581 WHERE o.status = 'Delivered'
582 GROUP BY Month
583 ORDER BY Month DESC;
584
585 -- 6. Top 10 Most Reviewed Products
586 SELECT p.Product_ID, p.name, COUNT(r.Product_ID) AS Total_Reviews
587 FROM Product_Review r
588 JOIN Product p ON r.Product_ID = p.Product_ID
589 GROUP BY p.Product_ID, p.name
590 ORDER BY Total_Reviews DESC
591 LIMIT 10;
592
593 -- 7. Update Product Details
594 Select *
595
```

STDIN

Input for the program (Optional)

DeliveryAgent_ID	first_name	last_name	Average_Rating
3	Amit	Kumar	5.0000
5	Sneha	Yadav	5.0000
1	Rahul	Sharma	5.0000
11	Pooja	Desai	5.0000
13	Deepak	Rao	5.0000
7	Anjali	Gupta	4.0000
10	Arjun	Reddy	4.0000
8	Rajesh	Patel	4.0000
6	Vikram	Singh	4.0000
12	Nitin	Mehta	3.0000

Month	Total_Orders	Total_Revenue	Avg_Order_Cost
2024-03	2	239.98	119.990000
2024-02	6	709.82	118.303333
2024-01	4	344.86	86.215000

Product_ID	name	Total_Reviews
28	Waterproof Phone Case	3
10	Firm Ground Soccer Cleats	2
20	MMA Gear Bag	2
5	Goalkeeper Jersey	1
7	Hiking Jacket	1
8	Road Running Shoes	1
9	Trail Running Shoes	1
15	Boxing Mouthguard	1
17	Knee Sleeves	1
18	Hydration Backpack	1

Product_ID	name	description	price	Brand_ID	Category_ID
1	Compression Tights	Breathable, stretch-fit running tights	49.99	2	1


```
572 LIMIT 10;
573
574 -- 5. Average Order Cost, Total Number of Orders, Revenue per Month
575 SELECT
576     DATE_FORMAT(o.date, '%Y-%m') AS Month,
577     COUNT(o.Order_ID) AS Total_Orders,
578     SUM(o.total_price) AS Total_Revenue,
579     AVG(o.total_price) AS Avg_Order_Cost
580 FROM orders o
581 WHERE o.status = 'Delivered'
582 GROUP BY Month
583 ORDER BY Month DESC;
584
585 -- 6. Top 10 Most Reviewed Products
586 SELECT p.Product_ID, p.name, COUNT(r.Product_ID) AS Total_Reviews
587 FROM Product_Review r
588 JOIN Product p ON r.Product_ID = p.Product_ID
589 GROUP BY p.Product_ID, p.name
590 ORDER BY Total_Reviews DESC
591 LIMIT 10;
592
593 -- 7. Update Product Details
594 Select *
595 FROM Product
596 WHERE Product_ID = 1;
597 UPDATE Product
598 SET price = 12.34, description = 'Updated description for the product.'
599 WHERE Product_ID = 1; -- Change the Product_ID as needed
600 Select *
601 FROM Product
602 WHERE Product_ID = 1;
603
604 -- 8. Update Stock (Store Stock)
605 Select *
606 FROM Available_in
607 WHERE Store_ID = 1 AND Product_ID = 1;
608 UPDATE Available_in
609 SET store_quantity = store_quantity - 5 -- Decrease stock by 5
610 WHERE Store_ID = 1 AND Product_ID = 1; -- Change Store_ID and Product_ID as needed
611 Select *
612 FROM Available_in
613 WHERE Store_ID = 1 AND Product_ID = 1;
614
615 -- 9. Low Stock Alert
616 SELECT a.Store_ID, s.location, s.pincode, a.Product_ID, p.name, a.store_quantity
617 FROM Available_in a
618 JOIN PhysicalStore s ON a.Store_ID = s.Store_ID
619 JOIN Product p ON a.Product_ID = p.Product_ID
620 WHERE a.store_quantity < 10
621 ORDER BY a.store_quantity ASC;
622
623 -- 10. Store Inventory Update When Order Placed
624 -- use trigger for this one
625
```

STDIN

Input for the program (Optional)

10	Firm Ground Soccer Cleats	2
20	MMA Gear Bag	2
5	Goalkeeper Jersey	1
7	Hiking Jacket	1
8	Road Running Shoes	1
9	Trail Running Shoes	1
15	Boxing Mouthguard	1
17	Knee Sleeves	1
18	Hydration Backpack	1

Product_ID	name	description	price	Brand_ID	Category_ID
1	Compression Tights	Breathable, stretch-fit running tights	49.99	2	1

Product_ID	name	description	price	Brand_ID	Category_ID
1	Compression Tights	Updated description for the product.	12.34	2	1

Store_ID	Product_ID	store_quantity
1	1	10

Store_ID	Product_ID	store_quantity
1	1	5

Store_ID	location	pincode	Product_ID	name	store_quantity
1	Phoenix Marketcity	400059	1	Compression Tights	5
3	South City Mall	700068	48	Tennis Racket	9
4	Ambience Mall	122002	15	Boxing Mouthguard	9
4	Ambience Mall	122002	47	Foldable Camping Chair	9
6	Lulu Mall	682024	19	Soccer Boot Bag	9
6	Lulu Mall	682024	25	Professional Soccer Ball	9
7	Express Avenue	600002	1	Compression Tights	9


```
535 (43, 17, 7), (43, 48, 8),
536 (44, 39, 9),
537 (46, 45, 9),
538 (50, 12, 9), (50, 25, 10), (50, 17, 4);
539
540 -- Delivery Agent Queries
541
542 -- 1. View Pending Orders
543 SELECT * FROM orders
544 WHERE status = 'Pending'; -- Change as needed
545
546 -- 2. Take an Order
547 -- Automatically decided when customers placed an order
548
549 -- 3. View All Orders Assigned to Delivery Agent
550 -- not needed to view from Agent's side because he takes 1 order at a time, Admin side maybe
551
552 -- 4. Performance Track: Monthly Completed Deliveries
553 SELECT
554     DATE_FORMAT(o.date, '%Y-%m') AS Month,
555     COUNT(o.Order_ID) AS Total_Deliveries
556 FROM orders o
557 WHERE o.DeliveryAgent_ID = 1 AND o.status = 'Delivered' -- Change DeliveryAgent_ID as needed
558 GROUP BY Month
559 ORDER BY Month DESC;
560
561 -- 5. Performance Track: Average Rating of Deliveries
562 SELECT AVG(dr.rating) AS Average_Rating
563 FROM Delivery_Review dr
564 JOIN orders o ON dr.Order_ID = o.Order_ID
565 WHERE o.DeliveryAgent_ID = 1; -- Change DeliveryAgent_ID as needed
566
567 -- 6. View Delivery Agent's Availability Status
568 -- Not needed to view from Agent's side, Customer side maybe
569
570 -- 7. View Delivery Agent's Personal Details
571 -- Not needed to view from Agent's side, Customer side maybe
572
573 -- 8. Update Delivery Agent's Availability Status
574 -- automatically updated once his order is "delivered", use trigger
575
576 -- 9. Count Total Deliveries for a Specific Month
577 SELECT COUNT(Order_ID) AS Total_Deliveries
578 FROM orders
579 WHERE DeliveryAgent_ID = 1 AND MONTH(date) = 1 AND YEAR(date) = 2024; -- Change DeliveryAgent_ID and date as needed
580
581 -- 10. Get Feedback on Deliveries
582 SELECT dr.comment, dr.rating
583 FROM Delivery_Review dr
584 JOIN orders o ON dr.Order_ID = o.Order_ID
585 WHERE o.DeliveryAgent_ID = 1; -- Change DeliveryAgent_ID as needed
586
```

Input for the program (Optional)

Output:

Order_ID	Customer_ID	DeliveryAgent_ID	date	total_price	address	status
19	18	NULL	2024-03-20	59.99	Lajpat Nagar, Delhi 110024	Pending
20	19	NULL	2024-03-21	109.99	Viman Nagar, Pune, MH 411014	Pending

Month	Total_Deliveries
2024-01	2

Average_Rating
4.0000

Total_Deliveries
2

comment	rating
Excellent service!	5
Fast and friendly!	5
Too slow.	2

created 17 days ago

MySQL online editor

SQL Queries Task

lock in this sem

CSE202-DBMS-Qu

sipser-computatio

Introduction to th

43cnmpkmaq - My

WhatsApp Image

WhatsApp Image

onecompiler.com/mysql/43cnmpkmaq

OneCompiler

PRICINGEDITORCHALLENGESCOMPANY & MORELOGIN

queries.sql

43cnmpkmaq

AI

NEW

MYSQL

RUN

STDIN

Input for the program (Optional)

Output:

```
539
540 -- Customer Queries
541
542 -- 1. Search Product by Name
543 SELECT p.Product_ID, p.name AS Product_Name, p.price, b.name AS Brand_Name, c.name AS Category_Name
544 FROM Product p
545 JOIN Brand b ON p.Brand_ID = b.Brand_ID
546 JOIN Category c ON p.Category_ID = c.Category_ID
547 WHERE p.name LIKE '%Shorts%'; -- Replace this term
548
549
550 -- 2. Search Product by Brand
551 SELECT p.Product_ID, p.name AS Product_Name, p.price, b.name AS Brand_Name, c.name AS Category_Name
552 FROM Product p
553 JOIN Brand b ON p.Brand_ID = b.Brand_ID
554 JOIN Category c ON p.Category_ID = c.Category_ID
555 WHERE b.name LIKE '%Hydra%'; -- Replace this term
556
557 -- 3. Search Product by Category
558 SELECT p.Product_ID, p.name AS Product_Name, p.price, b.name AS Brand_Name, c.name AS Category_Name
559 FROM Product p
560 JOIN Brand b ON p.Brand_ID = b.Brand_ID
561 JOIN Category c ON p.Category_ID = c.Category_ID
562 WHERE c.name LIKE '%Equipment%'; -- Replace this term
563
564 -- 4. Cart Operations: Add Product
565 SELECT * FROM Adds_to_cart where Customer_ID = 1;
566 INSERT INTO Adds_to_cart (Customer_ID, Product_ID, quantity)
567 VALUES (1, 1, 1); -- Change Customer_ID and Product_ID as needed
568 SELECT * FROM Adds_to_cart where Customer_ID = 1;
569
570 -- 5. Cart Operations: Delete Product
571 SELECT * FROM Adds_to_cart where Customer_ID = 1;
572 DELETE FROM Adds_to_cart
573 WHERE Customer_ID = 1 AND Product_ID = 1; -- Change Customer_ID and Product_ID as needed
574 SELECT * FROM Adds_to_cart where Customer_ID = 1;
575
576 -- 6. Cart Operations: Update Quantity
577 SELECT * FROM Adds_to_cart where Customer_ID = 1;
578 UPDATE Adds_to_cart
579 SET quantity = quantity + 2 -- Increase quantity by 1
580 WHERE Customer_ID = 1 AND Product_ID = 10; -- Change Customer_ID and Product_ID as needed
581 SELECT * FROM Adds_to_cart where Customer_ID = 1;
582
583
584 -- 7. Get Total Cart Value
585 SELECT SUM(p.price * ac.quantity) AS Total_Cart_Value
586 FROM Adds_to_cart ac
587 JOIN Product p ON ac.Product_ID = p.Product_ID
588 WHERE ac.Customer_ID = 1; -- Change Customer_ID as needed
589
590 -- 8. Order: Place an Order
591 /*
592
```

Product_ID	Product_Name	price	Brand_Name	Category_Name
2	Running Shorts	29.99	AeroSwift	Clothing

Product_ID	Product_Name	price	Brand_Name	Category_Name
6	Wetsuit	89.99	HydraFit	Clothing
26	Kickboard	29.99	HydraFit	Equipment
28	Waterproof Phone Case	18.99	HydraFit	Accessories
33	Diving Mask	49.99	HydraFit	Outdoor & Adventure Gear
34	Snorkel	19.99	HydraFit	Outdoor & Adventure Gear

Product_ID	Product_Name	price	Brand_Name	Category_Name
21	Adjustable Dumbbells	179.59	TitanForge	Equipment
22	Olympic Barbell	149.99	TitanForge	Equipment
23	Punching Bag	129.99	GladiatorPro	Equipment
24	Speed Bag	49.99	GladiatorPro	Equipment
25	Professional Soccer Ball	34.99	StrikerX	Equipment
26	Kickboard	29.99	HydraFit	Equipment
35	Skateboard	88.99	VortexEdge	Equipment
36	BMX Frame	149.59	VortexEdge	Equipment
37	Snowboard	199.49	VortexEdge	Equipment
43	Baseball Bat	79.99	VortexEdge	Equipment
44	Gymnastics Rings	49.99	TitanForge	Equipment
48	Tennis Racket	129.99	VortexEdge	Equipment
49	Ski Goggles	59.99	VortexEdge	Equipment

Customer_ID	Product_ID	quantity
1	10	1

Customer_ID	Product_ID	quantity
-------------	------------	----------

5:50 PM

3/23/2025


```

539
540 -- Customer Queries
541
542 -- 1. Search Product by Name
543 SELECT p.Product_ID, p.name AS Product_Name, p.price, b.name AS Brand_Name, c.name AS Category_Name
544 FROM Product p
545 JOIN Brand b ON p.Brand_ID = b.Brand_ID
546 JOIN Category c ON p.Category_ID = c.Category_ID
547 WHERE p.name LIKE '%Shorts%'; -- Replace this term
548
549
550 -- 2. Search Product by Brand
551 SELECT p.Product_ID, p.name AS Product_Name, p.price, b.name AS Brand_Name, c.name AS Category_Name
552 FROM Product p
553 JOIN Brand b ON p.Brand_ID = b.Brand_ID
554 JOIN Category c ON p.Category_ID = c.Category_ID
555 WHERE b.name LIKE '%Hydra%'; -- Replace this term
556
557 -- 3. Search Product by Category
558 SELECT p.Product_ID, p.name AS Product_Name, p.price, b.name AS Brand_Name, c.name AS Category_Name
559 FROM Product p
560 JOIN Brand b ON p.Brand_ID = b.Brand_ID
561 JOIN Category c ON p.Category_ID = c.Category_ID
562 WHERE c.name LIKE '%Equipment%'; -- Replace this term
563
564 -- 4. Cart Operations: Add Product
565 SELECT * FROM Adds_to_cart where Customer_ID = 1;
566 INSERT INTO Adds_to_cart (Customer_ID, Product_ID, quantity)
567 VALUES (1, 1, 1); -- Change Customer_ID and Product_ID as needed
568 SELECT * FROM Adds_to_cart where Customer_ID = 1;
569
570 -- 5. Cart Operations: Delete Product
571 SELECT * FROM Adds_to_cart where Customer_ID = 1;
572 DELETE FROM Adds_to_cart
573 WHERE Customer_ID = 1 AND Product_ID = 1; -- Change Customer_ID and Product_ID as needed
574 SELECT * FROM Adds_to_cart where Customer_ID = 1;
575
576 -- 6. Cart Operations: Update Quantity
577 SELECT * FROM Adds_to_cart where Customer_ID = 1;
578 UPDATE Adds_to_cart
579 SET quantity = quantity + 2 -- Increase quantity by 1
580 WHERE Customer_ID = 1 AND Product_ID = 10; -- Change Customer_ID and Product_ID as needed
581 SELECT * FROM Adds_to_cart where Customer_ID = 1;
582
583
584 -- 7. Get Total Cart Value
585 SELECT SUM(p.price * ac.quantity) AS Total_Cart_Value
586 FROM Adds_to_cart ac
587 JOIN Product p ON ac.Product_ID = p.Product_ID
588 WHERE ac.Customer_ID = 1; -- Change Customer_ID as needed
589
590 -- 8. Order: Place an Order
591 /*
592
593

```

```
STDIN  
  
Input for the program ( Optional )  
  
+-----+-----+-----+  
| Customer_ID | Product_ID | quantity |  
+-----+-----+-----+  
|          1 |         10 |        1 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Customer_ID | Product_ID | quantity |  
+-----+-----+-----+  
|          1 |          1 |        1 |  
|          1 |         10 |        1 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Customer_ID | Product_ID | quantity |  
+-----+-----+-----+  
|          1 |          1 |        1 |  
|          1 |         10 |        1 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Customer_ID | Product_ID | quantity |  
+-----+-----+-----+  
|          1 |         10 |        1 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Customer_ID | Product_ID | quantity |  
+-----+-----+-----+  
|          1 |         10 |        1 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Customer_ID | Product_ID | quantity |  
+-----+-----+-----+  
|          1 |         10 |        3 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Total_Cart_Value |  
+-----+-----+-----+  
|           269.97 |  
+-----+-----+-----+  
+-----+-----+-----+  
| Order_ID | Customer_ID | DeliveryAgent_ID | date       | total_price | address      |  
+-----+-----+-----+-----+-----+-----+
```



```

581 SELECT * FROM Adds_to_cart where Customer_ID = 1;
582
583
584 -- 7. Get Total Cart Value
585 SELECT SUM(p.price * ac.quantity) AS Total_Cart_Value
586 FROM Adds_to_cart ac
587 JOIN Product p ON ac.Product_ID = p.Product_ID
588 WHERE ac.Customer_ID = 1; -- Change Customer_ID as needed
589
590 -- 8. Order: Place an Order
591 /*
592 INSERT INTO orders (Customer_ID, date, total_price, address, status)
593 VALUES (
594     1,
595     CURDATE(),
596     (SELECT SUM(p.price * ac.quantity)
597     FROM Adds_to_cart ac
598     JOIN Product p ON ac.Product_ID = p.Product_ID
599     WHERE ac.Customer_ID = 1),
600     'Customer Address',
601     'Confirmed'
602 );
603 orders DeliveryAgentID is INT Default NULL: newly generated ordered will not yet assigned to an agent
604 create a trigger that auto assign agent to order with null agent if his status is "available"
605 */
606
607
608 -- 9. View Order History
609 SELECT * FROM orders
610 WHERE Customer_ID = 1; -- Change Customer_ID as needed
611
612 -- 10. Track Order Status
613 SELECT status FROM orders
614 WHERE Order_ID = 1; -- Change Order_ID as needed
615
616 -- 11. Add Review for a Product
617 SELECT * FROM Product_Review WHERE Customer_ID = 1;
618 INSERT INTO Product_Review (Customer_ID, Product_ID, rating, comment, review_date)
619 VALUES (1, 1, 5, 'Great product!', CURDATE()); -- Change Customer_ID and Product_ID as needed
620 SELECT * FROM Product_Review WHERE Customer_ID = 1;
621
622 -- 12. Update Personal Details
623 SELECT * FROM Customer WHERE Customer_ID = 1;
624 UPDATE Customer
625 SET first_name = 'NewFirstName', last_name = 'NewLastName', street = 'New Street', city = 'New City', state = 'NS', pincode = '111111'
626 WHERE Customer_ID = 1; -- Change Customer_ID as needed
627 SELECT * FROM Customer WHERE Customer_ID = 1;
628
629 -- 13. Price Drop Alert
630 /*
631 create product history table: id, product, old price, new price, changed date
632 create a trigger to store old price
633 query from this table: select product from this table where new price < old price
634 */

```

```

STDIN

Input for the program ( Optional )

+-----+
| Total_Cart_Value |
+-----+
|          269.97 |
+-----+

+-----+-----+-----+-----+-----+-----+-----+
| Order_ID | Customer_ID | DeliveryAgent_ID | date       | total_price | address                                     | status |
+-----+-----+-----+-----+-----+-----+-----+
|         1 |           1 |                 1 | 2024-01-10 |        169.98 | Linking Road, Mumbai, MH 400052 | Delivered |
+-----+-----+-----+-----+-----+-----+-----+

+-----+
| status |
+-----+
| Delivered |
+-----+

+-----+-----+-----+-----+-----+-----+
| Customer_ID | Product_ID | rating | comment                                     | review_date |
+-----+-----+-----+-----+-----+-----+
|           1 |          10 |       5 | Amazing product! Highly recommend.         | 2024-02-01 |
|           1 |          20 |       4 | Good quality, but shipping was slow.        | 2024-02-02 |
|           1 |           5 |       3 | Average product, nothing special.           | 2024-02-03 |
+-----+-----+-----+-----+-----+-----+

+-----+-----+-----+-----+-----+-----+
| Customer_ID | Product_ID | rating | comment                                     | review_date |
+-----+-----+-----+-----+-----+-----+
|           1 |          10 |       5 | Amazing product! Highly recommend.         | 2024-02-01 |
|           1 |          20 |       4 | Good quality, but shipping was slow.        | 2024-02-02 |
|           1 |           5 |       3 | Average product, nothing special.           | 2024-02-03 |
|           1 |           1 |       5 | Great product!                             | 2025-03-23 |
+-----+-----+-----+-----+-----+-----+

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| Customer_ID | first_name | last_name | age | email                                     | password | phone_number | street       | city | state | pincode |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|           1 | Aarav     | Patel     | 28 | aarav.patel@example.com | pass123  | 9123456780 | Linking Road | Mumbai | MH   | 400052 |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| Customer_ID | first_name | last_name | age | email                                     | password | phone_number | street       | city | state | pin |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|           1 | NewFirstName | NewLastName | 28 | aarav.patel@example.com | pass123  | 9123456780 | New Street | New City | NS   | 12 |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+

```