

PRODUCT GUIDE

FROM APIS TO AN OPTIMIZED AGENT RUNTIME

One company supplies its systems and operating requirements. Tura turns them into governed commands, benchmarks the full task, revises failures and packages the selected version.

ATLAS OUTDOORS

Six outdoor commerce sites share payments, logistics, support channels and product media. The company needs one controlled agent that can complete these tasks without crossing store, currency or approval boundaries.

01 Connecting

02 Workflow

03 Dashboard

04 Providers

05 Agents

06 Runs

07 Compare

08 Runtime

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$0.00 used

\$200 start

\$200.00

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

0

AGENT

3

TURA HOME

Q Search dashboard...

98 K

online

Atlas Outdoors

AO

OVERALL WORKFLOW · STEP 01 / 08

Workspace workflow

Connect supplier OpenAPI and permission files

→ CONTINUE

01 Connect API and permissions

02 Configure workflow

03 Review generated dashboard

04 Choose provider

05 Configure agent runtime

06 Run benchmark

07 Review and revise

08 Package runtime

Starting credit \$200.00 USD · Used \$0.00 USD · Balance \$200.00 USD

01 · Connecting In progress · Elapsed 0:00 · typical effort 20:00

0%

DASHBOARD / PLAYGROUND

ATLAS OUTDOORS

WORKSPACE

Six outdoor storefronts connect orders, payments, refunds, shipping, customer channels and product images through one agent workflow.

Workspace figures update as each step completes.

BENCHMARK ITERATIONS

Baseline not started

Each revision reruns 63 cases. Compare records the failure, workflow prompt, agent prompt, Operation Manual, command dispatcher and runtime configuration. Package only the accepted revision.

The signed-in Dashboard shows the complete eight-stage journey and its \$200 starting balance.

FINAL OUTPUT

A versioned, closed-source Atlas Outdoors Agent Runtime binary that runs directly on the selected platform. Its manifest identifies the evaluated workflow, permissions, benchmark revision and asset provenance.

PROCESS MAP

THE WHOLE PROCESS AT A GLANCE

Follow the top action on each page. The next destination unlocks only after that page's inputs, generation or review requirements are complete.

STAGE	USER DOES	TURA PRODUCES
01 Connecting	Upload supplier OpenAPI files and permissions	Scoped MCP command registry
02 Workflow	Upload Markdown brief and save prompt	Task bindings, checks and approvals
03 Dashboard	Review generated company view	Live workspace and progress state
04 Providers	Choose and verify model route	Pinned inference configuration
05 Agents	Apply prompt and manual; review writes	Agent control plan and approvals
06 Runs	Start the complete benchmark	Cases, costs, traces and verifier results
07 Compare	Inspect failures and revise until accepted	Selected scored implementation
08 Runtime	Choose release and build binary	Runnable, workflow-specific executable

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$0.53 used

\$200 start

\$199.47

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

0

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

CONNECT API AND PERMISSIONS · PAGE REQUIREMENTS · 4 / 4 COMPLETE

Connect API and permissions

Connect supplier OpenAPI and permission files

Upload supplier OpenAPI documents

Upload permissions

Generate command schema

Register commands

Starting credit \$200.00 USD · Used \$0.53 USD · Balance \$199.47 USD

01 · Connecting

Completed · Elapsed 0:15 · typical effort 20:00

100%

DASHBOARD / CONNECTING

CONNECTING

Upload separate supplier OpenAPI files together with their permission file, then build scoped MCP commands. The same input and execution controls are used in every workspace.

CONNECTING / REQUIRED INPUTS

Supplier contracts and access

Submit each supplier as an OpenAPI document, then attach its permission policy.

01 Supplier OpenAPI documents

One file per supplier · OpenAPI 3.0 or 3.1 JSON

9 CONNECTED

Select supplier files

Choose 2–12 files together or drop them here

SELECT FILES

02 Supplier permissions

Vault references, scopes and approval gates

CONNECTED

Select permissions file

JSON policy covering every submitted supplier

SELECT FILE

Connecting completes before Workflow becomes available; later pages follow the same gated pattern.

EVIDENCE

Logs can be opened to inspect calls and receipts. It is an evidence view within the process, not another execution stage.

REGISTER TRUSTED COMMANDS

This is where API documentation becomes the tool boundary the agent can actually use.

USER PROVIDES

Nine supplier OpenAPI files in one batch, plus permissions.json as a separate upload. The suppliers cover commerce, Stripe, shipping, messages, reports and media.

USER ACTION

Select and submit the API files; upload permissions; then run schema generation and register the commands.

HOW TURA WORKS

Tura validates required operations, resolves parameter schemas, maps roles and store scope, and references credentials through the vault. MCP discovery exposes permitted operations.

OUTPUT

22 typed, store-scoped commands with source, authorization and approval rules.

TURA
ATLAS OUTDOORS

12

Dashboard

Connecting Current

Workflow Locked

Providers Locked

Agents Locked

Runs Locked

Compare Locked

Logs Locked

Runtime Locked

Docs

Settings

BALANCE

\$0.00 used · \$200 start

\$200.00

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

0

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

01 Supplier OpenAPI documents

9 CONNECTED

One file per supplier - OpenAPI 3.0 or 3.1 JSON

Select supplier files

Choose 2–12 files together or drop them here

SELECT FILES

storefront6 operations

stripe7 operations

shipping2 operations

inbox-gateway3 operations

reports1 operations

whatsapp2 operations

telegram2 operations

email2 operations

media3 operations

Files remain separate in the runtime evidence.

SUBMIT CONTRACTS

Supplier permissions saved.

02 Supplier permissions

CONNECTED

Vault references, scopes and approval gates

Select permissions file

JSON policy covering every submitted supplier

SELECT FILE

permissions.json

Credentials resolve from the workspace vault.

SAVE PERMISSIONS

FROM CONTRACT TO COMMAND

A shared interface for your internal systems.

OpenAPI operations become typed commands with explicit authentication, resource scopes and approval rules. Workflow steps and agent turns use those same command IDs.

01 · Upload API + permissions

→

02 · Generate schemas

→

03 · Register tool contracts

OpenAPI documents and permissions are supplied through separate inputs.

ADVANCE WHEN

All required operations and permission sources validate, then command registration completes.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

03 / 15

DESCRIBE THE WORK TO BE DONE

The company supplies intent and success criteria; Tura binds that intent to registered commands.

USER PROVIDES

A Markdown workflow description and a separately saved prompt. The brief defines representative tasks, success criteria and operating limits.

USER ACTION

Upload or write the Markdown description, save the prompt, select a task and start generation.

HOW TURA WORKS

Tura maps trigger, store boundary, command sequence, approval gates and final-state assertions into a task contract. The supplied text is retained by revision.

OUTPUT

Workflow configuration, versioned prompt and a task-aware Dashboard view.

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$0.53 used

\$200 start

\$199.47

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

0

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

Select Markdown file

.md only - optional when writing below

SELECT FILE

OR WRITE MARKDOWN

DESCRIPTION

Describe the six storefronts, order and refund paths, carriers, customer channels, new site launch, approval gates and success criteria...

workflow-description.md

Saved as a separate .md file.

SAVE DESCRIPTION

INSTRUCTIONS

Write the agent instructions, MCP tool boundaries, verification steps and approval rules to evaluate...

workflow-prompt.md

At least 40 characters · saved as .md

SAVE PROMPT

Select a task and generate its dashboard view from store-scoped sample contracts.

Workflow library →

01 Select a workflow

Every example is connected to tool schemas, authorization and published runs.

Refund with payment evidence

customer_operations · 4 commands

→

Resolve delayed delivery

customer_operations · 4 commands

→

Unify customer conversations

→

WORKFLOW DRAFT

Ready to evaluate

Build and launch a new store

Agent

balanced

Model

GPT-5.6 Sol

The Markdown description and saved prompt are both required before generation.

ADVANCE WHEN

The workflow contract and generated Dashboard are ready for review.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

04 / 15

REVIEW THE GENERATED WORKSPACE

The Dashboard is the control surface for the company workflow, not a separate commerce application.

USER PROVIDES

No additional file. The user reviews the six sites, seven workflows, connected commands and starting balance.

USER ACTION


Open Dashboard from the top control; check store boundaries, task list, step status, costs and available next action.

HOW TURA WORKS

The view reads registered sources and server-backed execution state. Locked pages explain prerequisites; running steps update progress, time and usage.

OUTPUT

A navigable company workspace with live status, balance and task evidence.



The generated Dashboard uses the same layout as the standard Playground.

ADVANCE WHEN

The company view is correct and the provider step can be opened.

PIN THE MODEL ROUTE

A stable provider configuration keeps the benchmark focused on agent design and task outcomes.

USER PROVIDES
A provider account or route, the chosen model and the required quota or access.

USER ACTION
Select the route, check model availability and continue after its requirements pass.

HOW TURA WORKS
Tura records the route and pins the same model and command schemas across Codex CLI direct MCP, Tura direct and Tura balanced strategies.

OUTPUT
A reproducible provider configuration for generation and evaluation.

TURA
ATLAS OUTDOORS

Dashboard

Connecting Done

Workflow Done

Providers Current

Agents Locked

Runs Locked

Compare Locked

Logs Locked

Runtime Locked

Docs

Settings

BALANCE
\$1.58 used
\$200 start

\$198.42

Atlas Outdoors

WORKSPACE

STORES6

RUNS0

AGENT3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

CHOOSE PROVIDER • PAGE REQUIREMENTS • 1 / 2 COMPLETE

Choose provider

→ CHOOSE PROVIDER

☒ Select pinned provider model

02

Continue to agent configuration

Starting credit \$200.00 USD • Used \$1.58 USD • Balance \$198.42 USD

04 • Providers In progress • Elapsed 0:00 • typical effort 15:00

0%

DASHBOARD / PROVIDERS

PROVIDERS

Use the same GPT-5.6 Sol model across Codex CLI, Tura direct and Tura balanced runs. Provider access is scoped to this workspace.

EVALUATION ROUTE

OpenAI / GPT-5.6 Sol

1439

providersmodel routes

Pinned across all three benchmark strategies

Search provider or model...

All providers

39 MODELS

ALL

LLM

IMAGE

VIDEO

TTS

PROVIDER ACCESS

Configure keys or supported OAuth accounts. Sign in before editing; add multiple accounts without replacing existing subscriptions.

Providers shows the model route and its access requirements.

ADVANCE WHEN

The selected route is available for the Agent step.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

06 / 15

CONFIGURE THE CONTROLLER

Prompts, the Operation Manual and command policy determine how the model acts.

USER PROVIDES

Agent Prompt and Operation Manual text, a task selection, command choices and approvals for sensitive writes.

USER ACTION

Generate suggestions, explicitly apply or edit the prompt and manual, inspect the command preview, then approve required actions.

HOW TURA WORKS

Tura combines the prompt with typed schemas and policy checks. Store scope, idempotency, approval receipts and final-state verification are applied before success is reported.

OUTPUT

A task-specific agent configuration and an approved execution plan.

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$1.87 used

\$200 start

\$198.13

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

0

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

Search agents...

3 AGENTS

BA

Balanced

balanced

→

DI

Direct

direct

→

DI

Direct text only

direct-text-only

→

Inspect command

atlas_orders_get

Command

atlas_orders_get

Purpose

Read a store-scoped order

Scopes

orders.read

Approval

not_required

7/7 workflow commands enabled. All required workflow commands are selected. Permission policies are enforced by the signed-in workspace before command execution.

06 EXECUTION PREVIEW

Store scope, policy decisions and tool receipts

Approval receipts granted. Final-state checks can pass.

RESET APPROVALS

1. initialize tenant=atlas-outdoors · store=field · session=sandbox

2. notifications/initializedClient handshake acknowledged by isolated sample MCP gateway

3. tools/list7 allowed commands discovered from registered contracts

4. approval receipt verified receipts=sample-operator-stage-field, sample-stripe-live-field, sample-publish-field · sandbox only

5. tools/call · sites.createfieldandforest example · staging site created · receipt=atlas-launch-field-1

6. tools/call · domain.verifyfieldandforest example · DNS ownership and TLS verified · receipt=atlas-launch-field-2

7. tools/call · catalog.upsert42 products · 3 tax zones · 4 shipping zones staged · receipt=atlas-launch-field-3

8. tools/call · stripe.connectStripe test account connected, live mode withheld · receipt=atlas-launch-field-4

9. tools/call · payments.testtest checkout, test refund and signed webhook passed · receipt=atlas-launch-field-5

10. tools/call · stripe.connect.liveStripe live-mode approval receipt verified in isolated run · receipt=atlas-launch-field-6

11. tools/call · sites.publishpublish approval receipt verified; site published in isolated run · receipt=atlas-launch-field-7

12. verify final state5/5 deterministic assertions in sample trace

Approval receipts verified. Start the benchmark with the execution control above.

The command preview displays task scope, receipts and approval gates.

ADVANCE WHEN

Prompt, manual, command selection and task approvals are complete.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

07 / 15

MEASURE THE WHOLE TASK

A completed answer is useful only when the external state and evidence satisfy the task contract.

USER PROVIDES
The configured workflow, agent, pinned model and benchmark plan. Each case starts from isolated state.

USER ACTION
Start the run from the top control, watch completed cases and usage, then wait for all cases to finish.

HOW TURA WORKS
Seven tasks × three strategies × three repetitions produce 63 cases per revision. Five gates check MCP handshake, discovery, authorized calls, final state and receipts.

OUTPUT
Per-case pass or fail, traces, timing, token and image-provider estimates, command calls and final-state checks.

TURA
ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Running

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$9.23 used · \$200 start

\$190.77

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

10

AGENT

3

TURA HOME

Search dashboard...

running

Atlas Outdoors

AO

RUN BENCHMARK · PAGE REQUIREMENTS · 1 / 2 COMPLETE

Run benchmark

→ BENCHMARK RUNNING...

Execute benchmark

Start benchmark

02 Finish all 63 cases

Starting credit \$200.00 USD · Used \$9.23 USD · Balance \$190.77 USD

06 · Runs

Running · 17% of current benchmark · typical review 17:00

17%

Benchmark 10/63

BENCHMARK / RUNS

PUBLISHED RUNS

Atlas Outdoors MCP evaluation across seven workflows and three agent strategies. 10 of 63 runs completed.

Search task, run, agent, or model...

All categories

All statuses

All workflows

11 RUNS

RUN	AGENT	HARNESS	RUN TIME	RUN COST	TOKENS	LLM CALLS	
Refund with payment evidence atlas-r0-atlas-refund-summit-codex-1 · Outdoor commerce MCP	Codex CLI · direct MCP	5/5	1m 55s	\$0.80	15,171	11	→
Refund with payment evidence atlas-r0-atlas-refund-wild-codex-2 · Outdoor commerce MCP	Codex CLI · direct MCP	5/5	1m 55s	\$0.80	15,171	11	→

Runs updates case count, elapsed time and balance while the benchmark is active.

ADVANCE WHEN

All 63 cases reach a terminal state; Compare then unlocks.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

08 / 15

DECIDE WHAT TO IMPROVE

Compare uses the same cases for every revision and exposes much more than a single success rate.

USER PROVIDES

An acceptance target and a choice of runs or revisions to inspect.

USER ACTION

Compare verified outcome, harness checks, time, charge, tokens, turns and MCP commands. Read failures; accept the result or revise.

HOW TURA WORKS

Tura preserves each prompt, manual, dispatcher and runtime configuration with its scored cohort. A revision reruns the same suite before it can replace the accepted version.

OUTPUT

A selected, evidence-backed implementation; the case record reaches 54/63, then 59/63, then 62/63.

TURA
ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$132.26 used

\$200 start

\$67.74

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

63

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

atlas-r2

Carrier and channel reconciliation revision

62/63

314/315

88s

\$42.22

13,300

9

6

—

One synthetic carrier exception remains outside the configured status vocabulary; it is queued for human review. · Accept a revision only after its target and failures are reviewed.

RUN TO RUN

Same task, different execution

Build and launch a new store

Run A

atlas-r0 · Codex CLI · direct MCP · codex / 1

Run B

atlas-r2 · Tura · balanced · balanced / 3

Metric	atlas-r0 · Codex CLI · direct MCP	atlas-r2 · Tura · balanced
Verified outcome	Fail	Pass
Harness checks	4/5	5/5
Run time	115s	67s
Run charge	\$0.80	\$0.54
Total tokens	15,171	11,929
Model turns	11	7
MCP commands	9	9

RUN A

RUN B

Task evidence

Build and launch a new store

RUN → COMPARE → LOGS

The run-to-run view compares outcome, checks, time, charge, tokens, turns and MCP commands.

ADVANCE WHEN

A completed revision meets the target and its unresolved cases have been reviewed.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

09 / 15

ITERATION WITHIN STEP 07

A FAILURE CHANGES THE IMPLEMENTATION

The revision loop belongs to Compare. It can repeat until the team is satisfied with both score and remaining risk.

USER PROVIDES

Failed assertions, run traces and provider state from the completed cohort.

USER ACTION

Revise Workflow prompt, Agent Prompt and Operation Manual; review the generated dispatcher and runtime configuration; rerun the cohort.

HOW TURA WORKS

Tura stores changed inputs under a new revision, then evaluates the identical 63-case suite. The old score and package source remain recoverable.

OUTPUT

Versioned prompts, code, configuration, failure notes and a new comparable score.

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$44.82 used · \$200 start

\$155.18

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

63

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

CONFIGURE WORKFLOW · PAGE REQUIREMENTS · 1 / 4 COMPLETE

Configure workflow

Submit Markdown workflow description and prompt

01 Review failed cases

02 Generate revised prompt and code

03 Enter revised workflow prompt

04 Apply revision

Starting credit \$200.00 USD · Used \$44.82 USD · Balance \$155.18 USD

07 - Compare In progress · Elapsed 0:06 · typical effort 20:00

0%

Rewrite workflow and manual

3s / ~10s · 31%

DASHBOARD / WORKFLOW

WORKFLOW

Upload a Markdown description or write it here, then save the prompt. Generation binds both inputs to commands, approval gates and the Dashboard.

WORKFLOW / REQUIRED INPUTS

Description and instructions

Provide the workflow brief as Markdown and save the instructions to evaluate.

01 Workflow description

Upload Markdown or write the brief below

SAVED

02 Workflow prompt

Instructions evaluated and versioned with each run

SAVED

INSTRUCTIONS

Revision generation shows an active phase while prompt and command changes are prepared.

RECORDED PROGRESSION

atlas-r0: 54/63 → atlas-r1: 59/63 → atlas-r2: 62/63. These are scenario results, not live supplier performance claims.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

10 / 15

EVIDENCE VIEW • NOT A STAGE

READ THE EXECUTION RECORD

Logs is an inspection surface used during Runs, Compare and handoff.

USER PROVIDES
A run ID, workflow or revision to investigate.

HOW TURA WORKS
Every call is linked to its run and source IDs. Receipts and checks explain whether a reported business outcome is supported.

USER ACTION
Open Logs from navigation; filter calls and inspect policy decisions, provider receipts, errors and final-state assertions.

OUTPUT
An auditable trace that accompanies the selected revision.

TURA
ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$132.26 used - \$200 start

\$67.74

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

63

AGENT

3

TURA HOME

Q Search dashboard...

⌕ K

online

Atlas Outdoors

AO

BENCHMARK / LOGS

EXECUTION LOGS

Inspect synthetic MCP handshake, tool calls, permission receipts and final-state assertions.

ALL CALLS

BY RUN

RUN CALL	RUN	MODEL	STATUS	TOKENS	TOOLS	RUN TIME	RU
CALL 01	atlas-refund-summit-codex-1	gpt-5.6-sol	completed	5,057	1	1m 55s	\$0.
CALL 02	atlas-refund-summit-codex-1	gpt-5.6-sol	completed	5,057	6	1m 55s	\$0.
CALL 03	atlas-refund-summit-codex-1	gpt-5.6-sol	completed	5,057	1	1m 55s	\$0.
CALL 01	atlas-refund-wild-codex-2	gpt-5.6-sol	completed	5,057	1	1m 55s	\$0.
CALL 02	atlas-refund-wild-codex-2	gpt-5.6-sol	completed	5,057	6	1m 55s	\$0.
CALL 03	atlas-refund-wild-codex-2	gpt-5.6-sol	completed	5,057	1	1m 55s	\$0.
CALL 01	atlas-refund-north-codex-3	gpt-5.6-sol	completed	5,057	1	1m 55s	\$0.
CALL 02	atlas-refund-north-codex-3	gpt-5.6-sol	completed	5,057	6	1m 55s	\$0.
CALL 03	atlas-refund-north-codex-3	gpt-5.6-sol	completed	5,057	1	1m 55s	\$0.
CALL 01	atlas-refund-summit-direct-1	gpt-5.6-sol	completed	4,267	1	1m 23s	\$0.

Logs lists model calls, tool use, status, time and costs for completed runs.

PLACE IN FLOW

Logs does not add another required execution step. It supplies the evidence for comparison and runtime review.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

11 / 15

USER PROVIDES An accepted benchmark revision, approved workflow, permissions, model route and target operating system.	USER ACTION Review the selected revision, approve the \$50 build charge, download the binary and run it inside the company environment.
HOW TURA WORKS Tura compiles the accepted prompts, command dispatcher and policy into the target runtime, then pins their hashes and benchmark revision in a versioned manifest. Source remains private.	OUTPUT A directly runnable, closed-source Atlas Outdoors binary for the chosen platform, plus a manifest, checksum and deployment instructions. No raw prompt or dispatcher source is delivered.

Native packages show Windows, macOS and Linux downloads, checksums and launch commands.

The executable manifest and selected revision agree, and the download is available.

VERSION CONTROL

RESTORE A PRIOR RESULT SAFELY

Version choice is a real change to the runtime source; later benchmark records remain available.

USER PROVIDES
A historical completed revision, such as atlas-r1.

USER ACTION
Select Restore in Compare, verify its score and Active state, then rebuild Runtime.

HOW TURA WORKS
The old binary becomes inactive until its corresponding prompt, manual, dispatcher and settings are rebuilt. Restoring does not delete other revisions.

OUTPUT
A new executable built from the selected historical version; downloading the same build again is free.

TURA
ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$182.26 used · \$200 start

\$17.74

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

63

AGENT

3

TURA HOME

Q Search dashboard...

online

Atlas Outdoors

AO

REVIEW AND REVISE · PAGE REQUIREMENTS · 3 / 3 COMPLETE

Review and revise

→ CURRENT STEP

Review and revise until accepted

Review completed results

Revise to target pass rate

Accept scored revision

Starting credit \$200.00 USD · Used \$182.26 USD · Balance \$17.74 USD

08 · Runtime

In progress · Elapsed 0:01 · typical effort 10:00

0%

BENCHMARK / COMPARE

COMPARE VERIFIED RUNS

Select two executions of the same task, then inspect outcome, checks, elapsed time, charge, tokens, model turns and MCP commands. Revision totals use all completed runs.

SAME 63-CASE SUITE

Revision results

Required pass rate

95%

REVISION	VERIFIED	CHECKS	AVG TIME	TOTAL CHARGE	AVG TOKENS	AVG TURNS	AVG COMMANDS	SOURCE
atlas-r0 Baseline	54/63	306/315	88s	\$42.22	13,300	9	6	RESTORE
atlas-r1 Receipt and idempotency revision	59/63	311/315	88s	\$42.22	13,300	9	6	Active

Compare retains all scores when atlas-r1 is restored as the active source.

RESELECT

The team can return to atlas-r2 and rebuild its package from the higher-scoring source.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

13 / 15

BUILD COST AND HANDOFF

WHAT THE COMPANY RECEIVES

The company prepays its Tura wallet before generation. This case ledger covers build-stage charges; runtime usage has a separate savings-based rule.

\$200.00 starting credit	\$132.26 usage at 10× provider estimate	\$50.00 one-time runtime build	\$17.74 ending credit
--	---	--	---

Handoff Part	In the Selected Package
Command layer	22 scoped MCP operations and permission sources
Agent controller	Accepted workflow, prompt, manual and policy sealed into the executable
Implementation	Closed-source platform binary; selected revision and checksum in manifest
Evaluation	Three 63-case cohorts, scores, traces and cost ledger
Deployment	Run instructions, release version and platform-specific download

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$132.26 used · \$200 start

\$67.74

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

63

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

REVIEW AND REVISE · PAGE REQUIREMENTS · 3 / 3 COMPLETE

Review and revise

Review and revise until accepted

Review completed results

Revise to target pass rate

Accept scored revision

Starting credit \$200.00 USD · Used \$132.26 USD · Balance \$67.74 USD

07 · Compare · In progress · Elapsed 1:34 · typical effort 20:00

7%

BENCHMARK / COMPARE

COMPARE VERIFIED RUNS

Select two executions of the same task, then inspect outcome, checks, elapsed time, charge, tokens, model turns and MCP commands. Revision totals use all completed runs.

SAME 63-CASE SUITE

Revision results

Each revision keeps its exact prompt, Manual, dispatcher and runtime configuration. The accepted revision is the source of the runtime package.

Required pass rate

95%

Revision	Verified	Checks	Avg Time	Total Charge	Avg Tokens	Avg Turns	Avg Commands	Source
atlas-r0 Baseline	54/63	306/315	88s	\$42.22	13,300	9	6	—
atlas-r1 Receipt and idempotency revision	59/63	311/315	88s	\$42.22	13,300	9	6	—

The accepted atlas-r2 score and \$67.74 balance before the \$50 binary build.

BUILD LEDGER

The \$132.26 case estimate applies the previously selected 10× provider-usage rule during generation and evaluation. The \$50 binary build is a separate, one-time charge for this selected build.

FROM API DOCUMENTS TO AN EVALUATED AGENT RUNTIME

14 / 15

RUNTIME LICENSING

PAY FROM VERIFIED SAVINGS

After deployment, the closed-source binary can run in the company environment. The prepaid Tura wallet funds the commercial license as work is completed.

USER PROVIDES A prepaid wallet, an agreed baseline for each task, the same model and task scope, provider token rates, and a successful outcome verifier.	USER ACTION Top up before use, run the binary, and inspect matched baseline-versus-runtime token usage and the wallet receipt for each completed task.
HOW TURA WORKS The binary reports model-token usage with each verified task receipt. Verified savings = max(0, baseline token cost – runtime token cost); Tura fee = 22% × savings. Failed or non-saving tasks owe no savings fee.	OUTPUT A per-task license debit and auditable receipt. The customer retains 78% of verified token-cost savings; provider usage and infrastructure are billed separately.

EXAMPLE

100k baseline tokens – 40k runtime tokens = 60k saved. At an agreed \$5 per million tokens, savings are \$0.30; Tura charges \$0.066 (22%).

TURA

ATLAS OUTDOORS

Dashboard

Connecting

Workflow

Providers

Agents

Runs

Compare

Logs

Runtime

Docs

Settings

BALANCE

\$0.00 used

\$200 start

\$200.00

Atlas Outdoors

WORKSPACE

STORES

6

RUNS

0

AGENT

3

TURA HOME

Search dashboard...

online

Atlas Outdoors

AO

OVERALL WORKFLOW · STEP 01 / 08

Workspace workflow

→ CONTINUE

Connect supplier OpenAPI and permission files

01 Connect API and permissions

02 Configure workflow

03 Review generated dashboard

04 Choose provider

05 Configure agent runtime

06 Run benchmark

07 Review and revise

08 Package runtime

Starting credit \$200.00 USD · Used \$0.00 USD · Balance \$200.00 USD

01 · Connecting In progress · Elapsed 0:00 · typical effort 20:00

0%

DASHBOARD / PLAYGROUND

ATLAS OUTDOORS

WORKSPACE

Six outdoor storefronts connect orders, payments, refunds, shipping, customer channels and product images through one agent workflow. Workspace figures update as each step completes.

BENCHMARK ITERATIONS

Baseline not started

Each revision reruns 63 cases. Compare records the failure, workflow prompt, agent prompt, Operation Manual, command dispatcher and runtime configuration. Package only the accepted revision.

The company wallet is funded before the workflow begins; build and runtime charges draw down the balance.

PRICE BASIS	Tura's published commercial rate is 22% of verified savings: turaai.net/pricing. The \$50 binary-build charge is the separate Atlas Outdoors workflow term. Closed-source delivery protects the optimized implementation and its usage meter.
---------------------------	---