One Loop Matching for Quasi PDF

Yingsheng Huang

January 12, 2020

1 **Diagrams**




Figure 1: Diagrams of quasi PDF in Feynman gauge.

Analytic Results $\mathbf{2}$

$$\Gamma_{a} = \tilde{q}_{11} = \frac{\alpha_{S}C_{F}}{2\pi} \left\{ \begin{array}{c} (x-1)\ln\frac{x-1}{x} + 1, & x > 1\\ (1-x)\ln\frac{(P^{z})^{2}}{m^{2}} + (1-x)\ln\frac{4x}{1-x} + 1 - \frac{2x}{1-x}, & 0 < x < 1\\ (x-1)\ln\frac{x}{x-1} - 1, & x < 0 \end{array} \right.$$

$$(1)$$

$$\Gamma_{a} = \tilde{q}_{11} = \frac{\alpha_{S}C_{F}}{2\pi} \begin{cases}
(x-1)\ln\frac{x-1}{x} + 1, & x > 1 \\
(1-x)\ln\frac{(P^{z})^{2}}{m^{2}} + (1-x)\ln\frac{4x}{1-x} + 1 - \frac{2x}{1-x}, & 0 < x < 1 \\
(x-1)\ln\frac{x}{x-1} - 1, & x < 0
\end{cases}$$

$$\Gamma_{b} = \tilde{q}_{12} = \frac{\alpha_{S}C_{F}}{2\pi} \begin{cases}
-\frac{2x}{1-x}\ln\frac{x-1}{x} - \frac{1}{1-x}, & x > 1 \\
\frac{2x}{1-x}\ln\frac{(p^{z})^{2}}{m^{2}} + \frac{2x}{1-x}\ln\frac{4x}{1-x} + 1 - \frac{x}{1-x}, & 0 < x < 1 \\
-\frac{2x}{1-x}\ln\frac{x}{x-1} + \frac{1}{1-x}, & x < 0
\end{cases} \tag{2}$$

$$\Gamma_d = \tilde{q}_{13} = \frac{\alpha_S C_F}{2\pi} \begin{cases} \frac{1}{1-x}, & x > 1\\ -\frac{1}{1-x}, & 0 < x < 1\\ -\frac{1}{1-x}, & x < 0 \end{cases}$$
 (3)

Numerical Results (z = 1/4)3

Diagram a/8

```
(0.477465 \text{ CV}(1,3) \text{ CV}(2,4/3))/\text{s}-0.106103 \text{ CV}(1,3) \text{ CV}(2,4/3) \log(\text{s})-0.563075 \text{ CV}(1,3) \text{ CV}(2,4/3)
```

Diagram b/4

 $0.212207 \text{ CV}(1,3) \text{ CV}(2,4/3) \log(s) - 0.273255 \text{ CV}(1,3) \text{ CV}(2,4/3)$

Diagram c/3

(0.339531 CV(1,3) CV(2,4/3))/s-0.509296 CV(1,3) CV(2,4/3)

Diagram d/5 no input ".m" file for FIRE.